

CAUTION
Precautionary Statements
Hazards to Humans and
Domestic Animals

Keep out of reach of children. Avoid inhalation. Avoid repeated or prolonged contact with skin. Do not spray on skin or on animals — in case of accidental contact wash with soap and water.

Remove pets, birds, fishbowls from room being sprayed.

Do not spray on foodstuffs, cooking utensils or milking equipment.

ENVIRONMENTAL HAZARDS

Do not contaminate water when disposing of equipment wash water.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally.

DO NOT INDUCE VOMITING: Vomiting may cause aspiration pneumonia.

IF INHALED — Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN — Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES — Flush eyes with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture. Do not expose container to temperatures above 120°F. Never throw container into fire or incinerator.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with the label.

STORAGE AND DISPOSAL

Store in a cool, dry secure area. Dispose of by replacing cap and discarding container in trash. Do not incinerate or puncture.

To release mist, hold container upright and spray away from you.

For average size room, spray upward with sweeping motion for 6 to 7 seconds. For best results, keep room closed for 10 minutes after spraying. Do not occupy room during this time.

— For use in homes, milk rooms, restaurants —

FLYING INSECTS

Flies, Mosquitoes, Flying Moths, Sand Flies, Gnats, Wasps, Hornets: Spray toward center of room with circular motion. For average room (10'x10'x10') spray 6 or 7 seconds. For the control of flies, mosquitoes, and gnats close up the infested area and fill it with mist. The space should be left closed for at least 10 minutes after treatment. Sweep up and destroy the fallen

Not Reviewed. Registrant claims to be in accordance with 2/7/90-15
 Peregistration of Pesticide Product Guidance for Phase 2
 Response, Page 2.12, Active to Inert Change in Status. DIRECTIONS FOR USE Con'L

PYRENONE
AEROSOL
SPRAY

For use in Bottling Plants, Breweries, Homes, Bakeries, Food Plants, Stores, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals, Warehouses, Food Handling Plants, Dairies, Milk House, Cattle, Horse, Poultry, and Swine Quarters. For use on cattle, horses and swine.

KILLS wasps, homets, flies, silverfish, flying moths, ants, roaches, mosquitoes, spiders, gnats, fleas, waterbugs and bedbugs. Non-staining.

ACTIVE INGREDIENTS:
 Pyrethrins 0.2%
 Piperonyl Butoxide* (Technical) 1.0%

INERT INGREDIENTS 98.8%
TOTAL 100.0%

*Equivalent to 0.80% (butylcarbamyl) (6-propylpiperonyl) ether and 0.20% of related compounds

**Contains petroleum distillate

EPA Reg. No. 47000-15
 EPA Est. No. 47000-1A-01

Keep Out Of Reach Of Children
CAUTION
 See back panel for additional cautions.

NET CONTENTS: 14 Ounces

Mfg. By:
CHEM-TECH, LTD.
 Des Moines, IA 50321



BEST AVAILABLE COPY

CRAWLING INSECTS

Roaches, Waterbugs, Silverfish, Fleas, Spiders: Direct spray behind baseboards, molding, sinks and pipes, toward drains and dark corners, into cracks, crevices, recesses and similar hiding places. For the control of roaches, waterbugs and silverfish make thorough and repeated spraying of the infested area, working the spray into cracks and other hiding places. Be sure to hit the insects directly with the spray. Make repeated applications as necessary. For the control of fleas in premises, special care should be made to treat the floors, baseboards, floor coverings, wall cracks, as well as the sleeping quarters of the animals. Hit the insects directly with the spray. Repeat treatment as required.

HOME AND FOOD PROCESSING AREA USE: For flies, mosquitoes, small flying moths (millers), and gnats: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated areas. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed. Roaches, Waterbugs, Sowbugs, Spiders and Centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary. ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

STORED PRODUCT INSECTS (accessible stages): Flying Mediterranean flour moths, Indian meal (chocolate) moths, angoumois grain moths: Close doors and windows. Direct aerosol mist to all parts of the room, especially into dark enclosures and around stored product containers where adult moths may be resting. Use a minimum treatment of six to eight seconds per 1000 cubic feet of space. Keep area closed for 30 minutes after each treatment. Repeat treatment weekly or as flying moths appear. Infested stored food products should be fumigated or treated with an approved product.

DAIRY FARM USE: Milking parlor and milk room. Close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cubic feet. If rooms cannot be closed, double the dosage. Stand in middle of room. Direct spray in all directions. Keep room closed for 15 minutes after treatment. Do not remain in treated area. Ventilate the area after treatment is completed. Cover milking utensils and milk to prevent contamination from spray and dead or falling insects.

DAIRY ANIMAL USE: From approximately 2 foot distance thoroughly spray entire animal as it is being released to pasture. Do not spray directly toward animal's eyes. Spot treat withers, shoulders and back where saliva accumulates from head tossing.

STANCHION BARN USE: Walk behind animals and direct spray over backs allowing 1 second per animal. For most effective results, apply each morning.

HOG OPERATIONS: In hog houses, close all windows and doors. Apply at the rate of 1 to 2 seconds per 1000 cubic feet. Keep area closed for 15 minutes following application. If area cannot be closed, double the dosage. For animal application direct spray over backs and spray for 1 to 2 seconds per hog. Do not spray directly towards animal's face or eyes. Repeat application daily or as necessary.

HORSE BARN AND STABLES: In horse and pony barns close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cubic feet. Keep area closed for 15 minutes following application. If area cannot be closed, double the dosage. In animal application, lightly mist over backs of horses and ponies

1/30/90
 BEEF CATTLE OPERATIONS: In barns, close all windows and doors. Apply at the rate of 1 to 2 seconds per 1000 cubic feet. Keep area closed for 15 minutes following application. If area cannot be closed, double the dosage. For animal use, thoroughly spray entire animal as it is being released to pasture. Do not spray directly towards animal's face or eyes. Repeat application daily or as necessary.

POULTRY OPERATIONS: For poultry houses, close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cubic feet. Keep area closed for 15 minutes following application. If area cannot be closed, double the dosage. Treat daily or as necessary.

Clothes Moths: Thoroughly spray clothing and fabric articles with special attention to folds and seams. Repeat monthly unless stored in moth-proof containers. Keep bomb at least 3 feet away from clothing or fabrics being sprayed.

For controlling ants in the house, treat ant trails and areas around door sills and window frames where the pests enter the premises. Be sure to hit the ants directly with the spray. Make repeated applications as required.

Bedbugs: To kill bedbugs, spray all crevices of mattresses, springs, cracks in baseboards, bedroom furniture, where bedbugs may hide. Repeat as necessary.

Notice to User: Seller's guarantee shall be limited to the terms of the label, and subject there to the buyer assumes any risk to persons or property arising out of use or handling and accepts the products on these conditions.

DOT 39 NRC 130/180 M1089
 Federal law forbids transportation if re-filled - penalty up to \$25,000 and 5 years imprisonment (49 USC 1809)