


PLU 17 EPA # 47000-19
 Pg 1 of 2
 CLF 9/5/89



DIRECTIONS FOR USE (Con't)

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS
 — CAUTION —**

Harmful if swallowed. Protect milk and milking utensils from contamination by the spray. Do not over apply to animals.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry, secure area in original container.

DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary land fill, or incinerator, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**DY-FLY I
 LIVESTOCK SPRAY**

**FOR USE ON
 DAIRY CATTLE, BEEF CATTLE and HORSES**

ACTIVE INGREDIENTS:

| | |
|---|----------------|
| Pyrethrins | .08% |
| *Piperonyl butoxide, technical | .12% |
| **N-octyl bicyclohexane dicarboximide | .20% |
| ***Di-n-propyl isocinchomeronate | .40% |
| INERT INGREDIENT | 99.22% |
| TOTAL | 100.00% |

*consists of .086% (butylcarbityl) (8-propylpiperonyl) ether and .024% related compounds

**MGK 284, Insecticide Synergist, U.S. Pat. No. 2,478,512

***MGK Repellent 328, U.S. Pat. No. 2,757,120

**CAUTION: KEEP OUT OF REACH OF CHILDREN
 See Precautions on Side Panel**

NET CONTENTS:

MANUFACTURED BY:

CHEM-TECH, LTD.

4515 Fleur Dr.

Des Moines, IA 50321

Livestock Spray is a dual-purpose formulation designed to protect dairy cattle, beef cattle and horses from the attacks of biting flies, in the barn and on the pasture, as well as to function as an effective space spray for quick knockdown and kill of houseflies in the barn and milking room.

Animal Spray — Dairy Cattle, Beef Cattle, Horses: To protect animals against the attacks of horseflies, stable flies, horn flies, mosquitoes and gnats, apply just enough to wet the ends of the hairs but not enough to soak the hide. One to two ounces is sufficient to treat an adult cow. Apply once daily, preferably in the morning. Repeat at daily intervals or as necessary for continued protection.

Space Spray — Barn and Milking Room: To attain quick knockdown and kill of flies, gnats and mosquitoes in enclosed spaces, spray toward the ceiling and corners until the space is filled with a light mist. For best results, close all windows and doors prior to spraying and keep them closed for 10 to 15 minutes after spraying. Sweep up and destroy fallen insects. **NOTE:** Do not remain in treated areas and ventilate the area after treatment is completed.

NOTICE: Seller's guarantee shall be limited to the terms on the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

EPA REG. NO. 47000-19
 EPA EST. NC 47000-1A-01



12/88

Not Reviewed. Registrant will be in accordance with Reregistration of Pesticide Products Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.