

Reg # 47000-44 p 1/2
1 M 17

OCT 1 1986

Chem-Tech, Ltd.
4515 Fleur Drive #303
Des Moines, IA 50321

Attention: James R. Melton

Gentlemen:

Subject: Home-Garden and Pet Insecticide
EPA Registration No. 47000-44
Your Letter Dated January 27, 1986

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Use correct EPA Registration Number (47000-44) on the final labels. The revised label draft has the EPA Registration Number of a predecessor company.
 - b. Submit a revised Confidential Statement of Formula. A blank copy is enclosed for your use.
 - c. Include the following Product Disposal statement on the label:
"Securely wrap original container in several layers of newspaper and discard in trash."
 - d. Include the following Container Disposal statement on the label:
"Do not reuse empty container. Replace cap and discard container in trash. Do not incinerate or puncture."

86871; Schroeder: G-9: KENCO: 9/24/86: 10/6/86: dej: VO

PHS
6

CONCURRENCES

SYMBOL ▶	SURNAME ▶	DATE ▶						


e. The addition of fleas and ticks under the indoor instruction section as well as the outdoor instruction section is acceptable.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



Artur E. Castillo
Acting Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

P. 3/5

[3770-211]

HOME — GARDEN AND PET INSECTICIDE

INDOORS and OUTDOORS

PRESSURIZED SPRAY
SHAKE WELL BEFORE USE

ACCEPTED
12/14/73
UNDER THE FEDERAL INSECTICIDE
ACT
EPA REG. NO. 3770-211
SUBJECT
TO A.P. 235

ACTIVE INGREDIENTS (by weight)	
Pyrethrins	
*Piperonyl butoxide, technical	0.50%
**N-octyl bicycloheptene dicarboximide	0.50%
Petroleum distillate	1.00%
INERT INGREDIENTS (by weight)	
Total	100.00%

*Consists of 0.4% (butylcarbityl) (6-propylpiperonyl) ether and 0.1% related compounds
 **MKG 264 Insecticide Synergist, U. S. Pat. No. 2,476,612

WARNING
CONTENTS UNDER PRESSURE
KEEP OUT OF REACH OF CHILDREN
 SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET WT. 14 OZ.

ECONOMY PRODUCTS COMPANY, INC.
 SHENANDOAH, IOWA 51601

DIRECTIONS

SHAKE BEFORE USE — HOLD CONTAINER UPRIGHT
 APPLY IN SHORT BURSTS — SHAKE OCCASIONALLY DURING

INDOORS: For House Plant, spray in short bursts, holding inches from foliage of English Ivy and African Violets. Spray of the leaves lightly. Do not wet. Repeat as often as needed. aphids (plant lice), spider mites, exposed thrips, and lace.

To kill Flies, Mosquitoes, Gnats, Wasps and Flies, (bats) and windows and direct spray upward into center of room in sweeping motion. Keep nozzle 3 feet from surfaces. Fill a closed room with mist. Keep room closed for 15 minutes after.

To kill Roaches, Waterbugs, Silverfish, Crickets and Ants: boards, cracks, crevices, moist areas, and openings around pipes and other hiding places, hitting the insects directly. hills and ant trails over window and door sills and other loc.

OUTDOORS: To kill sucking and chewing insects, spray insects. Use on Aster, Gladiolus (aphid, leafhopper, thrip, mites); Azalea (aphid, thrips (exposed), lace bug, mites); Delphinium, Fern (aphid, thrips (exposed), mites); Egg (aphid, leafhopper, thrip (exposed), lace bug, yellow woolly bear, mites); Mahia (aphid, leafhopper, thrip (exposed), woollybear caterpillar, Japanese beetle, mites); Marigold (thrip (exposed), yellow woollybear caterpillar, cutworm, mites); Palmetto (leafhopper, yellow woollybear caterpillar, Flea (aphid, leafhopper, thrip (exposed), yellow woollybear, Japanese beetle).

Also, for use on evergreens and small ornamental decid shrubs and vines for aphid, leafhopper, spider mite, thrip, lace bug, and Japanese beetle.

For best results spray in evening or on a cloudy day when Use slow sweeping motion. Keep can 18 inches from plants. ting foliage with the spray. Spray rows at the rate of 1 foot For heavy growth, spray rows on both sides. Repeat when ne with caution on young plants and new growth. Do not spray perature exceeds 90°F.

FLEA and TICK SPRAY — PETS (cats, dogs, hamsters, white rats): Hold can upright and spray about 12 inches away. SPRAY contents in circular motion for a more even coverage. Continue spraying until tips of hair are moist. Work spray i pet. Spray directly on ticks. For control of fleas on caged at the cage completely and replace clean bedding in the cage. bedding and treat the area around the cage as needed. Repeat as necessary. Make a weekly check to see if treatment is Caution: Do not spray in eyes of pet. In case of spraying in out with water.

WARNING: Contents under pressure. Do not puncture. Do store near heat or open flame. Exposure to temperatures ab may cause bursting. Never throw container into fire or Cover or remove fish bowls for 1 hour. Remove bird cages being sprayed. Cover exposed food and utensils. Do not treated areas. Ventilate the area after treatment is complet spray on plastics, asphalt tile or furniture.

HOW TO OPERATE — Remove protective cover. Be sure s points outward. Press down on push button valve.

NOTICE: Seller's guarantee shall be limited to the terms o and subject thereto the buyer assumes any risk in persons arising out of use or handling and accepts the product on ditions.

EPA Reg. No. 3770-211

(065)

41000

BT