



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

July 14, 2014

Mr. Steve Rogosheske Chem- Tech, TTD. 1006 Business Highway 5 Pleasantville, IA 50225

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Mr. Rogosheske:

-The-Agency-is in-receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice PRN 98-10 date June 26, 2014 for the following product(s):

DY-FLY Dairy Aerosol

EPA Reg. No. 47000-69

The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Richard J. Gebken

Product Manager

Insecticide Branch

Registration Division (7504P)

	,,,,,,			·5 A	0147.14		Print Form
Please read instructions on reverse before com, ding form. United States Environmental Protection Washington, DC 20					Registi Amend	ration	O. Approval expires 2-28 OPP Identifier Number
		Applicati	on for Pest	icide - Secti	on I		
1. Company/Product Number 47000-69			2. EPA Product Manager Richard Gebken			1 —	oposed Classification
4. Company/Product (Name) Dy-Fly Dairy Aerosol	PM# 10	PM#					
5. Name and Address of App Chem-Tech, Ltd. 1006 Business Hwy 5 Pleasantville, IA 50225 X Check if this	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling NOTIFICATION EPA Reg. No. JUL 1 4 2014 Product Name						
	·		Section	- 11			
Amendment - Explain Resubmission in resp Notification - Explain Explanation: Use addition Change company address See attached Certification	onse to Agency letter below. all page(s) if necessar	y. (For section		Agency lette "Me Too" Ap Other - Exple	oplication. iin below.		
	- ".	_	Section	- 111			
1. Material This Product Will Child-Resistant Packaging Yes No	Yes		Water Soluble Packaging 2 Yes X No		1 -	2. Type of Container X Metal Plastic Glass	
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container		Paper Other (S	ipecify)
Lebel Container 6. Manner in Which Label is Affixed to Product Lithout L			stail Container 20 - 26 oz. graph r glued ciled	r -v			
		Stelle	Section -	· IV		- ; c	cece
1. Contact Point (Complete	items directly below fo	or identificati			necessary, to p	process this	application.)
Name Steve Rogosheske			Title Registrations Manager			Telephone No. (Include Aree Cude) 651-994-8944	
I certify that the stater I acknowledge that an both under applicable I	y knowlinglly false or a	Certific this form and misleading st	d all attachments	thereto are true, punishable by fin	accurate and co or imprisonme	omplete.	ເສ. Date Application. ໃຊ້ສຸດອ່ານອນ (Stamped)
2. Signature			3. Title Registrations Manager				

5. Date

Steven E. Rogosheske

6-26-14







June 26, 2014

Document Processing Desk (NOTIF)
Office of Pesticide Programs – RD (7504P)
U. S. Environmental Protection Agency
1200 Pennsylvania Ave., NW
Washington, DC 20460

Subject: NOTIFICATION

DY-FLY Dairy Aerosol EPA Reg. No. 47000-69

Notification Team:

— — Chem-Tech, Ltd. is submitting the subject product for notification to add new company 24-hour emergency number, change of address, and logos reflecting new company ownership. This notification is being filed in accordance with PR-Notice 98-10.

Along with the application form, we are enclosing two copies of the label with the notifications highlighted on one label. If there are any questions regarding this submission please contact this office.

Sincerely,

Steven E. Rogosheske Registration Manager

E-mail: srogosheske@neogen.com

Enclosures

DY-FLY Dairy Aerosol

4/6

Brackets [] indicate optional text. [Contains Pyrethrin] [pressurized] [Controls Flies, Gnats, Mosquitoes] [Commercial, Farm, Residential]

[KILLS & REPELS: House Flies, Horn Flies, Stable Flies, Horse Flies, Face Flies, Deer Flies, Gnats, Mosquitoes, Small Flying Moths (millers), Asian Lady Beetles, Roaches, Waterbugs, Sowbugs, Spiders, Centipedes, Ants, Crickets, Wasps and Hornets.]

[For use in Bottling Plants, Breweries, Homes, Bakeries, Food Plants, Stores, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals, Warehouses, Food Handling Plants, Dairies, Milk Houses, Cattle, Horse, Poultry and Swine Quarters. For use on Cattle, Horses, and Swine.]

ACTIVE INGREDIENTS:

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds. Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

If on Skin or Clothing:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a

poison control center or doctor for treatment advice.

If-Swallowed:

Immediately-Call a-poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas. NOTE TO PHYSICIAN: Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators, and other handlers must wear the following:

- Long-sleeve shirt and long pants
 - Shoes and socks...
 - Chemical-resistant gloves (such as Barrier Laminate, Nitrile Rubber, Neoprene Rubber or Viton).

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing, and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

User Safety Recommendations:

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

6 6 6 6 6 6 6 6 6 6

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TV's, computers, etc.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the label.

Hold container upright, nozzle away from you and press actuator button spraying as directed.

Use Restrictions

Except when used on livestock, do not enter or allow other to enter until vapors, mists and aerosols have dispersed, and the area has been thoroughly ventilated.

Prior to space spray applications, cover or remove food.

In hospitals or other medical facilities, remove patients prior to treatment. Ventilate treated area for two hours prior to returning patients.

When used in indoor food handling and processing facilities, do not make space spray application when facility is in operation. Prior to space spray applications, cover food processing surfaces or clean after treatment and before use. Do not apply more than 1 time per day.

When used in Dairy Barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Remove pets, birds (except in commercial poultry operations) and cover fish aquariums before spraying.

Indoor use only.

Not for use in outdoor residential misting systems.

Do not use in aircraft.

HOME AND FOOD PROCESSING AREA USE: For flies, mosquitoes, small flying moths (millers), Asian lady beetles and gnats: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated areas. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed. Roaches, Waterbugs, Sowbugs, Spiders and Centipedes: spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary. ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat no more than once per day.

FOR USE IN FOOD STORAGE SITES: This product can be used in warehouse bins and trucks, cargo ships, mills, bin hoppers, elevators, and conveying equipment as a clean up prior to using them for storage. For control of Almond, Indian Meal, Angoumois, and Tobacco Moths, Rice Weevil, Grain mites, Confused Flour Beetle, Sawtoothed Grain Beetle, and Roaches. Close room or warehouse and shut off ventilation equipment. For processed product areas of food manufacturing facilities, cover or remove any exposed food/feed. Cover any equipment that will be in direct contact with food/feed. Direct aerosol mist to all parts of the room, especially into dark enclosures and around stored product containers where adult moths may be resting. Use a minimum treatment of 6 to 8 seconds per 1000 cubic feet of space. Keep area closed for 30 minutes after each treatment. In mills and elevators, all grain infested accumulations should be removed from the bin hoppers. All storage areas and conveying equipment should be thoroughly cleaned by sweeping out the waste grain, cobwebs and other debris from the walls and rafters as well as on the floor and door frames with special attention to material lodged in the cracks and crevices. All of the debris should be removed and burned to kill eggs and insects that might be present. Before processing begins, wash down all equipment, benches, shelving, etc., where exposed food/feed will be handled with an effective cleaning compound followed by potable water rinse. Repeat treatment weekly or as infestation occurs.

FOR USE ON STORED PRODUCTS: This product can be used on rice, grain nuts, dried fruit, beans, almond nutmeat and shells, pistachio, dried prunes, dried apricots, raisins, figs, wheat, oats, barley, rye, tobacco and peanuts held in storage for control of the accessible stages of Almond Moths, Angoumois Grain Moths, Cadelle Beetles, Cigarette Beetles, Confused Flour Beetles, Flat Grain Beetles, Granary Weevils, Indian Meal Moths, Red Flour Beetles, Rice Weevils, Rusty Grain Beetles, Sawtoothed Grain Beetles, Square Necked Grain Beetles, and Tobacco Moths. Treatment should be made while building is unoccupied. Building should be closed for at least 30 minutes after treatment with all ventilation and UV light sources kept at a minimum during fogging. Dy-Fly does not penetrate exposed or packaged product. Infested products should be treated by other methods approved for this purpose. Use a minimum treatment of 6 to 8 seconds per 1000 cubic feet of space. Direct aerosol mist to all parts of the room, especially into dark enclosures and around stored product containers where adult moths may be resting. Repeat treatment weekly or as infestation occurs.

6/6

TO TREAT ANIMALS: To protect cattle from attacks of stable flies, horse flies, deer flies, house flies, horn flies, mosquitoes and gnats spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from face flies, spray the face and head, but do not spray into the eyes. Repeat treatment as necessary but no more than 1 time per day.

IN ANIMAL QUARTERS & MILK ROOMS: For rapid control of house flies, mosquitoes, gnats, wasps, and flying moths close windows and doors and spray at the rate of one second per 1000 cubic feet of space. For best results keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

BEEF CATTLE: In barns, close all windows and doors. Apply at the rate of 1 to 2 seconds per 1000 cubic feet. Keep area closed for 15 minutes following application. If area cannot be closed, double the dosage. For animal use, thoroughly spray entire animal as it is being released into pasture. Do not spray directly towards animal's face or eyes. Repeat application daily but not more than once per day.

POULTRY: For poultry houses, close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cubic feet. Keep area closed for 15 minutes following application. If area cannot be closed, double the dosage. Treat daily or as necessary, but not more than once per day.

HOGS: In hog houses, close all windows and doors. Apply at the rate of 1 to 2 seconds per 1000 cubic feet. Keep area closed for 15 minutes following application. If area cannot be closed, double the dosage. For animal application direct spray over backs and spray for 1 to 2 seconds per hog. Do not spray directly towards animal's face or eyes. Repeat application daily or as necessary, but not more than once pet day.

HORSE BARNS AND STABLES: In horse and pony barns close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cubic feet. Keep area closed for 15 minutes following application. If area cannot be closed, double the dosage. In animal application, lightly mist over backs of horses and ponies from a distance of at least 2 feet. Do not spray directly toward horse's face or eyes. Repeat application daily or as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place away from heat or open flame.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do not puncture or incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

NOTICE

It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Chem-Tech, Ltd, the manufacturer or seller. To the extent consistent with applicable law, Chem-Tech, Ltd, the manufacturer or seller shall not be liable for consequential, special or indirect damages resulting from the use or handling of this product.

Except as warranted by this label, Chem-Tech, Ltd, the manufacturer or seller makes no warranties, guarantees, or representations of any kind, either express or implied, or by usage of trade, statutory or otherwise with regard to the product sold or use of the product, including, but not limited to, merchantability, fitness for a particular purpose or use, or eligibility of the product for any particular trade usage. To the extent consistent with applicable law, buyer's or user's exclusive remedy, and Chem-Tech, Ltd's, the manufacturer's or seller's total liability shall be limited to damages not exceeding the cost of the product.

EPA Reg. No. 47000-69

NET WEIGHT:

EPA Est. No. 47000-IA-01

Mfg. By: Chem-Tech, Ltd. 1006 Business Hwy 5 Pleasantville, IA 50225



[Manufactured in the U.S.A.] [Flag Graphic]

6/26/14 EPA Notification