

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION 47000-72	DATE OF ISSUANCE FEB 11 1986
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGERISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	NAME OF PESTICIDE PRODUCT CP-75	
	NAME AND ADDRESS OF REGISTRANT (Include ZIP code)  Chen-Tech, Inc. 8515 Fleur Drive #303 Des Moines, IA 50321	
<b>NOTE:</b> Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.  A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.  Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.  This product is conditionally registered in accordance with FIFPA section 3(c)(7)(A) provided that you:  1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.  2. Revise the precautionary statement regarding space spraying in meat packing plants and such to read "... Wash with an appropriate cleaning agent and rinse with potable water ..." rather than as presently stated, "Wash with potable water."  3. Add the phrase, "EPA Registration No. 47000-72" to your label before you release the product for shipment.  4. Submit five (5) copies of your final printed labeling before you release the product for shipment.		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE FEB 11 1986

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosure

**WARNING  
CAUTIONARY STATEMENTS  
HAZARDOUS TO HUMANS &  
DOMESTIC ANIMALS**

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. When using this product as a space spray in food areas, do not apply while food processing is under way. Except in federally inspected meat and poultry plants, careful crack and crevice application for inspection purposes is permissible at all times. After space spraying in meat packing plants, bakeries, and other food processing plants, wash with potable water all equipment, benches, shelves, etc. where exposed food will be handled. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

**Environmental Hazards**

This product is toxic to fish and birds. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**Physical or Chemical Hazards**

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted, or varnished surfaces.

**USE DIRECTIONS**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal.

**Storage:** Store in a cool area away from heat or open flame.

**Particle Disposal:** Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

**Container Disposal:** Replace cap and discard empty container in trash, sanitary landfill, or by other approved state and local procedures. Do not incinerate or puncture.

**AGRICULTURAL USES:** (For control of House Flies, Horn Flies, Stable Flies, Gnats, Mosquitoes, Small Flying Moths)

**Dairy Farm Use: MILKING PARLOR AND MILK ROOM** — Close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cubic feet. If rooms cannot be closed tight, double the dosage. Stand in middle of room. Direct fog upward and spray in all directions. Seconds may be counted by saying one-thousand, two-thousand, etc. Keep room closed for 15 minutes after treatment. Example: A room 20 feet long, 12 feet wide, and 8 feet high requires 2 seconds if closed tight, 4 seconds if not. Do not remain in treated areas. Ventilate the area after treatment is completed. Cover milking utensils and milk to prevent contamination from spray and dead or falling insects.

**ANIMAL USE** — From approximately 2-foot distance, thoroughly spray entire animal as it is being released to pasture. Do not spray directly toward animal's eyes. Spot treat withers, shoulders, and back where saliva accumulates from head tossing.

**STANCHION BARN USE** — Walk behind animals and direct spray over backs allowing 1 second per animal. For most effective results, apply each morning.

(Continued)

EPA REG. NO. 47000-  
EPA EST. NO. 47000-1A-01



**CT-75**

**Aerosol Insecticide  
Especially Formulated For:**

**FOR:** Dairy Farms (including Milk House, Milking Parlor, Loading Sheds, and Holding Lot), Poultry and Hog Operations, Horse Barns and Stables, Beef Cattle Operations, Kennels, Catteries, Food Storage Areas, and Meat Packing and Food Processing Plants, Homes, Hotels, Stores, & Restaurants.

**KILLS:** House Flies, Horn Flies, Stable Flies, Gnats, Mosquitoes, Wasps, Small Flying Moths, Fruit Flies, Adult Fleas, Grain Weevils, Flour Beetles, Chocolate Moths, Carpet Beetles, Drug Store Beetles, Roaches (Waterbugs), Spiders, Ants, Silverfish, Crickets.

"Only for sale to, use, and storage by service persons."

**INGREDIENTS**

**ACTIVE INGREDIENTS BY WEIGHT:**

Pyrethrins.....	0.70%
**Piperonyl Butoxide, Technical	5.00%
Petroleum Oil, Refined.....	2.80%
INERT INGREDIENTS.....	91.50%
	<hr/>
	100.00%

\*\*Equivalent to 4.00%(butylcarbityl) (6-propylpiperonyl) ether and 1.00% related compounds.

**KEEP OUT OF REACH OF CHILDREN  
WARNING**  
Contents under pressure.  
See additional precautions on side panel.

**NET WEIGHT: 2 1/2 LBS.**

Manufactured by  
**CHEM-TECH, LTD.**  
Des Moines, IA 50315

**USE D**  
Poultry Operations: Use (present). Close all windows per 1000 cubic feet. If area cannot be closed, double the dosage. For animal application, 2 seconds per hog. Do not repeat application during...

**Hog Operations:** In the rate of 1 to 2 seconds following application. For animal application, 2 seconds per hog. Do not repeat application during...

**Horse Barns and Stables:** Spray at the rate of 1 to 2 seconds. Keep area closed for 15 minutes. Double the dosage for animal application. Do not spray directly toward backs of horses and spray directly toward...

**Beef Cattle Operations:** the rate of 1 to 2 seconds following application. For animal application, 2 seconds per hog. Do not repeat application during...

**NON-AGRI**  
Treatment is complete.

**FLYING INSECTS:** Moths, Fruit Flies, etc. at a rate of 1 to 3 seconds. Keep area closed for...

**Adult Flies in Buildings:** Hold aerosol 36" above sofa, and chair surfaces at a rate of 10 seconds.

**Food Storage Areas:** FLYING INSECTS: Moths, Fruit Flies, etc. at a rate of 1 to 3 seconds. Keep area closed for...

**GRAIN WEEVILS, BEETLES, DRUG STORE BEETLES:** Contact as many insects as possible in cracks and crevices of floors, baseboards, floor space. Repeat application...

**ROACHES, SPIDER:** Contact as many insects as possible. Apply to baseboards, sinks, etc. Repeat all treatments...

**NOTIC**  
limited the buying arising product

ACCEPTED  
M. J. COMMENTS, 001 28  
to P. A. Baker, Dated: 125.000

FEB 11 1986

42000-72