

47000001
10/10
1/2/80

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS DANGER

Fatal if swallowed, inhaled or absorbed through skin. Wear rubber gloves while filling, running or emptying machine. Do not get liquid in eyes. Avoid contact with skin, eyes or clothing. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating or smoking. Do not contaminate food products by direct contact with liquid. Persons exposed to ULV VAP-5 vapors during treatment should wear a protective respiratory device of a type approved by the Mining Enforcement and Safety Administration and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR, Part II, for protection against dichlorvos insecticide.

ENVIRONMENTAL HAZARDS

Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Not for use or storage in or around the home.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal. Store containers in a secure area under lock and key. Storage area should be equipped to handle an accidental spill.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

VAP-5 is a specially formulated insecticide designed for use in the control of exposed stages of stored products insects infesting warehouses containing non-perishable, packaged or bagged raw or processed food commodities, as well as bulk grains, animal feeds and tobacco. The term "non-perishable" means any raw or processed food not subject to rapid decay or deterioration that would render it unfit for consumption.

Raw commodities would include: cocoa beans, field-dried beans, field-dried peas, grains, either bagged or bulk, tobacco, nuts and farmer stock peanuts.

Processed foods would include: flour, sugar, cereals, packaged goods and crackers.

USE AND APPLICATION DIRECTIONS:

For the control of the exposed stages and the prevention of migration of most species of stored products insects, granary weevils, rice weevils, confused flour beetles, saw-toothed grain-beetles, cigarette beetles, Indian-meal moths and cocoa bean moths in warehouse storage areas, food-processing areas, flour and grain mills, bakeries, canning and bottling plants and brewery warehouses during time when the plant is not in operation and no food products are exposed.

If bulk, unpackaged foods are exposed, remove or cover before spraying begins.

FOGGING — VAP-5 may be used in most types of fogging devices with the exception of Thermal fogger. The rate of application should be between 1-2 grams of actual dichlorvos per 1000 cu. ft. or 1/2 to 1 ounce of liquid per 1000 cu. ft.



VAP-5

5% VAPONA® INSECTICIDE FOR USE IN WAREHOUSES, RAILROAD CARS AND STATIONARY TRUCKS, FLOUR MILLS, GRAIN MILLS, RICE MILLS

ACTIVE INGREDIENTS	% by weight
DICHLORVOS [2,2-Dichlorovinyl dimethyl phosphate]	4.65**
Related Compounds	0.35**
INERT INGREDIENTS*	95.00
	100.00%

*Inert ingredients contains petroleum distillate and 1,1,1-Trichloroethane.

**Equivalent to 5% Vapona insecticide

KEEP OUT OF REACH OF CHILDREN

DANGER POISON

See Side Panels for Additional Precautionary Statements.

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or poison control center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. If inhaled — Remove victim to fresh air and apply artificial respiration if indicated. If on skin — Remove all contaminated clothing and wash with soap and water. If signs of cholinesterase inhibition appear, or if irritation persists, get medical attention. If in eyes — Flush with plenty of water. If irritation persists, get medical attention.

NOTE TO PHYSICIAN: Symptoms: Symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea, or abdominal cramps. Treatment: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulations. If there are signs of parasympathetic stimulation, atropine should be injected at 10-minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. 2-PAM is also antidotal and may be administered in conjunction with atropine. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

NET CONTENTS: _____

MFG. BY:
Chem-Tech, Ltd.
4515 Fleur Dr., Des Moines, IA 50321

