PM 03  Please read irratructions on reverse before completing form.	7000-74	Form Approved	4/24/9-		Approvel expires 05-31-98		
Environmental Protect Washington, DC 2	tion Agency	en en elektris <b>X</b>	Registrati Amendme Other	on ent	OPP Identifier Number		
emborni politere virus i estrat la estra la Applicat			r s Serves and	1	าดใ <b>สมใจ</b> บาทส์การสายสูติปล		
1. Company/Product Number 47000-74		A Product Manager		3. Prop	osed Classification		
4. Company/Product (Name) Vap 5	PM#	10 B	X	None Restricted			
5. Name and Address of Applicant (Include ZIP Code) Chem-Tech, Ltd. 4515 Fleur Dr., #303 Des Moines, IA 50321	(b)(i), to:	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.					
Check if this is a new address	Proc	luct Name					
	Section -	11		/n			
of technical label) to	Use pursua reflect E	pursuant to request from Amvac (holder lect EPA approved revisions to the					
technical label. No labeled use signs are affected by this notification.  Section - III							
1. Material This Product Will Be Packaged In:			1				
Child-Resistant Packaging  Yes  No  * Certification must be submitted  Unit Packaging  Unit Packaging  Ves  No. per Unit Packaging wgt.	Water Soluble Yes No If "Yes" Package wgt	No. per container		ntainer Vietal Plastic Glass Paper Other (Spe	ecify)		
3. Location of Net Contents Information 4. Size(s) R	etail Container	5. Lc	Cation of Label On Label		•		
Label Container On Labeling accompanying product  6. Manner in Which Label is Affixed to Product Other							
Sten	r glued ciled Section -	iv	<u>, , , , , , , , , , , , , , , , , , , </u>		· · · · · · · · · · · · · · · · · · ·		
1. Contact Point (Complete items directly below for identificat			account to area	es this s	nalication		
Name James R. Melton	Title	Teleph			No. (Include Area Code)		
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.  (Stamped)							
2. Signature James R. Vhelton	3. Title Presid	ent	• • •	• •			
4. Typed Name	5. Date		<u>-</u>		• • • • • • • • • • • • • • • • • • •		
James R. Melton	3/28/	/28/97					

-Africa

## CHEM-TECH

#### VAP-5

5% Vapona Insecticide

For Use In Warehouses, Railroad Cars And Stationary Trucks, Flour Mills, Grain Mills, Rice Mills

ACTIVE INGREDIENTS:	% by weight
Dichlorvos (2,2-Dichlorovinyl dimethyl phosphate)	4.65**
Related Compounds	0.35
INERT INGREDIENTS*	<u>95.00</u>
Total	100.00%

<sup>\*</sup>Inert Ingredients contains petroleum distillate and 1,1,1-Trichiorpethane.

KEEP OUT OF REACH OF CHILDREN

# **DANGER**



**POISON** 

See Side Panels for Additional Precautionary Statements

NOTIFICATION APR 2 4 1997

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or po son control center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. If Inhaled: Remove victim to fresh a rand apply respiration if indicated.

If on skin: Remove all contaminated clothing and wash with soap and water. If signs of cholinesterase inhibition appear, or firitation persists, get medical attention.

If in eyes: Flush with plenty of water if irritation persists, get medical attention immediately.

#### NOTE TO PHYSICIAN

SYMPTONS: Symptoms include weakness, headaches, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulations. If there are signs of parasympathetic stimulation, atropine should be injected at 10 minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear shest by postural drainage. Oxygen administration may be necessary. 2-PAM is also antidotal and may be administered in conjuction with atropine. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

<sup>\*\*</sup>Equivalent to 5% Vapona Insecticide

## **DANGER**

Fatal if swallowed, inhaled or absorbed through the skin. Wear rubber gloves while filling, running or emptying machine. Do not get liquid in eyes. Avoid contact with skin, eyes or clothing. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating or smoking. Do not contaminate food products by direct contact with liquid. Persons exposed to ULV VAP-5 vapors during treatment should wear a protective respiratory device of a type approved by the Mining Enforcement and Safety Administration and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR, Part II, for protection againist dichlorvos insecticide.

#### **ENVIRONMENTAL HAZARDS**

Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

### PHYSICAL OR CHEMICAL HAZARDS

Not for use or storage in or around the home.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Store containers in a secure area under lock and key. Storage area should be equipped to handle an accidental spill.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

**WARNING:** Contains methylchloroform a substance which harms public health and environment by destroying ozone in the upper atmosphere.

## **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR SALE TO, USE AND STORAGE BY COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL APPLICATORS ONLY.

VAP-5 is a specially formulated insecticide designed for use in the control of exposed stages of stored products insects infesting warehouses, silos, bulk bins and food/feed processing, food/feed manufacturing, handling and storage plants containing non-perishable, packaged of bagged raw or processed food/feed commodities or bulk raw or processed food/feed commodities and non-food/feed areas of processing and manufacturing plants.

Non-food/feed processing and manufacturing plant use areas include garbage rooms, lavatories, floor drains (to sewer entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

The term "non-perishable" means any raw or processed food/feed not subject to rapid decay or deterioration that would render it unfit for consumption.

Raw commodities would include: animal feed, cocoa beans, dried beans, grain crops, peanuts, soybeans and nut crops. Raw commodities do not include: eggs, milk, meat, poultry, fish, fresh fruits and vegetables.

Processed food/feed would include: flour, sugar, cereals, packaged goods and crackers. Processed food/feed do not include: hermetically sealed food/feed or manufactured dairy products and other processed food/feed requiring freezing or refrigeration.

When using in food/feed processing, food/feed manufacturing, handling and storage areas:

Apply only during times when plant is not in operation and no food/feed products are

Apply only during times when plant is not in operation and no food/feed products are exposed. If bulk, unpackaged food/feed are exposed, remove or cover before treatment begins.

All food/feed processing surfaces should be covered during treatment or thoroughly cleaned before using.

#### NOTE: USE IS PROHIBITED IN:

Food/feed manufacturing establishments: bottling plants (including wineries, breweries, soft drinks), frozen food/feed (including pizza and ice cream plants), excluding non-food/feed manufacturing areas.

Food/feed processing establishments: meat, poultry and seafood slaughtering and/or packing plants (including edible fats and oils), frozen food/feed plants (including fruit and vegetables), dairy product plants (including milk processing plants), excluding non-food/feed processing areas.

#### **USE AND APPLICATION DIRECTIONS:**

For the control of exposed stages and the prevention of migration of most species of stored product insects, granary weevils, rice weevils, confused flour beetles, saw-toothed grain beetles, cigarette beetles, Indian-mealmoths, and cocoa bean moths.

FOGGING – VAP- 5 may be used in most types of fogging devices with the exception of Thermal fogger. The rate of application should be between 1-2 grams of actual dichlorvos per 1000 cu. ft. or 1/2 to 1 ounce of liquid per 1000 cu. ft.

Check amount of liquid in insecticide tank or auxiliary tank before and after treatment to assure proper dosage has been applied. Return unused insecticide to original container and clean machine outdoors using an approved solvent before returning to truck or storage area. This will help preserve equipment and prevent cross-contamination.

Treatment should be made during hours when buildings are unoccupied. Buildings should be closed and ventilitation kept at a minimum during application of the insecticide. Lock all entrances and do not allow unprotected workers to enter building when being treated.

Place Warning signs at all entrances stating:

"This building should be opened and aired prior to re-entry to unprotected workers. This building must not be entered without personal protection equipment for 24 hours; or, until a direct indicating short term concentration monitoring device (e.g. a Drager Tube) indicates that the DDVP air concentration is equal to, or less than, 50% of the PEL (0.1 ppm); an air concentration of 0.05 ppm or less is required for entry without personal protection equipment. Do not enter prior to \_\_\_\_\_\_\_\_ o'clock \_\_\_\_\_\_\_ (date) without personal protection equipment unless air concentrations of DDVP are 50% of the PEL or less."

Keep a minimum 7 day interval between applications except on cocoa beans and raw (unshelled) peanuts where daily applications do not exceed 0.5 grams a.i. per 1,000 cubic feet of head space.

Do not make applications when temperatures are below 60 F.

SPACE SPRAY AND CONTACT SPRAY—Dilute to 1-3% with an approved solvent and apply at the rate of 1 gallon spray per 64,000 cu. ft. to kill roaches, silverfish, fleas, waterbugs, earwigs, ants, spiders, in sheltered situtation. Adjust a ULV spraying device to a course spray for control of the above listed crawling insects. Contact as many of the insects with the spray as possible. Thoroughly spray all parts of the room suspected of harboring these insects. Special attention should be paid to cracks, hidden surfaces under equipment, and food storage areas. Then adjust the ULV device to deliver a fine spray for use as a space spray. Sweep up and destroy dead insects.

FOR USE AS A CONTACT SPRAY -- Dilute to 1% and spray 1 pint per 10,000 cubic feet or 1,000 square feet of floor space.

Do not use in the edible product areas of food/feed processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

#### GENERAL OPERATING INSTRUCTIONS

(For specific operating instructions, refer to Manufacturer's Instruction Booklet furnished with machine)

- 1. Having calculated amount of time required for treatment and flow rate required, place machine at farthest point from intended exit.
- 2. Direct nozzle(s) upward and pointed down aisle, not directly toward any nearby object.
- 3. Start machine and adjust flow to desired rate. Calibrate if necessary. Refer to operating manual
- 4. Operate for calculated time period. Begin by backing along precalculated path at predetermined speed.
- 5. When treatment time has been completed, stop insecticide flow by closing valve. Wait until spray stops, stop machine and remove from area.
- 6. Wait at least 6 hours after completition of treatment before ventilating. 12 or 16 hours exposure may be used, if convenient or preferred, in which case ventiliation is not necessary.

## WARRANTY

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably.

fit for the purpose stated on the label when used in accordance with directions under normal conditions of use but neither this warranty nor any other WARRANTY of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied extends to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonable foreseeable to seller and buyers assumes the risk of any such use.

NET	CON	TENTS:		

EPA REG. NO. 47000-74

EPA EST. NO. 47000-1A-1

MANUFACTURED BY: CHEM-TECH, LTD. 4515 FLEUR DR. DES MOINES, IA 50321