# 18 FEB 1992

James R. Melton Chem-Tech, Ltd. 4515 Fleur Drive #303 Des Moines, IA 50321

Dear Mr. Melton:

Subject: Label change on:

CT-25

EPA Reg. No. 47000-84

Fly Bomb

EPA Reg. No. 47000-79

CT-75

EPA Reg. No. 47000-72 Dy-Fly Dairy Aerosol EPA Reg. No. 47000-69

Submission: January 29, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy of each label is enclosed for your records.

Sincerely,

77 (
Richard F. Mountfort
Product Manager 10
Insecticide/Rodenticide Branch
Registration Division (H7505C)

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contact with skin and eyes. Avoid inhalation of spray mist. Avoid contamination of feed and foodstuffs.

When using this product as a space spray in food processing plants, foods must be removed or covered during treatment. Apply only when the facility is not in operation. At home and in food processing establishments, cover or remove food prior to treatment. Cover food contact surfaces, benches, utensils, equipment, etc., during treatment or thoroughly clean prior to use with an effective cleaning compound followed by a potable water rinse.

In hospitals or other medical facilities, remove patients prior to treatment. Ventilate treated area for two hours prior to returning patients.

Do not remain in treated areas and ventilate the area after treatment is completed.

Remove pets, birds and cover fish aquariams before spraying.

Do not spray on plastic, painted or variabled surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

PHYSICAL OR CHEMICAL HATARDS: Extremely Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry, secure area.

DISPOSAL: Do not reuse empty container, Wrap con-

tainer and put in trash collection.

Remove protective cap. Aim spray opening away from person. Push button to spray.

BEEF CATTLE OPERATIONS: In barns, close all windows and doors. Apply at the rate of 1 to 2 seconds per 1000 cubic feet. Keep area closed for 15 minutes following application. If area cannot be closed, double the dosage. For animal use, thoroughly spray entire animal as it is being released to pasture. Do not spray directly towards mai's face or eyes. Repeat application daily or as necessary.

POULTRY OPERATIONS: For poultry houses, close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cubic feet. Keep area closed for 15 minutes following application. If area cannot be closed double the dosone.





# **PRESSURIZED**

For use in Bottling Plants, Breweries, Homes, Bakerles, Food Plants, Stores, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals, Warehouses, Food Handling Plants, Dairles, Milk House, Cattle, Horse, Poultry, and Swine Quarters. For use on cattle, horses and swine.

# with DUAL ACTIVATORS KILLS & REPELS

House Flies, Horn Flies, Stable Flies, Horse Flies, Face Flies, Deer Flies, Gnats, Mosquitos, Small Flying Moths (millers), Roaches, Waterbugs, Sowbugs, Spiders, Centipedes, Ants, Crickets, Wasps and Hornels.

#### **ACTIVE INGREDIENTS:**

Pyrethrins	0.25%
Piperonyl Buloxide, Tech*	. 1.0%
N-Octyl Bycycloheptene Dicarboximide .	
INERT INGREDIENTS	
*Equivalent to 0.8% (Buttycarbityl)	
IE. Propulation could although the St. of Related Company	ande.

KEEP OUT OF REACH OF CHILDREN

CAUTION
Contents Under Pressure
See Side Panels for Additional Precautions

NET WEIGHT: 1.5 lbs.

Mig. By: CHEM-TECH, LTD. 4515 Fleur Dr., #303 Des Moines, #A 50321



## DIRECTIONS FOR USE

HOME AND FOOD PROCESSING AREA to small flying moths (millers), and gnats: Clo Point nozzle upward, direct the spray mis especially windows and other fight sou insects. Fill the room with mist, then leave to room closed for at least 15 minutes. Ventiler is completed. Roaches, Waterbugs, Sew pades: spray thoroughly into hiding places moist areas, openings around pipes and baseboards and storage areas. Spray dopossible. Repeat as necessary. ANTS: Spray entry. Spray on ants where possible. Repe

STORED PRODUCT INSECTS (accessibiliterranean flour moths, Indian meal (choograin moths: Close doors and windows. Dir of the room, especially into dark encloy product containers where adult moths may treatment of six to eight seconds per 1000 area closed for 30 minutes after each traweekly or as flying moths appear. Inless should be fumigated or treated with an app

DAIRY FARM USE: Milking parlor and militiand doors. Spray at the rate of 1 to 2 seco rooms cannot be closed, double the dosag Direct spray in all directions. Keep rooms treatment. Do not remain in treated are treatment is completed. Cover milking ut contamination from spray and dead or fall.

DAIRY ANIMAL USE: From approximately spray entire animal as it is being released directly toward animal's eyes, Spot tree! with where saliva accumulates from head toss!

STANCHION BARN USE: Walk behind and backs allowing 1 second per animal. For meach morning.

HOG OPERATIONS: In hog houses, clos Apply at the rate of 1 to 2 seconds per 16 closed for 15 minutes following application double the dosage. For animal application and spray for 1 to 2 seconds per hog. Do animal's face or eyes. Repeat application of

HORSE BARNS AND STABLES: In horse windows and doors. Spray at the rate of 1 to feet. Keep area closed for 15 minutes foll cannot be closed, double the dosage. In mist over backs of horses and ponies from Do not spray directly toward horses face of daily or as necessary.

NOTICE TO USER: Seller's guarantees of the label, and subject thereto the bupersons or properly arising out of use the products on these conditions.

EPA Reg. No. 47000-84 5/90

DEST AVAILABLE