

BACKRUBBER OIL

READY TO USE

For use with backrubber and fly bullets - Low evaporation formula

For use on Beef Cattle, Dairy Cattle and Swine. For reduction of Flies, Mosquitoes, Ticks and Lice.

ACTIVE INGREDIENTS:

Permethrin (3-phenoxyphenyl) methyl (±) cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate**..... 0.125%

*Contains petroleum distillates

**Cis/trans ratio Min 35% (±) cis and max 65% (±) trans.

EPA Reg. No. 47000-89 EPA Est. No. 47000-IA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautions

FIRST AID

If swallowed: Immediately call poison control

center or doctor. Do not induce vomiting unless told to do so by poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an

unconscious person.

Hold eye open and rinse slowly and If in eyes: gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for

treatment advise.

If on skin or clothing: Take off contaminated

clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

Have the product or container label with you when calling doctor or poison control center.

Note to physician: Contains petroleum distinate P Vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC **ANIMALS**

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes and clothing. See FIRST AID on front panel.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For application of beef cattle, dairy cattle and swine: Apply undiluted to reduce annoyance from flies, mosquitoes, lice and ticks by the following methods:

BACKRUBBER METHOD: Fill reservoir or saturate applicator. Recharge as needed to maintain effective results. Locate mechanism to give animals free access.

POUR ON TECHNIQUE: Apply to animals along back and down face at 1 fl. oz. per 100 lbs. body weight of animal up to a maximum of 8 fl. oz. per animal. Use as needed but not more than once every 2 weeks. Do not slaughter swine within 5 days of last treatment. Treat lactating dairy cows after milking is completed.

STORAGE AND DISPOSAL

Do not contaminate feed, food or water by storage or disposal. Store in a cool, dry and secure area. Store in original sealed container away from food er feed. If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled:

Can your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place

MAY 2 8 product down any indoor or outdoor drain.

Under the Pederal Insecticide Pungicida, and Redenticlide Act as onended, ler the posticide o Testimored under 7000

NOTICE

Sellers guarantee shall be limited to the terms of the label and subject thereto, the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

Manufactured by: CHEM-TECH, LTD. 4515 Fleur Drive #303 Des Moines, IA 50321