

CT LOGO

CT-511
TOTAL RELEASE

For Use in Food and Non-food areas of Homes, Food Processing Plants, Restaurants, Industrial Buildings: schools, warehouses, offices, theaters, garages, hotels, motels, hospitals, buses, railroad cars, ships, truck trailers, and kennels.

Kills exposed stages of: Houseflies, Mosquitoes, Small Flying Moths, Fleas, Wasps, Hornets, Ticks, Crickets, Silverfish and Cockroaches.

One Unit Treats up to 6,000 Cubic Feet or an Average Size Room

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
* Piperonyl butoxide, Technical	1.00%
** N-Octyl bicycloheptene dicarboximide	1.00%
INERT INGREDIENTS:	97.50%
TOTAL	100.00%

Contains Petroleum Distillate.

* Equivalent to 0.80% (butylcarbityl)(6-propylpiperonyl)ether and 0.20% related compounds.


** MGK• 264, Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a physician or Poison Control Center Immediately. Do not induce vomiting because of aspiration pneumonia hazard.
- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN: Wash skin with soap and warm water. Get medical attention if irritation persists.
- IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. Wash with soap and warm water after use. Remove contaminated clothing and wash before reuse. Avoid contamination of feed or foodstuffs.

Do not apply while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination.

In hospitals, remove patients prior to treatment. Ventilate area for two hours prior to returning patients.

Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

(Picture of Flame)

Highly Flammable Ingredient
Ingrediente Altamente Inflamable

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Cover exposed foods, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment, and ventilate thoroughly before re-entry.

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters of tables. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call you gas utility or management company if you need assistance with your pilot lights.

TO OPERATE VALVE: To lock in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for one-half hour. Repeat spaying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace. Use product as above. Pets should be treated with a registered flea and tick control product prior to reentry. Repeat as necessary to bring infestation under control.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. (RV 031000)

Net Contents: 6 oz.

Manufactured by:

Chem-Tech, Ltd.
4515 Fleur Drive
Des Moines, IA 50321

EPA Reg. No. 47000-98

EPA Est. No. 47000-IA-1