



Total Release Aerosol

ACCEPTED

DEC - 5 2003

Under the Federal Insecticide, Fundicide, and Rodenticide Act, as amended, for the posticide registered under

Especially Formulated For:

For Use in Food and Non-Food areas in the Homes, Food Processing Plants, Restaurants, Industrial Buildings: schools, warehouses, offices, theaters, garages, hotels, motels, hospitals, buses, railroad cars, ships, truck trailers, and kennels.

Kills exposed stages of: Housefiles, Mosquitoes, Small Flying Moths, Fleas, Wasps, Hornets, Ticks, Crickets, Silverfish and Cockroaches.

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
*Piperonyl butoxide, Technical	1.00%
**N-Octyl bicycloheptene dicarboximide	1.00%
INERT INGREDIENTS	97.50%
TOTAL	100.00%


Contains Petroleum Distillate.

*Equivalent to .80% (butylcarbityl)(6-propylpiperonyl) ether and .20% related compounds.

**MGK-264, Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN

CAUTION



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. Wash with soap and warm water after use. Remove contaminated clothing and wash before reuse. Avoid contamination of feed or foods:uffs.

Do not apply while food processing is underway. Cover or remove all food and food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination.

In hospitals, remove patients prior to treatment. Ventilate area for two hours prior to returning patients.

Remove pets, birds and cover fish aquariums before spraying.