

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460



OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

August 31, 2015

Jennifer J. Klika
Manager, Regulatory Affairs
Chem-Tech, Ltd.
110 Hopkins Drive
Randolph, WI 53956

Subject: Label Notification per PRN 98-10 – add optional marketing statement & correct ingredient statement
Product Name: CT Residual Spray
EPA Registration Number: 47000-100
Application Date: August 26, 2015
Decision Number: 508487

Dear Jennifer:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

If you have any questions, you may contact Letu Kassa at (703)-347-0462 or via email at kassa.letu@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "J. Urbanski" followed by a flourish.

Jennifer Urbanski, Ph.D., Product Manager 4
Invertebrate and Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

CT Residual Spray

ACTIVE INGREDIENTS:

Permethrin..... 0.5%

OTHER INGREDIENTS:..... 99.5%

TOTAL..... 100.0%

* (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate (Cis/Trans ration: Min. 35% (+/-) cis and max 65% (+/-) trans.)

** Contains Petroleum Distillates

EPA Reg. No. 47000-100

EPA Est. No. 47000-IA-01

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Net Contents:

NOTIFICATION

47000-100

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

08/31/2015

**Manufactured By:
CHEM-TECH, LTD.
1006 Business Hwy 5
Pleasantville, IA 50225**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before smoking or eating. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs.

HAZARDS TO DOMESTIC ANIMALS

Do not spray directly in/on eyes, mouth or genitalia of pets. Do not use on dogs under twelve (12) weeks of age. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian.

DO NOT USE ON CATS

May be toxic or potentially fatal if applied to or ingested by cats. Accidental application to cats and/or grooming a recently treated dog may result in tremors and/or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

FIRST AID	
Have Product Container or Label with You When Calling a Poison Control Center, Doctor or Going in for Treatment.	
If Inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.• Call a poison control center, doctor, or 1-800-498-5743 for treatment advice or transport the patient to the nearest hospital.
If Swallowed:	<ul style="list-style-type: none">• Call a poison control center, doctor, or 1-800-498-5743 immediately for treatment advice or transport the patient to the nearest hospital.• Do not give any liquid to the patient.• Do not administer anything by mouth to an unconscious person.• Do not induce vomiting unless told to do so by the poison control center or doctor.
If in Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after first five minutes, then continue rinsing eye.• Call a poison control center, doctor, or 1-800-498-5743 for treatment advice or transport the patient to the nearest hospital.
If on Skin or on Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center, doctor, or 1-800-498-5743 for treatment advice or transport the patient to the nearest hospital.
NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.	
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, use restrictions and precautions.

FOR PET USE USE ONLY ON DOGS DO NOT USE ON CATS

USE RESTRICTIONS

- Do not breathe dust, vapors or spray mist.
- Do not apply when food is present.
- Do not water the treated area to the point of run-off.
- Do not make applications during rain.
- Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.
- For use on plants intended only for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

Do not use in food areas of food handling establishment, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held.

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Exposed food should be covered or removed.

Remove pets and birds and cover fish aquarium(s) before space spraying or surface applications.

This product is not for use on humans. If lice infestations should occur on humans, use a product labeled for use on humans. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry. Allow all sprayed articles to dry thoroughly before use.

When applying as a space spray, remove people and pets from the area before spraying.

Except when applying to pets or livestock, do not enter or allow others to enter until sprays have dried.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

HOUSEFLIES, FRUIT FLIES, MOSQUITOS, GNATS, WASPS, HORNETS, BEES, BLACK FLIES, SKIPPER FLIES, BLOW FLIES, AND SMALL FLYING MOTHS:

Close all doors and windows and spray room at the rate of 2 to 3 seconds per 9000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Repeat treatment as infestations occur.

COCKROACHES, WATER BUGS, PALMETTO BUGS, SILVERFISH, CRICKETS, SCORPIONS, SPIDERS, MILLIPEDES, CENTIPEDES, SOW BUGS, AND PILL BUGS:

Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment every two weeks.

ANTS:

Spray trails, nests and points of entry. Spray on ants where possible. Repeat every two weeks, if necessary.

INDIAN MEAL MOTHS, ANGOUMOIS GRAIN MOTHS:

Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application every two weeks, if necessary.

EXPOSED STAGES OF CONFUSED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, RICE WEEVILS, GRANARY WEEVILS, AND GRAIN MITES:

Spray into cracks and crevices around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat every two weeks, if necessary. Infested stored food products in the home should be disposed of.

CARPET BEETLES:

Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment every two weeks, if necessary.

BEDBUGS:

Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. After mattress is dry, cover with a cover and sheet. Do not use mattress without a cover. Repeat treatment every two weeks, if necessary.

TO CONTROL CLOTHES MOTHS AND CARPET BEETLES ON WOOL AND OTHER PROTEINACEOUS FIBERS:

Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

TO CONTROL HOUSE DUST MITES:

To control house dust mites that may cause asthma, hay fever, rhinitis, watery eyes and sneezing. One treatment lasts up to 8 weeks.

On Upholstered Furniture: Test fabric in an inconspicuous area to ensure dyes will not bleed. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray all fabric surfaces until damp. Spray to the point of dampness but not run off. Do not use on delicate fabrics. Allow furniture to dry thoroughly before using.

On Carpets: Spray over the entire carpet until damp. Spray to the point of dampness but not run off. Hold the nozzle approximately 12 to 18 inches from the carpet surface and spray in a sweeping motion. Use an overlapping pattern to ensure total coverage. After application, brush the carpet with a broom or brush to ensure deep penetration. Allow carpet to dry thoroughly before re-entering the treated area. Drying time can be accelerated by using a fan.

On Mattresses: Spray the top, bottom and sides of mattress until damp, paying particular attention to tufts and seams. Allow to dry before using. After mattress is dry, cover with mattress cover and sheet. Do not use mattress without cover. Vacuum entire area once dry. Since vacuuming stirs dust up in the air those with allergies should have another person vacuum or should wear a dust mask and use vacuum with a high efficiency particulate (HEPA) filter.

FLEAS AND TICKS (ADULTS AND LARVAE) PET PREMISE AND AREA TREATMENT:

Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

TO KILL LICE AND LOUSE EGGS ON GARMENTS, BEDDING AND FURNITURE:

Do not apply directly to humans. Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, and then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry-cleaned. Allow all sprayed articles to dry thoroughly before use. After mattress is dry, cover mattress with cover and sheet. Do not use mattress without a cover.

TO CONTROL FLEAS, TICKS AND LICE ON DOGS:

Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur up to the head. Repeat application every two weeks, if necessary.

FOR THE CONTROL OF ORNAMENTAL GARDEN INSECTS:

For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, exposed Thrips, Spiders, Re Mites and Leafmites.

May be used on ornamental plants, as well as multi-purpose spray in small ornamental gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Delphiniums, Dogwood, English Ivy, Euonymus, Fuchsia, Geraniums, Crassula, Grape Vine, Kentia Palm, Laurel, Marigolds, Rhododendron, Roses, Rubber Plants, Snapdragons, Stocks, Wandering Jews, and Zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites, and Army Worms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestation occur.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry secure area in original container.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DISCLAIMER

DISCLAIMER: To the extent permitted by applicable law, seller makes no representation or warranty, either expressed or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material.

OR

LIMITED WARRANTY

To the extent permitted by applicable law, Chem-Tech, Ltd. makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent by applicable law, Chem-Tech, Ltd. shall not be liable for (1) any consequential, incidental or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

OR

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

For non-emergency (e.g., current product information),
Call: **1-800-621-8829**

Code (NI.RL.) NI.RL.

Marketing Statements:

“NO CATS” Graphic
(picture of a Cat with a X through it)
Controls Residential, Industrial and Garden
Insects
For Use on Dogs and On Premises to
Control Fleas and Ticks
Controls Fleas and Ticks on Dogs for 14
Days
A Water Based Aerosol

Controls Pests for Up to Four Weeks

Kills House Dust Mites in Carpets, Curtains
and On Upholstery

For Use Bedding, Furniture, and Other
Inanimate Objects Infested with Lice

Ticks May Carry Lyme Disease and Rocky
Mountain Spotted Fever

Premise Spray

Mosquito Protection

Not For Use on Humans

Insect Graphic



Manufactured in the U.S.A.

<Flag Graphic>



CT Residual Spray

ACTIVE INGREDIENTS:

Permethrin..... 0.5%

OTHER INGREDIENTS:..... 99.5%

TOTAL..... 100.0%

* (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate (Cis/Trans ration: Min. 35% (+/-) cis and max 65% (+/-) trans.)

** Contains Petroleum Distillates

EPA Reg. No. 47000-100

EPA Est. No. 47000-IA-01

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Net Contents:

**Manufactured By:
CHEM-TECH, LTD.
1006 Business Hwy 5
Pleasantville, IA 50225**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before smoking or eating. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

FIRST AID	
Have Product Container or Label with You When Calling a Poison Control Center, Doctor or Going in for Treatment.	
If Inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.• Call a poison control center, doctor, or 1-800-498-5743 for treatment advice or transport the patient to the nearest hospital.
If Swallowed:	<ul style="list-style-type: none">• Call a poison control center, doctor, or 1-800-498-5743 immediately for treatment advice or transport the patient to the nearest hospital.• Do not give any liquid to the patient.• Do not administer anything by mouth to an unconscious person.• Do not induce vomiting unless told to do so by the poison control center or doctor.
If in Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after first five minutes, then continue rinsing eye.• Call a poison control center, doctor, or 1-800-498-5743 for treatment advice or transport the patient to the nearest hospital.
If on Skin or on Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center, doctor, or 1-800-498-5743 for treatment advice or transport the patient to the nearest hospital.
NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.	
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, use restrictions and precautions.

USE RESTRICTIONS

- Do not breathe dust, vapors or spray mist.
- Do not apply when food is present.
- When used in dairy barns and facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or fallen insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- When applying as a space spray, remove people and pets from the area before spraying. Except when apply to pets or livestock, do not enter or allow others to enter until spray have dried.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

IN ANIMAL QUARTERS AND MILK ROOMS:

For rapid control of House Flies, Mosquitos, Gnats, Wasps, Bees, and Small Flying Moths. Remove animals prior to treatment, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain treated area and ventilate after treatment is completed.

TO TREAT LIVESTOCK:

To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitos, Ticks and Gnats: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome. For ear ticks spray directly into ear.

WOUND SPRAY AND TO KILL SCREW WORMS, FLIES, AND MAGGOTS INFESTING BEEF CATTLE, HORSES AND SHEEP:

Hold can about 4 to 8 inches from the area to be treated with muzzle pointed at wound. Spray the area until it is completely wet (3 to 10 seconds are usually enough). The area surrounding the wound should also be sprayed. This product is not recommended for use in deep wounds. **Note on Resistance:** Some strains of screw worm may develop resistance to pyrethroids. This will be observed by lack of response to treatment. Where pyrethroid resistance is known or suspected, this product should not be used.

FOR SWINE:

Do not ship animals for slaughter within 5 days of last treatment.

TO CONTROL BLOOD SUCKING LICE:

Apply to the infested areas of the animas, using a stiff brush to get the spray to the base of the hair. Repeat every three weeks if required.

TO CONTROL POULTRY LICE:

Spray roosts, walls and nests or the cages thoroughly. This should be followed by spraying over the birds with a fine mist.

FOR CONTROL OF BEDBUGS AND MITES IN POULTRY HOUSES:

Spray crevices of roost poles, cracks in walls and cracks in nests where the bedbugs and mites hide.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry secure area in original container.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DISCLAIMER

DISCLAIMER: To the extent permitted by applicable law, seller makes no representation or warranty, either expressed or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material.

OR

LIMITED WARRANTY

To the extent permitted by applicable law, Chem-Tech, Ltd. makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent by applicable law, Chem-Tech, Ltd. shall not be liable for (1) any consequential, incidental or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

OR

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

For non-emergency (e.g., current product information),
Call: **1-800-621-8829**

Code (NI.RL.) NI.RL.

Marketing Statements:

A Water Based Aerosol

For Use On: Beef and Dairy Cattle, Sheep, Goats, Swine and Horses.

Kills Screw Worms on Beef Cattle, Horses and Sheep

Wound Spray: Kills Flies and Maggots

Wound Spray: Kills Flies and Fly Maggots
n Wounds

Controls Ticks (including ear ticks on livestock)

Premise Spray

Mosquito Protection



Insect Graphic



Manufactured in the U.S.A.

<Flag Graphic>

