



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

June 4, 2025

Susan Westra
Product Registration Manager
Chem Tech, Ltd. – Neogen Regulatory
620 Leshar Place
Lansing, MI 48912

Subject: Label Amendment - Registration Review Mitigation for Permethrin
Product Name: CT Residual Spray
EPA Registration Number: 47000-100
Application Date: March 24, 2021
Decision Number: 572479
Case Number: 00480127

Dear Susan Westra:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Permethrin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Tiffany Green by phone at 202-566-2224, or via email at green.tiffany@epa.gov.


Sincerely,

A handwritten signature in dark ink, appearing to read "Kevin Costello". The signature is written in a cursive, flowing style.

Kevin Costello, Branch Chief
Risk Management and Implementation Branch 2
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

Sub Label 1: Residential Label



CT
Residual Spray
For Indoor and Outdoor Use

ACTIVE INGREDIENTS:

Permethrin..... 0.5%

OTHER INGREDIENTS: 99.5%

TOTAL 100.0%

* (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate (Cis/Trans ration: Min. 35% (+/-) cis and max 65% (+/-) trans.)

** Contains Petroleum Distillates

EPA Reg. No. 47000-100

EPA Est. No. 47000-IA-01

KEEP OUT OF REACH OF CHILDREN
CAUTION

Net Contents:

Manufactured By:
CHEM-TECH, LTD.
1006 Business Hwy 5
Pleasantville, IA 50225 U.S.A.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before smoking or eating. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs.

HAZARDS TO DOMESTIC ANIMALS

Do not spray directly in/on eyes, mouth or genitalia of pets. Do not use on dogs under twelve (12) weeks of age. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian.

DO NOT USE ON CATS

May be toxic or potentially fatal if applied to or ingested by cats. Accidental application to cats and/or grooming a recently treated dog may result in tremors and/or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

FIRST AID Have Product Container or Label with You When Calling a Poison Control Center, Doctor or Going in for Treatment.	
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. • Call a poison control center, doctor, or 1-800-498-5743 for treatment advice or transport the patient to the nearest hospital.
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center, doctor, or 1-800-498-5743 immediately for treatment advice or transport the patient to the nearest hospital. • Do not give any liquid to the patient. • Do not administer anything by mouth to an unconscious person. • Do not induce vomiting unless told to do so by the poison control center or doctor.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after first five minutes, then continue rinsing eye. • Call a poison control center, doctor, or 1-800-498-5743 for treatment advice or transport the patient to the nearest hospital.
If on Skin or on Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center, doctor, or 1-800-498-5743 for treatment advice or transport the patient to the nearest hospital.
NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.	
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318	

DIRECTIONS FOR USE

For Indoor and Outdoor Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, use restrictions and precautions.

FOR PET USE
USE ONLY ON DOGS
DO NOT USE ON CATS

USE RESTRICTIONS

- Do not breathe dust, vapors or spray mist.
- Do not apply when food is present.
- Do not apply or irrigate to the point of run-off.

April 29, 2025

- Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).
- Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
- Do not allow to enter indoor or outdoor drains. *No permita la entrada a desagües internos o externos.*
- Follow proper disposal procedures on this label. *Siga las indicaciones del etiquetado para el desecho apropiado del producto.*



- For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
- Do not apply the product into fish pools, ponds, stream, or lakes. Do not apply directly into sewers or storm drain, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- Do not allow the product to enter any drain during or after application.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and crevice treatment.
- Do not apply or irrigate to the point of runoff.
- Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.
- For use on plants intended only for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.
- Do not use in food areas of food handling establishment, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed, or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held.
- Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).
- In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.
- Exposed food should be covered or removed.
- Remove pets and birds and cover fish aquarium(s) before space spraying or surface applications. **This product is not for use on humans.** If lice infestations should occur on humans, use a product labeled for use on humans. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry. Allow all sprayed articles to dry thoroughly before use.
- When applying as a space spray, remove people and pets from the area before spraying.
- Application of product on pets must only be done indoors.
- Except when applying to pets or livestock, do not enter or allow others to enter until sprays have dried.
- All outdoor spray applications must be limited to spot or crack -and crevice treatments only, except for the following permitted uses:
 - Application to pervious surfaces such as soil, lawn, turf, and other vegetation.

April 29, 2025

- Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.)
- For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
- Treat surfaces to ensure thorough coverage but avoid runoff.
- To treat insects harbored in voids and crack-and-crevices, application must be made in such a manner to limit dripping and avoid runoff to untreated structural surfaces and plants.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches

HOUSEFLIES, FRUIT FLIES, MOSQUITOS, GNATS, WASPS, HORNETS, BEES, BLACK FLIES, SKIPPER FLIES, BLOW FLIES, AND SMALL FLYING MOTHS:

Close all doors and windows and spray room at the rate of 2 to 3 seconds per 9000 cubic feet.

Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Repeat treatment as infestations occur.

COCKROACHES, WATER BUGS, PALMETTO BUGS, SILVERFISH, CRICKETS, SCORPIONS, SPIDERS, MILLIPEDES, CENTIPEDES, SOW BUGS, AND PILL BUGS:

Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment every two weeks.

ANTS:

Spray trails, nests and points of entry. Spray on ants where possible. Repeat every two weeks, if necessary.

INDIAN MEAL MOTHS, ANGOUMOIS GRAIN MOTHS:

Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application every two weeks, if necessary.

EXPOSED STAGES OF CONFUSED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, RICE WEEVILS, GRANARY WEEVILS, AND GRAIN MITES:

Spray into cracks and crevices around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat every two weeks, if necessary. Infested stored food products in the home should be disposed of.

CARPET BEETLES:

Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment every two weeks, if necessary.

BEDBUGS:

Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. After mattress is dry, cover with a cover and sheet. Do not use mattress without a cover. Repeat treatment every two weeks, if necessary.

TO CONTROL CLOTHES MOTHS AND CARPET BEETLES ON WOOL AND OTHER PROTEINACEOUS FIBERS:

April 29, 2025

Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

TO CONTROL HOUSE DUST MITES:

To control house dust mites that may cause asthma, hay fever, rhinitis, watery eyes and sneezing. One treatment lasts up to 8 weeks.

On Upholstered Furniture: Test fabric in an inconspicuous area to ensure dyes will not bleed. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray all fabric surfaces until damp. Spray to the point of dampness but not run off. Do not use on delicate fabrics. Allow furniture to dry thoroughly before using.

On Carpets: Spray over the entire carpet until damp. Spray to the point of dampness but not run off. Hold the nozzle approximately 12 to 18 inches from the carpet surface and spray in a sweeping motion. Use an overlapping pattern to ensure total coverage. After application, brush the carpet with a broom or brush to ensure deep penetration. Allow carpet to dry thoroughly before re-entering the treated area. Drying time can be accelerated by using a fan.

On Mattresses: Spray the top, bottom and sides of mattress until damp, paying particular attention to tufts and seams. Allow to dry before using. After mattress is dry, cover with mattress cover and sheet. Do not use mattress without cover. Vacuum entire area once dry. Since vacuuming stirs dust up in the air those with allergies should have another person vacuum or should wear a dust mask and use vacuum with a high efficiency particulate (HEPA) filter.

FLEAS AND TICKS (ADULTS AND LARVAE) PET PREMISE AND AREA TREATMENT:

Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

TO KILL LICE AND LOUSE EGGS ON GARMENTS, BEDDING AND FURNITURE:

Do not apply directly to humans. Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, and then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry-cleaned. Allow all sprayed articles to dry thoroughly before use. After mattress is dry, cover mattress with cover and sheet. Do not use mattress without a cover. Treat surface to ensure thorough coverage but avoid runoff.

TO CONTROL FLEAS, TICKS AND LICE ON DOGS:

Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur up to the head. Repeat application every two weeks, if necessary.

FOR THE CONTROL OF ORNAMENTAL GARDEN INSECTS:

For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, exposed Thrips, Spiders, Re Mites and Leafmites.

April 29, 2025

May be used on ornamental plants, as well as multi-purpose spray in small ornamental gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Delphiniums, Dogwood, English Ivy, Euonymus, Fuchsia, Geraniums, Crassula, Grape Vine, Kentia Palm, Laurel, Marigolds, Rhododendron, Roses, Rubber Plants, Snapdragons, Stocks, Wandering Jews, and Zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites, and Army Worms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestation occur.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry secure area in original container.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not pour or dispose down-the drain or sewer. Call your local solid waste agency for disposal options.

CONTAINER HANDLING: Non-refillable container. Do not reuse this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal options.

DISCLAIMER

DISCLAIMER: To the extent permitted by applicable law, seller makes no representation or warranty, either expressed or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material.

OR

LIMITED WARRANTY

To the extent permitted by applicable law, Chem-Tech, Ltd. makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent by applicable law, Chem-Tech, Ltd. shall not be liable for (1) any consequential, incidental or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

OR

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

For non-emergency (e.g., current product information),
Call: **1-800-621-8829**

Code (NU.EL.) NU.EL..

Alternate Brand Names:

Prozap® Screw Worm Aerosol

Prozap® Screw Worm Ear Tick Aerosol

Marketing Statements:

“NO CATS” Graphic

(picture of a Cat with a X through it)

Controls Residential, Industrial and Garden Insects

For Use on Dogs and On Premises to Control Fleas and Ticks

Controls Fleas and Ticks on Dogs for 14 Days

A Water Based Aerosol

Controls Pests for Up to Four Weeks

CT Residual Spray – Master Label

Page 9 of 16

April 29, 2025

Kills House Dust Mites in Carpets, Curtains and On Upholstery

For Use Bedding, Furniture, and Other

Inanimate Objects Infested with Lice

Ticks May Carry Lyme Disease and Rocky Mountain Spotted Fever

Premise Spray

Mosquito Protection

Not For Use on Humans

Insect Graphic



Manufactured in the U.S.A.

<Flag Graphic>



PERMETHRIN	GROUP	3A	INSECTICIDE
------------	-------	----	-------------

Sub Label 2: Occupational Label

CT Residual Spray

ACTIVE INGREDIENTS:

Permethrin.....0.5%

OTHER INGREDIENTS:99.5%

TOTAL 100.0%

* (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate (Cis/Trans ration: Min. 35% (+/-) cis and max 65% (+/-) trans.)

** Contains Petroleum Distillates

EPA Reg. No. 47000-100

EPA Est. No. 47000-IA-01

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Net Contents:

Manufactured By:
CHEM-TECH, LTD.
1006 Business Hwy 5
Pleasantville, IA 50225 U.S.A.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before smoking or eating. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

FIRST AID Have Product Container or Label with You When Calling a Poison Control Center, Doctor or Going in for Treatment.	
If Inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.• Call a poison control center, doctor, or 1-800-498-5743 for treatment advice or transport the patient to the nearest hospital.
If Swallowed:	<ul style="list-style-type: none">• Call a poison control center, doctor, or 1-800-498-5743 immediately for treatment advice or transport the patient to the nearest hospital.• Do not give any liquid to the patient.• Do not administer anything by mouth to an unconscious person.• Do not induce vomiting unless told to do so by the poison control center or doctor.
If in Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after first five minutes, then continue rinsing eye.• Call a poison control center, doctor, or 1-800-498-5743 for treatment advice or transport the patient to the nearest hospital.
If on Skin or on Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center, doctor, or 1-800-498-5743 for treatment advice or transport the patient to the nearest hospital.
NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.	
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318	

DIRECTIONS FOR USE

For Indoor and Outdoor Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, use restrictions and precautions.

USE RESTRICTIONS

- Do not breathe dust, vapors or spray mist.
- Do not apply when food is present.
- When used in dairy barns and facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or fallen insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- When applying as a space spray, remove people and pets from the area before spraying. Except when apply to pets or livestock, do not enter or allow others to enter until sprays have dried.
- Do not apply or irrigate to the point of run-off.
- Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).
- Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
- Do not allow to enter indoor or outdoor drains. *No permita la entrada a desagües internos o externos.*
- Follow proper disposal procedures on this label. *Siga las indicaciones del etiquetado para el desecho apropiado del producto.*



- Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drain, water bodies, or aquatic habitat can occur.
- Do not allow the product to enter any drain during or after application.
- Do not apply directly to impervious horizontal surface such as sidewalk, driveways, and patios except as a spot or crack-and-crevice treatment.
- All outdoor spray applications must be limited to spot or crack -and crevice treatments only, except for the following permitted uses:
 1. Application to pervious surfaces such as soil, lawn, turf, and other vegetation.
 2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn);
 3. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;

April 29, 2025

4. Applications to vertical surfaces directly above pervious surfaces, such as soil, law, turf, mulch or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.
- Treat surfaces to ensure thorough coverage but avoid runoff.
- To treat insects harbored in voids and crack-and-crevices, application must be made in such a manner to limit dripping and avoid runoff to untreated structural surfaces and plants.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

IN ANIMAL QUARTERS AND MILK ROOMS:

For rapid control of House Flies, Mosquitos, Gnats, Wasps, Bees, and Small Flying Moths.

Remove animals prior to treatment, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying.

Do not remain treated area and ventilate after treatment is completed.

TO TREAT LIVESTOCK:

To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitos, Ticks and Gnats: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome. For ear ticks spray directly into ear.

WOUND SPRAY AND TO KILL SCREW WORMS, FLIES, AND MAGGOTS INFESTING BEEF CATTLE, HORSES AND SHEEP:

Hold can about 4 to 8 inches from the area to be treated with muzzle pointed at wound. Spray the area until it is completely wet (3 to 10 seconds are usually enough). The area surrounding the wound should also be sprayed. This product is not recommended for use in deep wounds.

Note on Resistance: Some strains of screw worm may develop resistance to pyrethroids. This will be observed by lack of response to treatment. Where pyrethroid resistance is known or suspected, this product should not be used.

FOR SWINE:

Do not ship animals for slaughter within 5 days of last treatment.

TO CONTROL BLOOD SUCKING LICE:

Apply to the infested areas of the animals, using a stiff brush to get the spray to the base of the hair. Repeat every three weeks if required.

TO CONTROL POULTRY LICE:

Spray roosts, walls and nests or the cages thoroughly. This should be followed by spraying over the birds with a fine mist.

FOR CONTROL OF BEDBUGS AND MITES IN POULTRY HOUSES:

Spray crevices of roost poles, cracks in walls and cracks in nests where the bedbugs and mites hide.

Resistance Management Recommendations

For resistance management, [Product Name] contains a Group 3A insecticide. Any insect population may contain individuals naturally resistant to [Product Name] and other Group 3A insecticides. The resistant individuals may dominate the insect/mite population if this group of insecticides/acaricides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

- Rotate the use of [Product Name] or other Group 3A insecticides with different groups that control the same pests.
- Adopt an integrated pest management program for insecticide use.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact Cooperative Agricultural Extension Agent or your local Neogen representative at 1-800-477-8201.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry secure area in original container.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not pour or dispose down-the drain or sewer. Call your local solid waste agency for disposal options.

CONTAINER HANDLING: Non-refillable container. Do not reuse this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal options.

DISCLAIMER

DISCLAIMER: To the extent permitted by applicable law, seller makes no representation or warranty, either expressed or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material.

OR

LIMITED WARRANTY

To the extent permitted by applicable law, Chem-Tech, Ltd. makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent by applicable law, Chem-Tech, Ltd. shall not be

April 29, 2025

liable for (1) any consequential, incidental or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

OR

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

For non-emergency (e.g., current product information),
Call: **1-800-621-8829**

Code (NG.ER.) NG.ER..

Alternate Brand Names:

Prozap[®] Screw Worm Aerosol

Prozap[®] Screw Worm Ear Tick Aerosol

Marketing Statements:

A Water Based Aerosol

For Use On: Beef and Dairy Cattle, Sheep, Goats, Swine and Horses.

Kills Screw Worms

CT Residual Spray – Master Label

Page 16 of 16

April 29, 2025

Multi-Purpose Insecticide Spray

Controls Pests for Up To Four Weeks

Premise Spray (Multiple Pests, as listed throughout label)

Kills Screw Worms on Beef Cattle, Horses and Sheep

Wound Spray: Kills Flies and Maggots

Wound Spray: Kills Flies and Fly Maggots n Wounds

Controls Ticks (including ear ticks on livestock)

Premise Spray

Mosquito Protection



Insect Graphic

Manufactured in the U.S.A.

<Flag Graphic>

