1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

August 4, 2014

Mr. Steve Rogosheske Chem- Tech, TTD. 1006 Business Highway 5 Pleasantville, IA 50225

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Mr. Rogosheske:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice PRN 98-10 date July 10, 2014 for the following product(s):

Aqueous Insecticide

EPA Reg. No. 47000-121

The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Richard J. Gebken

Product Manager

Insecticide Branch

Registration Division (7504P)

Please read instructions on	reverse before com, ding form.		Form App	rov. OMB No	o. 2070-006	Print Form O. Approvel expires 2-28
\$EPA	United States		Registra		ration	OPP Identifier Number
	Applicat	tion for	Pesticide - Sect	ion I	N	
1. Company/Product Numbe 47000-121	ir .		2. EPA Product Mana Richard Gebken	ger		oposed Classification
4. Company/Product (Name) Aqueous Insecticide			PM# 10			لــــا
5. Name and Address of Applicant (Include ZIP Code) Chem-Tech, Ltd. 1006 Business Hwy 5 Pleasantville, IA 50225			6. Expedited Reveiw. In accompart Proprection 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. AUG - 4 2014			
. X Check if this	s is a new address		Product Name _			
		Sec	tion - II			
X Notification - Explain Explanation: Use addition	nal page(s) if necessary. (For sects, add-new-24-hour emergency r		•	pplication. ain below.		
		Sect	tion - III			
1. Material This Product Will Child-Resistant Packaging Yes X No * Certification must be submitted	Unit Packaging Yes X No If "Yes" Unit Packaging wgt. No. per	X If "Yes			Metal X Plastic Glass Paper Other (S	pecify)
3. Location of Net Contents X Label	Information 4. Size(s) R	etail Contai		5. Location of Location of Location of Location of Location on Labe		
6. Manner in Which Label is	Z Pape	ograph er glued sciled	• Other	·. · · · ·	· .	
. 9.		Sect	ion - IV			, , , , , , , , , , , , , , , , , , ,
1. Contact Point Complete	items directly below for identificat	tion of indivi	dual to be contacted, if	necessary, to p	rocess this	application.)c
Name Steve Rogosheske		Title Registrat	ion Manager		Telephone 651-994-	No. (Include Area Gode)
I certify that the state I acknowledge that an both under applicable	Certifice ments I have made on this form er y knowlinglly false or misleading s law.	nd all attach	ments thereto are true, ay be punishable by fin	accurate and c e or imprisonme	omplete. Int or	6. Date Application Received (Stamped)

Registration Manager

5. Date

4. Typed Name

Steven E. Rogosheske

7-10-14







July 10, 2014

Document Processing Desk (NOTIF)
Office of Pesticide Programs – RD (7504P)
U. S. Environmental Protection Agency
1200 Pennsylvania Ave., NW
Washington, DC 20460

Subject: NOTIFICATION

Aqueous Insecticide EPA Reg. No. 47000-121

Notification Team:

Chem-Tech, Ltd. is submitting the subject product for notification to add new company 24-hour emergency number, change of address, and logos reflecting new company ownership. This notification is being filed in accordance with PR-Notice 98-10.

Along with the application form, we are enclosing two copies of the label with the notifications highlighted on one label. If there are any questions regarding this submission please contact this office.

Sincerely,

Steven E. Rogosheske Registration Manager

E-mail: srogosheske@neogen.com

Enclosures

Aqueous Insecticide

Editor's Note: Text in [Brackets] indicate optional marketing statements – any or all of which may appear on the final label.

NOTIFICATION

AUG - 4 2014

[PYRETHRIN]

[READY-TO-USE ON HORSES]

[READY-TO-USE ON HORSES AND CATTLE]

[Water-based]

[Leaves no oily objectionable residues]

[Controls ants, fleas, flies, mosquitoes, gnats & brown dog ticks]

[Effective, fast-acting insecticide]

[To control Flies, Mosquitoes, Gnats & Lice]

[For use in homes, Institutions, restaurants, food processing plants, dairies, livestock and

outdoors for mosquito control]

[Apply with conventional mechanical or compressed air equipment]

ACTIVE INGREDIENTS:

Pyrethrins	0.1%
Piperonyl Butoxide Technical*	
INERT INGREDIENTS:	
Total	100%
+= : 1	

^{*}Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID				
If Swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.			
If on Skin Or Clothing	Take of contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.			
If Inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.			
If in Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.			
Have the product container or label with you when calling a poison control center or doctor, or,				

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

For 24-hour emergency information on this product, call 1-800-498-5743 (UA & Canada) or 1-651-523-0318 (all other areas).

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned with an effective cleaning compound and rinsed with potable water before reuse. Vacate treated area and ventilate before reoccupying. Remove pets, birds and cover fish aquaria before spraying. Do not transport under 32°F.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal low to use this product in a manner inconsistent with its labeling.

INDOOR APPLICATION

For maximum effectiveness, a combination of spot surface treatment and fogging is recommended.

SURFACE SPRAYING: To Control: Roaches, Ants, Silverfish, Spiders, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Swatoothed Grain Beetles, Spider Beetles, Meal Worms, Grain Mites and Cadelles:

Use a good sprayer adjusted to deliver a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For Silverfish, spray bookcases. For Ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors, walls and other surfaces applying at a rate of 1 gallon to 750 square feet of surface. To Control Carpet Beetles: Spray edges of carpeting under carpeting and rugs. Make localized application to floor and baseboard. Spray directly into cracks, closets and infested areas of shelving. Repeat treatment as needed. To Control Bedbugs: Spray mattresses lightly, particularly tufts and seams. Take beds apart and spray in all joints. Repeat treatment as needed. To Control Fleas and Brown Dog Ticks: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moulding, window and door frames, and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

To Control Clothes Moths: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus, and other storages, directing spray into cracks, joints, and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.

SPACE SPRAYING: Close door and windows and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist or fog. For rapid control of Flies, Fruit Flies, Gnats, Mosquitoes, Skipper Flies, Wasps, Hornets, Angoumois Grain Moths, Mediterranean Flour Moths, Indian Meal Moths and Tobacco Moths: Direct spray at an upward angle, distributing it uniformly throughout the entire area at a rate of three (3) to six (6) ounces per 1000 cubic feet of space.

FOGGING: To kill exposed or accessible stages of the above named crawling insects, use a rate of one gallon to 20,000 to 40,000 cubic feet of space. Contact insects directly whenever possible.

ON ANIMALS

To protect cattle and horses from Horn Flies, House Flies, Mosquitoes and Gnats: Apply a light mist sufficient to wet the surface of the hair.

To Control Stable Flies, Horse Flies and Deer Flies:

Apply at a rate of two (2) ounces per adult cow or horse sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection. **To Control Blood-Sucking Lice:** Apply to the infested areas of the animal using a stiff brush to get the spray to the base of the hair. Repeat every two (2) or three (3) weeks if required.

OUTDOOR ADULT MOSQUITO CONTROL Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed five (5) miles per hour. Treat shrubbery or vegetation where mosquitoes may rest; low marshy places, stagnant pools or ponds and shore lines. Apply at a rate of 1.5 gallons per acre (4.5 ounces per 1,000 square feet). Using truck mounted, conventional misting equipment such as Rotomist models 51C, 91 or 100 HT, traveling at 5 m.p.h. to treat a 300 foot swath, calibrate equipment to deliver 4.5 gallons per minute.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Do not store under conditions which might adversely affect the container or its ability to function properly. Do not store below temperature of 32°F. Store in a safe manner. Store in original container only. Store in cool, dry place. Keep container tightly closed when not in use. Reduce stacking height where local conditions can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures. CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY DISCLAIMERS AND NOTICE

It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are

beyond the control of Chem-Tech, Ltd, the manufacturer or seller. In no case shall Chem-Tech, Ltd, the manufacturer or seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer or user. Except as expressly provided herein, Chem-Tech, Ltd, the manufacturer or seller makes no warranties, guarantees, or representations of any kind, either express or implied, or by usage of trade, statutory or otherwise with regard to the product sold, including, but not limited to, merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. Buyer's or user's exclusive remedy, and Chem-Tech, Ltd's, the manufacturer's or seller's total liability, shall be for damages not exceeding the cost of the product. No agent or employee or Chem-Tech, Ltd or seller shall be able to amend the terms of this label.

EPA Reg. No. 47000-121

EPA Est. No. 47000-IA-1

Net Contents

Manufactured By:

Chem-Tech, Ltd. 1006 Business Hwy 5 Pleasantville, IA 50225



[Manufactured in the U.S.A.]
[Flag Graphic]

7/9/14 Notification