

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 23, 2020

Susan Westra Product Registration Manager Chem-Tech, Ltd. 620 Lesher Place Lansing, MI 48912

Subject: Label Amendment – Removed uses for cats and dogs, and updated the label

Product Name: CLEAN CROP LIVESTOCK 1% RABON DUST

EPA Registration Number: 47000-123

Application Date: June 19, 2020

Decision Number: 566566

Dear Ms. Westra:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance Page 2 of 2 EPA Reg. No. 47000-123 Decision No. 566566

with FIFRA section 6. If you have any questions, please contact David Gardner by phone at (703) 347-8599, or via email at gardner.david@epa.gov.

Sincerely,

Shanta Adeeb, Product Manager 10 Invertebrate-Vertebrate Branch 2 Registration Division (7505P) Office of Pesticide Programs

Enclosure

Clean Crop Livestock 1% Rabon® Dust

Contains Rabon®

A ready-to-use insecticide dust

Controls hornflies and lice and aids in the control of face flies on beef and dairy cattle. Controls lice on or around swine. Controls chicken mites, lice and Norther fowl mites on or around poultry. Controls certain flies, lice, tick and gnats on or around horses.

ACTIVE INGREDIENTS:

Tetrachlorvinphos: 2-chloro-1-(2, 4, 5 – trichlorphoenyl) vinyl dir	methyl phosphate1.0%
INERT INGREDIENTS:	99.0%
TOTAL	100.0%

[batch code/lot number]

KEEP OUT OF REACH OF CHILDREN CAUTION

See [inside, side, front, back] [panels, booklet, leaflet] for [First Aid and] additional Precautionary Statements

EPA Reg. No. 47000-123

EPA Est. No. 47000-IA-1 EPA Est. No. 66171-CA-001 EPA Est. No. 66171-TN-001

[(First letter of batch number indicates establishment)]

ACCEPTED

12/23/2020

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 47000-123

Manufactured by: Chem-Tech, Ltd. 1006 Business Hwy 5 Pleasantville, IA 50225

Net Contents	:	lbs ((kg	()
Net Contents	:	lbs ((kg)

FIRST AID		
If Swallowed:	 Call a Poison Control Center or doctor, immediately for treatment advice or transport the patient to the nearest hospital. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
If on Skin or on Clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor immediately for treatment advice. 	
If in Eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor immediately for treatment advice. 	
[Organophosphate]		

Have product container or label with you when calling a poison control center, doctor, or going in for treatment.

For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).

NOTE TO PHYSICIAN

This product is a cholinesterase inhibitor, if symptoms of cholinesterase inhibition are present; atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. Product may cause aspiration pneumonia. Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Personal Protective Equipment (PPE):

All handlers must wear long-sleeved shirt and pants, chemical-resistant gloves (such as Barrier Laminate, Nitrile, Butyl and/or Neoprene), shoes plus socks.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions or washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Drift and runoff may be hazardous to aquatic organisms in adjacent areas. For terrestrial uses, do not apply directly to water, to areas where surface water is present or in intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are foraging the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL:** Read this entire label and follow all use directions, use restrictions, and precautions.

APPLICATIONS

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

No interval is required between treatment and slaughter or between treatment and use of milk for human consumption. Consulta a veterinarian before using this product on debilitate, medicated, aged, pregnant or nursing animals.

Animal	Insect	APPLICATION DIRECTIONS
Beef Cattle &	Horn Flies, Face	SELF-TREATING DUST BAGS: place this product in cotton
Diary Cattle	Flies & Lice	cloth or double burlap bags or any commercially available weather-proof cattle dust bags. Protect cloth or burlap bags from weather. Hang the bags so the bottom of the bag will hang four to six inches below the topline of the cattle. For reductions of face flies, the bags must be located so the cattle will use them daily and must be hung to ensure the faces of the cattle will be dusted. Regularly inspect dust bags for proper functioning and adequate dust supply. Repair or replace damaged or misfunctioning bags promptly. Recharge with dust
		as necessary.
Swine	Lice	HAND DUSTING: Apply 9-12 ounces of dust by conventional hand or powder duster to each animal with special attention give to the neck and around the ears. Repeat as necessary but not more often than once every 14 days. In

		severe infestations, both individual animals and bedding may be treated. Apply three pounds of dust per 150 square feet of bedding.
Horses	Face flies, Stable flies, House flies, Horn flies, Horse flies, Deer flies, Ticks, Gnats and Fly Larvae	Apply approximately 6 oz. by shaker can, hand duster, grooming brush or dust mitt. Cover upper portions of back and neck and to the face, mane and tail for added control of face flies; rub or brush in lightly to carry dust beneath the hair. Repeat as necessary. For premise dusting, apply to barn or stall area floors where manure accumulates, to control fly larvae and flies in the stable area.

RESTRICTIONS:

• Do not apply with bare hands.

POULTRY			
Chicken Mites, Lice, Northern Fowl Mites			
Type Housing	Applications	Instructions	
Wire Cages	1 lb./100 birds	For individual treatment direct dust to vent and fluff area.	
	Plunger, rotary type	Group treatment may be preferred. Dust should reach skin.	
	duster or shaker can	Wire rungs and corners should also be duster treated.	
Note: For Northern Fowl Mites on roosters, thorough individual application of the dust will assure long-			
lasting control and	l reduce Reinfestation o	f breeding flocks.	
Floor	Application	Instructions	
Management			
Litter	3 lbs./100 sq. ft.	Treat evenly and thoroughly. Also treat roosts, cracks and	
	Plunger or rotary	crevices where pests may hide.	
	type duster		
Dust Box	6 lbs./100 birds	Use box about 2 ft. by 2 ft. by 1 ft. deep.	
Roost Paint	3 lbs./100 ft.	Treat roost thoroughly, particularly the crack and crevices.	
	Make thick slurry by		
	mixing 1 lb. of dust		
	with 1 pint of water		
	 continually stir. 		

RESTRICTIONS:

- Do not use bare hands.
- Do not repeat more often than every 14 days.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place in original container.

Pesticide Disposal: Wastes resulting form the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Offer container for recycling, if available, or puncture and dispose of container in a sanitary landfill, or by other procedures approved by State and local authorities.

DISCLAIMER

[DISCLAIMER:] To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. To the extent permitted by applicable law, Seller does not assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

OR

LIMITED WARRANTY

To the extent permitted by applicable law, Neogen Corporation makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent permitted by applicable law, Neogen Corporation shall not be liable for (1) any consequential, incidental, or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

OR

CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitations of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law, Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY, EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES, OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY, OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Clean Crop Livestock 1% Rabon® Dust Page 6 of 6 December 21, 2020

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

{Optional Marketing Statements}:

Chem-Tech, Ltd. is a wholly-owned subsidiary of Neogen Corporation. Manufactured[Made] in the U.S.A.



{Optional Graphics/Logos}

