

CHEM-TECH LTD  
1479 West Pond Road  
Egan MN 55122

JUN 29 2004

Dear Mr. Baker:

Subject: Label Amendment  
EPA Registration No. 47000-145  
Product Name: S-L  
Application date: November 10, 2003

The labeling referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below.

- 1) Revise the registration number to read: EPA Reg. No. 47000-145.
- 2) In accordance with PR Notice 2001-1, the "FIRST AID STATEMENT" should be revised to read as follows:

#### **FIRST AID**

**IF SWALLOWED** o Call a poison control center or doctor immediately for treatment advice.  
o Have person sip a glass of water if able to swallow.  
o Do not induce vomiting unless told to do so by a poison center or doctor.  
o Do not give anything by mouth to an unconscious person.

**IN INHALED:** o Move person to fresh air.  
o If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.  
o Call a poison control center or doctor for treatment advice.

**IF on SKIN or CLOTHING:** o Take off contaminated clothing.  
o Rinse skin immediately with plenty of water for 15-20 minutes.  
o Call a poison control center or doctor for treatment advice.


Pg 2 EPA Reg. No. 47000-145

- IF in EYES:**
- o Hold eye open and rinse slowly and gently with water for 15-20 minutes,**
  - o Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.**
  - o Call a poison control center or doctor for treatment advice.**

Enclosed is a copy of your label stamped " Accepted with Comments". Submit four (4) copies of the final printed labeling before you released the product for shipment.

Please return a copy of this letter with your final printed labels to Ms. Pat Quarles, If you have any questions regarding this letter you may call (703) 305-6876.

Sincerely,



Richard Gebken  
Acting Product Manager 10  
Insecticide Branch  
Registration Division 7505

enclosure

# SL-1

**KILLS AND REPELS:** Flies, Ants, Clover Mites, Cluster Flies, Centipedes, Cockroaches, Crickets, Deer Flies, Face Flies, Fleas, Fruit Flies, Gnats, Hornets, Horn Flies, Horse Flies, House Flies, Lice, Millipedes, Mosquitoes, Mud Daubers, Small Flying Moths, Spiders, Stable Flies and Wasps. **FOR USE IN AND AROUND,** but not limited to: Beef Cattle Operations, Campgrounds, Catteries, Dairy Farms (including Milk House, Milk Parlor, Loafing Sheds, and Holding Lot), Farms, Hog Operations, Horse Barns and Stables, Kennels and Poultry Operations,

**Not for use in USDA meat and poultry plants.**

**Contains no CFCs or other ozone deleting substances. Federal regulations prohibit CFC propellants in aerosols.**

### ACTIVE INGREDIENTS:

Pyrethrins .....0.5%

\*Piperonyl Butoxide, Technical .....4.0%

**INERT INGREDIENTS\*:**.....95.5%

Total .....100.0%

\*Equivalent to 3.2% (Butylcarbityl)(6-Propylpiperonyl) Ether and 0.8% Related Compounds

**ACCEPTED  
with COMMENTS  
In EPA Letter Dated:**

**JUN 29 2004**

**Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.  
47690-145**

EPA Reg. No. 34704-846

EPA Est. No.

## KEEP OUT OF REACH OF CHILDREN CAUTION

### FIRST AID

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15 -20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT, CALL: 1-800-301-7976**

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or absorbed through skin. Do not remain in treated area and ventilate the area after treatment is completed. Avoid breathing of vapor. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using and before smoking or eating. Do not contaminate water, food, or foodstuffs. Remove all pets and birds. Cover fish tanks or remove before spraying.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Apply this product only as specified on this label.

#### PHYSICAL OR CHEMICAL HAZARDS:

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

#### DIRECTIONS FOR USE:

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

**DAIRY FARM USE:** Milking Parlor and Milk Room: Close all windows and doors. Direct fog upward and in all directions at a rate of 1 to 3 seconds per 1000 cu. ft. Keep room closed for 15 minutes after treatment. Open and ventilate before reoccupying. Cover milking utensils and milk to prevent contamination from spray and dead falling insects.

**ANIMAL USE** (Do not spray sick animals): From approximately 2 foot distance, thoroughly spray entire animal as it is being released to pasture. Do not spray directly toward animal's eyes. Spot treat withers, shoulders and back where saliva accumulates from head tossing.

**STANCHION BARN USE:** Walk behind animals and direct spray over backs allowing 1 second per animal. For most effective results, apply each morning.

**BEEF CATTLE OPERATIONS:** In barns, close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cu.ft. Keep area closed for 15 minutes following application. Ventilate area after treatment is complete. If area cannot be closed, double the dosage. Repeat application daily or as necessary.

**HORSE BARN AND STABLES:** Close all windows and doors. Spray at a rate of 1 to 2 seconds per 1000 cu. ft. Keep area closed for 15 minutes following application. Ventilate area after treatment is complete. If area cannot be closed, double the dosage. For animal application, lightly mist over the backs of horses and ponies from a distance of at least two feet. Repeat application daily or as necessary.

**POULTRY OPERATIONS:** Use only in empty poultry houses (when birds are not present). Close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cu. ft. Keep area closed for 15 minutes following application. Ventilate area after treatment is complete. If area cannot be closed, double the dosage. Treat daily or as necessary.

**HOG OPERATIONS:** In hog houses, close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cu. ft. Keep area closed for 15 minutes after application. Ventilate the area after treatment is completed. If area cannot be closed, double the dosage. For animal application, direct spray over backs and spray for 1 to 2 seconds per hog. Do not spray directly toward animal's face or eyes. Repeat application daily or as necessary.

**MUD DAUBER AND WASP NESTS:** Spray mist directly on insects and their nests from approximately 2 ft. distance. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

**FLEAS:** General Volumetric Treatment: Hold aerosol 36" above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. making sure that all floor areas are contacted. Change litter before application. Keep area closed for 15 minutes. Remove animals before spraying. Open and ventilate before reoccupying. Repeat treatment after 7 days or as necessary.

**KENNELS AND CATTERIES:** Remove animals before spraying. Ventilate after treatment is completed.

## **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a cool area away from heat or open flame.

**Pesticide Disposal:** Pesticide that cannot be used according to label instruction must be disposed of according to applicable Federal, state and local procedures.

**Container Disposal:** This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE). If recycling is not available, wrap the container and discard in the trash. For best results, product should be used when can temperature is above 60°F. If temperature is below 60°F, store at room temperature until a temperature of above 60°F is reached.

**Loveland Products, Inc.**

PO Box 1286  
Greeley, CO 80632-1286  
(970) 356-4400