				400				
\$EPA	United States Environmental Protection Agent Washington, DC 20460				x	Registr Amend Other		OPP Identifier Number
		Application fo	r Pestic	ide - Sec	tion	ŀ		
1. Company/Product Number 47000-149			2. EPA Product Menag G. LaRocca		ager			reposed Classification
4. Company/Product (Name) Permethrin .25% Dust			PM# 13					THOSE
5. Name and Address of Apr Chem-Tech, Ltd. 4515 Fleur Drive, #303 Des Moines, IA 50321	plicant <i>(Include ZIP Co</i>	de)	(b)(i), to:		is simi	ilar or iden	itical in coi	FIFRA Section 3(c)(3) imposition and labeling
Check if this is a new address			Product Name					
		S	ection -	11				
Amendment - Explain Resubmission in resp X Notification - Explain	onse to Agency letter	dated		Final printed Agency lett "Me Too" A	er date Applica	ed ition.	se to	NOTIFICATION NOTIFICATION APR 1 5 2005
Additon of marketing See attache Certific	_	nt.			abel	text per	PR Not	tice 98-10.
		Se	ction -	<u> [</u>				
1. Material This Product Will Child-Resistant Packaging Yes No * Cartification must be submitted	Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per	Yes No	Packaging No. per container		2. Type of	Container Metal Plastic Glass Paper Other (S	pecify)
3. Location of Net Contents	Information ontains	4. Size(s) Retail Con	teiner		5. toc	ation of La	bel Directio	ns
6. Manner in Which Label is	Affixed to Product	Lithograph Paper glued Stenciled		Other				
		Se	ction - I	V				£' { -
1. Contact Point (Complete	items directly below fo	or identification of inc	dividual to b	e contected, i	if nece	ssery, to p	rocess this	appiivation.)
Name Steve Rogosheske			Title Agent for Chem-Tech, Ltd.			1 *	No. (Include Area Code)	
I certify that the stater I acknowledge that and both under applicable I	y knowlinglly false or r	Certification this form and all atta misleading statement	chments th may be pu	ereto are true nishable by fir	, accui ne or ir	rste and co mprisonmer	mplete.	8. Date Application Received (Stamped)
2. Signature	rolesk	3. Title — Age	ent for	· Chem	ı-Te	ech, L	td.	* * * * * * * * * * * * * * * * * * *
4. Typed Name Steven F. Rogosheske		_	5. Date March 29, 2005				** *	

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulation at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Signed

Agent for CHEM-TECH, Ltd.

NOTIFICATION

....



NOTIFICATION
NOTIFICATION
APR 1 5 2005

Editors Note: Text in Brackets [] indicates alternate or optional wording, any or all of which may appear on the final labeling.

[PERMETHRIN] [Contains PERMETHRIN]

[KILLS beetles, caterpillars, bugs and many more]

[Ready to Use]

[Easy-To-Use]

[Controls ornamental pests]

[To control (kill) vegetable pests]

[Use on home garden fruits, vegetables and ornamental plants (including roses)]

[Use on fruit & nut trees]

[Use on dogs, cats and pet bedding to control fleas, ticks and lice]

[Controls Horn Flies and Lice on Beef and Dairy Cattle]

[Aids in reducing Face Fly population on Beef and Dairy Cattle]

[Controls Lice on Swine]

[Controls Northern Fowl Mites on Poultry]

[For use in dust bags, [this] shaker can or mechanical dust applicator]

[Easy-to-use powder duster]

[No unpleasant odor]

[General Purpose Livestock & Poultry Dust]

[For lice and fly control on horses, cattle and swine]

[Also for fleas, ticks & lice on dogs]

ACTIVE INGREDIENT:

Permethrin*	0.25%
OTHER INGREDIENTS:	99.75%
Total	100%

*(3-phenoxyphenyl)methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)-2,2-diemethylcyclopropanecarboxylate (Cis/Trans ratio: Min. 35% (+/-) cis and max. 65% (+/-) trans.)

KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES:	 Hold eye open and rinse slowing and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 15 minutes, then continue rinsing eyes. Call a poison control center for treatment advice.

treatment. For emergency information contact: National Pesticide Information Center at 1-800-858-7378 between 6:30 AM and 4:30 PM Pacific Time. After 4:30 call your poison control center.

See [back] [side] panel for further precautions and directions.

EPA Reg. No. 47000-149

EPA Est. No. 47000-IA-1

Net Contents:

Manufactured by: Chem-Tech, Ltd. ● Des Moines, IA 50321



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

HUMANS: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ANIMALS: Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic organisms. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwater.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THE ENTIRE LABEL BEFORE EACH USE.

FOR PET USE - USE ONLY ON DOGS & CATS

HOME GARDENS

For use on home gardens. Not for use on plants being grown for commercial sale or commercial use.

This product [Brand Name] controls a wide range of insect pests. Apply when insects first appear before damage from feeding occurs. Wearing household latex or rubber gloves, use a dust applicator such as a [this] shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Allow dust to settle in treated areas before reentering. Wash hands thoroughly after handling and before eating or smoking. Do not allow dust to wind drift to nontarget plants or water supplies. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. For plants above chest height, consider using [brand insecticide].

Vegetables and Melons

The number in parentheses () following each crop grouping is the pre-harvest interval, e.g., the number of days that must be observed between application and harvest.

Artichokes (0): To control (kill) artichoke plume moth, leafminer. Do not exceed 5 applications per season.

Asparagus (1): To control (kill) asparagus beetle, cutworm. Do not exceed 4 applications per season.

Asparagus (post-harvest): To control (kill) larval and adult stage of asparagus beetle, tarnished plant bug, lygus bug, collards and adult stage of Japanese beetle. Dust ferns or bush growth after spear harvest when insects are present. (Not for use in California).

Celery - see leafy vegetables.

Cole Crops (Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Chinese Cabbage (tight-heading variation only), Chinese Broccoli (on gai lon, white flowering). (1): To control (kill) beet armyworm, cabbage aphid, cabbage looper, cutworm, diamondback moth, flea beetle, imported cabbageworm, leafminer, plant bug, thrips. Apply every 5 days or as needed. Do not exceed 8 applications per season on cauliflower, Brussels sprouts and broccoli, or 5 applications on cabbage.



Corn - see sweet corn.

Cucurbits (Balsam Pear - bitter melon: Chinese waxgourd - Chinese preserving melon; Citron melon; Cucumber; Gherkin; Edible gourds; Melons including hybrids such as cantaloupe, casaba, crenshaw, honeydew, honeyballs, mango melon, muskmelon, Persian melon; Pumpkin, Squash summer and winter; Watermelon) (0): To control (kill) aphid, cabbage looper, cucumber beetle (adult), cutworm, leafhopper, leafminer, melonworm, pickleworm, plant bug, squash bug. Do not exceed 8 applications per season.

Eggplant (3): To control (kill) Colorado potato beetle, vegetable leafminer, flea beetle. Do not exceed 10 applications per season.

Leafy Vegetables (Amaranth, Arugula, Celery, Chervil, Corn Salad, Chrysanthemum (edible-leaved and garland), Cress (garden and

upland), Dandelion, Dock, Endive, Fennel, Lettuce (head and leaf), Orach, Parsley, Purslane (garden and winter), Rhubarb,

Spinach, Swiss chard (1): To control (kill) alfalfa looper, aphid, beet armyworm, cabbage looper, corn earworm, cutworm,

European corn borer, fall armyworm, green cloverworm, Southern armyworm, tobacco budworm, vegetable leafminer. Do not

exceed 5 applications per season.

Melons - see Cucurbits.

Onions (dry bulb & garlic) (1): To control (kill) armyworm, cutworm, leafminer, onion maggot (adult), onion thrips, stink bug. Do not exceed 6 applications per season.

Peppers (bell) (3): To control (kill) beet armyworm, aphid, cabbage looper, corn earworm, European corn borer, flea beetle, pepper weevil, vegetable leafminer. Do not exceed 8 applications per season.

Potatoes (14): To control (kill) beet armyworm, cabbage looper, Colorado potato beetle, cutworm, European corn borer, potato aphid,

potato flea beetle, potato leafhopper, potato psyllid, potato tuberworm, tarnished plant bug. Do not exceed 8 applications per season.

Spinach (1): To control (kill) aster leafhopper, beet armyworm, cabbage looper, corn earworm, cutworm, European corn borer,

leafhopper. Do not exceed 5 applications per season.

Sweet Corn (1): To control (kill) corn earworm, corn rootworm (adult), European corn borer, fall armyworm, hop vine borer, leafhopper,

Southern armyworm, stalk borer. Dust every 5 days or as needed. Do not exceed 6 applications per season.

(FL-only: 8)

Tomatoes (0): To control (kill) beet armyworm, cabbage looper, Colorado potato beetle, granulate cutworm, hornworm,

vegetable leafminer, tomato fruitworm, tomato pinworm. Do not exceed 6 applications per season.

Omamentals (including Roses, Flowers, Shrubs and Small Trees)

Contact insects directly whenever possible.

Controls (Kills): aphid, bagworms, cabbage looper, cicadas, corn earworms, cutworm, exposed thrips, fall cankerworm, fall webworm, inchworms,

Japanese beetle (adults), leafhopper, leafminer, and omnivorous leafroller, mealybugs, spider mites, stinkbugs, adult strawberry root weevil, adult obscure root weevil, thrips and whitefly on the following plants:

African violets, Ageratum, Arizona Cypress, Aster, Azalea, Begonia, Camellia, Carnation, Chrysanthemum, Coleus, Common Ninebark, Common Snowberry, Crassula, Dahlias, Delphinium, Dogwood, Exacum, Euonymous, English Ivy, Fuchsia, Geranium, Gladiolus, Gold Bells, Grape Vines (ornamental), Hypoestes, Ivy, Laurel, Lilac, Marigold, Mock Orange, Nannyberry, Orchid, Palm, Pansy, Pea Shrub, Petunia, Philodendron, Poinsettia, Rhododendron, Rose, Snapdragon, Stocks, Taxus, Wax Plant, Wandering Jew, Weeping Fig, Zinnia.

Fruit and Nut Trees

The number in parentheses () following each crop grouping is the pre-harvest interval, e.g., the number of days that must be observed between application and harvest. Also includes relevant comment.

6/8

Apples (Do not apply after petal fall): To control apple ahpid, green fruitworm. redbanded leafroller, plum curculio, spotted tentiform leafminer, tarnished plant bug, white apple leafroller. Do not exceed 1 application per season.

Cherries (In the East, do not exceed 4 applications after petal fall): To control green fruitworm. lesser peachtree borer, plum curculio, redbanded leafroller, rose chafer, tarnished plant bug. Do not exceed 6 applications per season.

Cherries (In the West, do not exceed 3 applications after petal fall): To control green fruitworm. lesser peachtree borer, plum curculio, redbanded leafroller, rose chafer, tarnished plant bug. Do not exceed 4 applications per season.

Peaches (14): To control green fruitworm, lesser peach tree borer, oriental fruit moth, peach twig borer, plum curculio, rose chafer, tarnished plant bug. Dust lightly. Apply up to 5 times per season.

Pears – Dormant (May be applied dormant through the delayed dormant growth periods only): To control pear psylla. Do not exceed 2 applications per season.

Pears – Pre-bloom (May be applied from dormant through bud burst): To control codling moth, green fruitworm, and pear psylla. Do not exceed 2 applications per season.

Walnuts (1): To control codling moth, navel orangeworm, and walnut husk fly. Do not exceed 8 applications per season.

BEEF AND DAIRY CATTLE AND HORSES

Can be used in dust bags, [this] shaker can and mechanical dust applicator. Horn Flies, Lice, Face Flies: Place contents of this package in any commercially available dust bag, suspend bag in areas frequented by cattle or in gateways or lanes through which the animals must pass daily for water, feed or minerals. Bags may also be placed in loafing sheds or in front of mineral feeders. For dairy cows, bags may be suspended in the exit through which the cows leave the milking barn. The bags should hang 4 to 6 inches below the back line of the cattle. For reduction of Face Flies, bags must be located so animals will be forced to use them daily and hung at a height so that the face is dusted.

Horn Flies, Lice - Direct Application: Apply 2 oz. of dust per animal by [this] shaker can or dust glove over the head, neck, shoulders, back and legs.

SWINE

Lice on Swine Direct Application: Apply only 1 ounce per head as a uniform coat to the head, shoulder and back by use of a [this] shaker can or suitable mechanical dust applicator. Do not apply more often than once every 10 days. In severe infestation, both animals and the bedding may be treated. Do not ship animals for slaughter within 5 days of treatment.

<u>POULTRY</u>

To control Northern Fowl Mites, apply at a rate of 1 lb. per 100 birds. Ensure thorough treatment of vent area.

PETS

USE ONLY ON DOGS OR CATS: Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or medicated animals.

To [control] [kill] fleas, ticks and lice: Use product only outside or in a well-ventilated area. Wearing household latex or rubber gloves, dust entire animal avoiding pet's eyes, nose, mouth and genital areas. Rub or brush pet's hair to work dust down to the skin paying close attention to legs and feet. Use 1/2 oz. on pets 20 pounds and under and 1 oz. on pets over 20 pounds. Reapply every two weeks. This product should not be applied by children. Do not use on puppies or kittens under 12 weeks of age. Dust pet bedding and doghouse using a [this] shaker can or other dust applicator.

ANTS:

To control ants, carpenter ants: Treat doors, around window frames, ant trails and hills, cracks and crevices and other areas of entry.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE

It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Chem-Tech, Ltd, the manufacturer or seller. To the fullest extent allowed by law Chem-Tech, Ltd, the manufacturer or seller shall not be liable for any consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Except as expressly provided herein, Chem-Tech, Ltd, the manufacturer or seller makes no warranties, guarantees, or representations of any kind, either express or implied, or by usage of trade, statutory or otherwise with regard to the product sold, including, but not limited to, merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. Buyer's or user's exclusive remedy, and Chem-Tech, Ltd's, the manufacturer's or seller's total liability, shall be for damages not exceeding the cost of the product.

Net	Contents	

12/04



Steve Rogosheske • Regulatory & Scientific Consulting 1479 West Pond Road • Eagan, MN 55122

March 29, 2005

Document Processing Desk (NOTIF)
Office of Pesticide Programs – RD (7504C)
U. S. Environmental Protection Agency
Room 226A, Crystal Mall 2
1801 South Bell Street
Arlington, VA 22202-4501

Subject: NOTIFICATION

Permethrin .25% Dust EPA Reg. No. 47000-149

Notification Team:

My client, Chem-Tech, Ltd is submitting the subject product for notification to add additional marketing bullets to the front panel of this label. These additions are consistent with the use sites approved in the labeling and are therefore being filed in accordance with PR-Notice 98-10.

Along with the application form, we are enclosing two copies of the label with the additions highlighted on one label. If there are any questions regarding this submission please contact this office.

Sincerely,

Steven E. Rogosheske

Phone and Fax: (651) 330-1217 E-mail: srogo@comcast.net

Enclosures

cc: Mr. Patrick Rolfes - Chem-Tech, Ltd.