

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

August 19, 2015

Jennifer J. Klika Manager Regulatory Affairs CHEM-TECH, LTD. 1006 Business Hwy 5 Pleasantville, IA 50225

Subject: Notification per PRN 98-10 – ABN; adding marketing language and small edits

Product Name: CT Permethrin 1% Pour-On EPA Registration Number: 47000-150

Application Date: 7/20/2015 Decision Number: 507130

Dear Ms. Klika:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The alternate brand name Prozap® Insectrin 1% Pour-On has been added to the product record.

If you have any questions, you may contact Angela Hollis at 703-347-0216 or via email at hollis.angela@epa.gov.

Sincerely,

Jennifer Urbanski, Ph.D., Product Manager 4 Invertebrate and Vertebrate Branch 1 Registration Division (7505P)

Office of Pesticide Programs

CT Permethrin 1% Pour-On

ACTIVE INGREDIENTS:

Permethrins*	1.00%
OTHER INGREDIENTS:	99.00%
TOTAL	100.00%

- * (3-phenoxyphenyl)methyl (+/-) cis/trans 3-(2,2-dicholorethenyl)-2,2-dimethylcyclopropanecarboxylate cis/trans ratio: Min 35% (+/-) trans and Max 65% (+/-) cis.
- ** Contains Petroleum Distillates

EPA Reg. No. 47000-150

EPA Est. No. 47000-IA-01

KEEP OUT OF REACH OF CHILDREN CAUTION

Net Contents:

NOTIFICATION

47000-150

Net Weight:

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

08/19/2015



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Personal Protective Equipment (PPE):

Mixers, loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber, or Viton
- Chemical-resistant apron for mixers, loaders, persons cleaning equipment, and for handlers performing animal dip operations.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions or washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID		
Have Product Container or Label with You When Calling a Poison Control Center, Doctor or		
Going in for Treatment.		
If on Skin or on clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice. 	
If Swallowed:	 Call a poison control center, doctor, or 1-800-498-5743 immediately for treatment advice or transport the patient to the nearest hospital. Do not give any liquid to the patient. Do not administer anything by mouth. Do not induce vomiting unless told to do so by the poison control center or doctor. 	
 Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 		
NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration		
pneumonia.		
For 24-hour emergency information on this product, call		
1-800-498-5743 (US & Canada) or 1-651-523-0318		

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, use restrictions and precautions.

GENERAL PRECAUTIONS AND RESTRICTIONS

Entry Restrictions

Except when applying to livestock, do not enter or allow others to enter treated area until sprays have dried.

Application Restrictions

Except when applying to livestock, do not apply this product in a way that will contact workers or other persons, either directly or through drift.

Except when applying to livestock, only protected handlers may be in the area during application.

Do not breathe dust, vapors, or spray mist.

Do not water the treated area to the point of run-off. Do not make applications during rain.

CT Permethrin 1% Pour-On Page 4 of 7 July 20th, 2015

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- 1. Treatment to soil or vegetation around structures,
- 2. Applications to lawns, turf, and other vegetation,
- 3. Applications to building foundations, up to a maximum height of 3 feet

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and-crevice application only.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitation can occur. Do not allow the product to enter any drain during or after application.

When used in dairy barns or facilities:

Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Do not use sponge to apply.

Apply To:	Target Insects:	Application Instructions:
Lactating Dairy Cattle,	Lice, Horn Flies.	Pour along back line and down face.
Non-Lactating Dairy	Aids in control of Horse	Apply ½ fl. oz. per 100 lbs. body
Cattle,	Flies, Stable Flies,	weight of animal up to a maximum of 5
Beef Cattle,	Mosquitos, Black Flies and	fl. oz. (at any one application) for any
Beef Calves	Ticks.	one animal.
		BACKRUBBER USE:
		Mix one pint per gallon #2 diesel or
		mineral oil. Keep rubbing device
		charged. Results improved by daily
		forced use.
Sheep	Keds	Pour along back line and down face.
		Apply ¼ fl. oz. per 50 lbs. body weight
		of animal up to a maximum of 3 fl. oz.
		(at any one application) for any one
		animal.
Premises:	Horse Flies, Stable Flies,	For use as a ready-to-use spot spray or
In and Around Horse,	Face Flies, Gnats,	premise spray:
Beef, Swine, Sheep	Mosquitos, Black Flies,	Use undiluted in a mist sprayer. Apply
and Poultry Premises,	Fleas, Little House Flies	directly to surface to leave a residual
Animal Hospital Pens	(Fannia spp.).	insecticide coating, paying particular
and Kennels, and	Aids in control of	attention to areas where insects crawl or
Outside Meat Process	Cockroaches, Ants,	alight. One gallon will treat
Facilities	Spiders, and Crickets	approximately 7300 square feet.

Repeat treatment as needed, but not more than once every two weeks. For optimum insecticidal effectiveness against lice, a double treatment at 14 day intervals is recommended.

NOTE: This product is not effective for grub control on cattle.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

<u>PESTICIDE STORAGE</u>: Store in a cool, dry and secure area. Store in original sealed container away from food or feed.

PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Non-refillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DISCLAIMER

DISCLAIMER: To the extent permitted by applicable law, seller makes no representation or warranty, either expressed or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material.

OR

LIMITED WARRANTY

To the extent permitted by applicable law, Neogen Corporation makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent by applicable law, Neogen Corporation shall not be liable for (1) any consequential, incidental or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

OR

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITED BY APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

For non-emergency (e.g., current product information), Call: **1-800-621-8829**

Code (NT.RL.) NT.RL.

Alternate Brand Names:

Prozap[®] Insectrin 1% Pour-On

Optional Marketing Statements:

Ready-To-Use

Pour-On Insecticide

Kills Lice and Flies on Beef and Lactating Dairy Cattle, and Keds on Sheep.

Also for use in and around Horse, Beef Cattle, Dairy Cattle, Swine, Sheep and Poultry Premises.

Permethrin

Contains Permethrin

For Back-Rubber Use For Cattle, Sheep and their Premises

Made in the U.S.A.
<American Flag Graphic>



