

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 27, 2015

Jennifer J. Klika Manager, Regulatory Affairs and R&D Chem-Tech Ltd. 4515 Fleur Drive #303 Des Moines, IA 50321

Subject: Notification per PRN 98-10 – Adding Optional Marketing Claims

Product Name: Prozap® Dairy & Ranch Insect Spray

EPA Registration Number: 47000-154 Application Date: March 16, 2015

Decision Number: 502570

Dear Ms. Klika:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, you may contact Julie Chao at (703) 308-8735 or via email at <a href="mailto:chao.julie@epa.gov">chao.julie@epa.gov</a>.

Sincerely,

Kable Bo Davis, Product Manager 03 Invertebrate & Vertebrate Branch 1 Registration Division (7505P)

My Sem De for

Office of Pesticide Programs

## **Prozap<sup>®</sup> Dairy & Ranch Insect Spray**

#### An oil based livestock spray with rapid knockdown and high killing powers.

For use on dairy cows, in dairy barns and on beef cattle and horses for control of face flies, horn flies, stable flies, house flies, horse flies, mosquitos and gnats.

#### **ACTIVE INGREDIENTS:**

Pyrethrins	
*Piperonyl Butoxide	
OTHER INGREDIENTS:	
TOTAL	
* (Butylcarbityl)(6-Propylpiperonyl) ether and related compounds	

- (Butylcarbityl)(6-Propylpiperonyl) ether and related compounds
- \*\* Contains Petroleum Distillates

EPA Reg. No. 47000-154

EPA Est. No. 47000-IA-01

## KEEP OUT OF REACH OF CHILDREN **CAUTION**

**Net Contents:** 

## NOTIFICATION

47000-154

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

3/27/2015

**Manufactured By:** CHEM-TECH, LTD. 1006 Business Hwy 5 Pleasantville, IA 50225

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Harmful if absorbed through the skin. Avoid contact with skin and eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some adults.

#### **Personal Protective Equipment (PPE):**

Mixers, loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical resistant gloves made of Barrier Laminate, Nitrile Rubber, or Viton.

## **User Safety Requirements**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions or washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

## **User Safety Recommendations.**

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

FIRST AID  Have Product Container or Label with You When Calling a Poison Control Center, Doctor or Going in for Treatment.	
If Swallowed:	<ul> <li>Call a poison control center, doctor, or 1-800-498-5743 immediately for treatment advice or transport the patient to the nearest hospital.</li> <li>Do not give any liquid to the patient.</li> <li>Do not administer anything by mouth to an unconscious person.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>
If Inhaled:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
If on Skin or on Clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
If in Eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>NOTE TO PHYSICIAN:</b> Contains petroleum distillate. Vomiting may cause aspiration pneumonia.	
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-1-651-523-0318	

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions, use restrictions and precautions.

#### **USE RESTRICTIONS**

Except when applying to a livestock, only protected handlers may be in the area during application.

When using this product as a space spray, do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors and/or mists have dispersed.

Except when treating livestock, do not enter or allow others to enter treated area until vapors, mist and aerosols have dispersed and the area has been thoroughly ventilated.

Except when applying to livestock, do not apply this product in a way that will contact workers or other persons, either directly or through drift.

Remove or cove exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces or wash them before reuse.

When used in dairy barns or facilities: Close milk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Prozap<sup>®</sup> Dairy & Ranch Insect Spray Page 4 of 7 March 9<sup>th</sup>, 2015

**Not for Household Use** – To make the effect of Prozap<sup>®</sup> Dairy and Ranch Insect Spray more lasting, an oil base is used. It is not recommended for household use.

Do not apply with a sponge.

Not for use in outdoor residential misting systems.

#### **GENERAL:**

Prozap<sup>®</sup> Dairy and Ranch Insect Spray is to be used full strength and must be applied to livestock as a mist spray only. Only efficient hand type spray guns or insecticide foggers must be used. Apply using a fine mist under high force for maximum efficiency. Make sure sprayer is in perfect working condition. Prevention is important – Effective control of flies requires the frequent removal of all manure, litter and other breeding places of flies.

#### **APPLICATION RATES**

## On Dairy Cows, Beef Cattle, Horses, Calves and Foals:

Use the spray before milking or feeding. For greatest efficiency spray animals inside th barn with windows and doors closed during, and for ten minutes after spraying. Outside spraying and spraying open barns take more spray to control flies.

#### **Using a Spray Gun:**

Spray the animals from the rear holding the spray gun 15 to 20 inches away from the surface to be sprayed. At each spraying, use 1 to 1.5 ounces for the average size cow (one pint for each 12 to 16 head). Use proportionally less for calve and younger animals. In addition to covering the back and isdes of the animal, the spray mist does into the air above animals, thus helping to kill flies in the building. Spray the legs and under pars lightly. The hair should be dampened, not soaked. Allow the spray to settle before milking. For control of flies, spray head and neck daily.

#### **Using an Insecticide Fogger:**

Make sure fogger is located properly and operating satisfactorily. Follow the manufacturer's instructions as to the area the fogger will adequately handle. Locate fogger high enough so that some animals are not overexposed and their feed is not contaminated. Locate fogger so the rear of the animals are exposed to the mist an the eyes are protected from direct spraying. Do not expose the animals to excessive fog, which may produce bronchial trouble.

Close windows and doors for best fogging results. Usually, 5 minutes fogging is sufficient.

## **Spray Animal Quarters for Better Control:**

To attain the most complete control of face flies, stable flies, house flies, horse flies, mosquitos and gnats Prozap<sup>®</sup> Dairy and Ranch Insect Spray should be used on the animals and also in the barns or nearby sheds where insects may congregate. After closing doors and windows, spray or fog using 2 ounces of material for each 1,000 cubic feet or space, directing the spray toward the ceiling. Keep closed for 10 minutes after spraying. Ventilate before reentry.

## **Spray Beef Cattle and Horses:**

Prozap<sup>®</sup> Dairy and Ranch Insect Spray may be used in the same way on beef cattle and horse for killing flies, mosquitos and gnats.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place away from children, preferably a secure storage area.

**Pesticide Disposal:** Pesticides that cannot be used according to label instruction must be disposed of according to applicable Federal, state and local procedures.

**Container Handling**: Non-refillable container. Do not reuse or refill this container.

*If empty:* Place in trash or offer for recycling if available.

*If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### **DISCLAIMER**

**DISCLAIMER:** To the extent permitted by applicable law, seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material.

OR

#### LIMITED WARRANTY

To the extent permitted by applicable law, Neogen Corporation makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent by applicable law, Neogen Corporation shall not be liable for (1) any consequential, incidental or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

#### OR

#### CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITED BY APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

For non-emergency (e.g., current product information),

Call: **1-800-621-8829** 

Prozap<sup>®</sup> Dairy & Ranch Insect Spray Page 7 of 7 March 9<sup>th</sup>, 2015

Code (NT.RU.) NG.RL.

**Additional Brand Name(s)** Prozap<sup>®</sup> Fly-Die Blaster

**Optional Marketing Statements:** Synergized Pyrethrin

Pyrethrin

Synergized Ready-to-Use Solution

Ready to Use

Rapid Insect Knockdown

Fog or Spray

With Goldshine Technology

Made in the U.S.A.

<American Flag Graphic>

