

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

47004-1

DATE OF ISSUANCE

U 3 1 1985

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

HESCU GOWER-CIDE

NOTICE OF PESTICIDE:

REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

HESCON, Inc.,
303 N. Hickory Hills Drive
Columbus, IN 47201

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

BEST AVAILABLE COPY

HESCON TOWER-CIDE

ACCEPTED
with COMMENTS
in EPA Letter Dated:
47004-1
JUL 31 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticides
registered under EPA Reg. No.

ACTIVE INGREDIENT:

Poly(oxyethylene (dimethyliminio) ethylene-
(dimethyliminio) ethylene dichloride) 30.0 %

INERT INGREDIENT 70.0 %

This product contains 2.67 lb. of active ingredient per gallon and weighs
8.9 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HESCON TOWER-CIDE
and fungi in recirculating commercial and industrial air wash systems. Upon its use, systems must be cleaned to remove slimes, and other deposits. An initial slug dose of HESCON TOWER-CIDE fluid ounces of HESCON TOWER-CIDE per 1000 gallons of water to provide a concentration of 16 HESCON TOWER-CIDE

in the system, is recommended. Repeat initial slug additions of 0.47 HESCON TOWER-CIDE per 1000

40 parts per million of HESCON TOWER-CIDE employed every 2 to 5 days, or as needed.

upon the relative amount of bleedoff and the relative amount of sludge. Slug additions should be made in the HESCON TOWER-CIDE is used

in air-washing systems that maintain effective to its use, systems should be cleaned to remove deposits. An initial slug dose of 7.1 HESCON TOWER-CIDE

per 1000 gallons of water should be employed. Repeat initial dosage until control

of the bacterial problem. Slug additions may be made in collection trays of the airwash system.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Do not store more than four drums high. Leaking drums for disposal. Spills should be absorbed in sand or other inert material. Containers closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this pesticide should be disposed of by approved waste disposal methods.

CONTAINER DISPOSAL: PLASTIC Triple neck (or equivalent). Then offer for recycling, sanitary landfill, by incineration, or, if allowed by state and local authorities, by other procedures approved by state and local authorities. METAL Triple neck (or equivalent). Then offer for recycling, sanitary landfill, or by other procedures approved by state and local authorities.

Manufacturer
HESCON, Inc.
303 N. Hickory Hills Dr.
Columbus, IN 47201

EPA REG. NO. _____

NET CONTENTS _____