

PM-14

47006-3

1084

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

5427948 $\frac{300}{17}$

NOV - 9 1992

Unicorn Laboratories
1000 118th Avenue North
St. Petersburg, Florida 33716

Gentlemen:

Subject: Orlik Insect Powder
EPA Registration No. 47006-3
Your letter Dated March 3, 1992

The label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, and a stamped copy is enclosed for your records.

Submit five (5) copies of final printed labeling for our review.

Sincerely yours,


Ruf

Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7504C)

CONCURRENCES

MBOL								
PHASE								
TE								

ORLIK
INSECT POWDER
Long Lasting



- Easy to Use ■ Can't Stain
- Won't Dry Out ■ Can't Flame Up
- No Odor

■ Kills Roaches, Ants and Silverfish
In Homes, Apartments, Hotels, Offices, Schools,
Restaurants, Hospitals, Markets, Zoos, Kennels,
Boats, Campers

- For the Control of Darkling Beetles
and Hide Beetles in Poultry Houses

ACTIVE INGREDIENT:

Orthoboric Acid..... 99.8%

INERT INGREDIENTS:..... 0.2%
100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Carefully Read Precautionary Statements on Back Panel

Statement of Practical Treatment

Immediately contact physician or poison control center if swallowed. If eye contact occurs, flush eyes with plenty of water. Get medical attention if irritation persists.

NET WEIGHT: 1 LB, 2 OZ.

MANUFACTURED BY:

Phaeton Corporation
1000 118th Avenue North
St. Petersburg, Florida 33716

EPA REG. NO. 47006-3

EPA EST. NO. 47006-FL-1

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash hands thoroughly after handling.

DIRECTION FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Shake well before using. Apply only in areas not normally accessible to children or pets. Apply by shaking or with a disposable spoon.

To Control cockroaches, ants and silverfish, apply freely to areas under and behind all major home appliances - - ranges, dishwashers, refrigerators, clothes washers and clothes dryers, sinks, hot water heaters, tubs; into openings around drains, water pipes and electrical conduits; and in cracks and crevices along baseboards and corners of cabinets, cupboards, and closets. Remove all drawers in kitchens, baths and closets, bedroom drawers and chest of drawers, then scatter liberally in all drawer wells.

Directions for Applying in New Construction to Control Cockroaches. When treating large area, such as wall voids, soffit and subcabinet voids in new and existing construction, dust liberally using dusting application equipment.

Directions for Applying as a Mop Solution to Control Cockroaches. Add 1 cup of powder to each gallon of rinse water. Apply to floor areas only. Make only enough for each application. Supplemental treatment only.

This product may be used in homes, restaurants, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theatres, ships, boats, trains, trucks, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities and sewers.

Reapply as necessary. Any powder visible after application must be brushed into cracks and crevices or removed. Apply only in areas inaccessible to children and pets. Do not use in edible product areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Avoid contamination of feed and foodstuffs.

Application Instructions for Darkling and Lesser Mealworm Beetle and Hide Beetle Control in Poultry Houses (Adults and Larvae)

For poultry houses in which birds are grown on litter: **DRY APPLICATION** Prior to application of this product, remove birds. Apply dust uniformly to floor of poultry house or to old litter with a fertilizer or seed spreader, at the rate of 1 - 2 pounds for each 100 square feet, in bands along feeder lines. Wear a dust mask or a respirator while applying. Spread fresh litter of at least four inches uniformly over all treated area (floor or old litter). Then introduce birds. Reapply after each grow-out, if needed, in the sequence outlined above.

For poultry houses in which birds are grown in cages [layer or high-rise (pit type) houses]:

DRY APPLICATION - Prior to application of this product, remove birds. Apply at a rate of 1 - 2 pounds for each 100 square feet of treated surface. Using appropriate equipment, thoroughly dust side walls, top plates, posts, and framing. Dust into cracks and crevices around insulation. **DO NOT APPLY DIRECTLY TO MANURE**. Then, introduce birds. Reapply after each grow-out, if needed, in the sequence outlined above. However, if facility is washed down and sanitized using standard cleaning and disinfecting procedures, this product must be reapplied to continue beetle control.

WET APPLICATION - Prior to application, remove birds. Mix dust at the rate of 1 - 2 pounds per three gallons of water. Apply at the rate of three gallons of mix for each 100 square feet of treated surface. Using appropriate pressure spray equipment, saturate side walls, top plates, posts, and framing. Spray mix into cracks and crevices around insulation. **DO NOT APPLY DIRECTLY TO MANURE**. After spray has dried, then introduce birds. Reapply after each grow-out, if needed, in the sequence outlined above. However, if facility is washed down and sanitized using standard cleaning and disinfecting procedures, this product must be reapplied to continue beetle control.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place. Do not store where children or animals may gain access.

PESTICIDE Wastes resulting from the use of this product may be **DISPOSAL:** disposed of on site or at an approved waste disposal facility.

CONTAINER Completely empty bag into application equipment. Then **DISPOSAL:** dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.