

PM-10

Reg # 47006-3

7/15/97

194



## U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (H7505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:

47006-3

Date of Issuance:

JUL 15 1997

## NOTICE OF PESTICIDE:

Registration

☒ Reregistration

(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Orlik Insect Powder

Name and Address of Registrant (include ZIP Code):

Phaeton Corporation/Unicorn Laboratories  
13535 Feather Sound Drive #400  
Clearwater, FL 34622-5587

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act:

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document, EPA has reregistered the product listed above.

1. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

2. Enclosed is a copy of your label stamped "Accepted." This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Registration under this section does not eliminate the need for control reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

3. Submit two copies of the final printed label for the records.

Signature of Approving Official:

  
1PM10

Date:

July 15, 1997

294

**ORLIK  
INSECT POWDER**

**Long Lasting**

- ◆ Easy to Use    ◆ Can't Stain
- ◆ Won't Dry Out    ◆ Can't Flame Up
- ◆ No Odor

◆ Kills Roaches, Ants and Silverfish  
In Homes, Apartments, Hotels, Offices, Schools,  
Restaurants, Hospitals, Markets, Zoos, Kennels,  
Boats, Campers

- ◆ For the Control of Darkling Beetles  
and Hide Beetles in Poultry Houses

**ACTIVE INGREDIENT:**

Orthoboric Acid. .... 100.0%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**Carefully Read Precautionary Statements on Side/Back Panel**

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

**JUL 15 1997**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

47006-3

**NET WEIGHT: 1 LB, 2 OZ.**

**MANUFACTURED BY:**

Unicorn Laboratories  
13535 Feather Sound Drive, Suite 400  
Clearwater, Florida 34622-5587

394

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed or inhaled. Causes moderate eye irritation. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse

### Statement of Practical Treatment

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

## DIRECTION FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Children and pets should not be in treatment area until after application is completed. Do not treat pets with this product. Avoid contamination of feed and foodstuff. Avoid contamination of ornamental plants.

**Shake well before using.**

**Apply by shaking or with a disposable spoon.**

To Control cockroaches, ants and silverfish, apply freely to areas under and behind all major home appliances - - ranges, dishwashers, refrigerators, clothes washers and clothes dryers, sinks, hot water heaters, tubs; into openings around drains, water pipes and electrical conduits; and in cracks and crevices along baseboards and corners of cabinets, cupboards, and closets. Remove all drawers in kitchens, baths and closets, bedroom drawers and chest of drawers, then scatter liberally in all drawer wells.

Directions for Applying in New Construction to Control Cockroaches. When treating large area, such as wall voids, soffit and sub-cabinet voids in new and existing construction, dust liberally using dusting application equipment.

Directions for Applying as a Mop Solution to Control Cockroaches. Add 1 cup of powder to each gallon of rinse water. Apply to floor areas only. Make only enough for each application. Supplemental treatment only.

This product may be used in homes, restaurants, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theatres, ships, boats, trains, trucks, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities and sewers.

Reapply as necessary. Any powder visible after application must be brushed into cracks and crevices or removed. Apply only in areas inaccessible to children and pets. Do not use in edible product areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

**Application Instructions for Darkling and Lesser Mealworm Beetle and Hide Beetle Control in Poultry Houses** (Adults and Larvae)

For poultry houses in which birds are grown on litter: **DRY APPLICATION** Prior to application of this product, **remove birds**. Apply dust uniformly to floor of poultry house or to old litter with a fertilizer or seed spreader, at the rate of 1 - 2 pounds for each 100 square feet, in bands along feeder lines. Wear a dust mask or a respirator while applying. **Spread fresh litter** of at least **four inches** uniformly **over all treated area** (floor or old litter). Then introduce birds. Reapply after each grow-out, if needed, in the sequence outlined above.

For poultry houses in which birds are grown in cages [layer or high-rise (pit type) houses]: **DRY APPLICATION** - Prior to application of this product, **remove birds**. Apply at a rate of 1 - 2 pounds for each 100 square feet of treated surface. Using appropriate equipment, thoroughly dust side walls, top plates, posts, and framing. Dust into cracks and crevices around insulation. **DO NOT APPLY DIRECTLY TO MANURE**. Then, introduce birds. Reapply after each grow-out, if needed, in the sequence outlined above. However, if facility is washed down and sanitized using standard cleaning and disinfecting procedures, this product must be reapplied to continue beetle control.

**WET APPLICATION** - Prior to application, remove birds. Mix dust at the rate of 1 - 2 pounds per three gallons of water. Apply at the rate of three gallons of mix for each 100 square feet of treated surface. Using appropriate pressure spray equipment, saturate side walls, top plates, posts, and framing. Spray mix into cracks and crevices around insulation. **DO NOT APPLY DIRECTLY TO MANURE**. After spray has dried, then introduce birds. Reapply after each grow-out, if needed, in the sequence outlined above. However, if facility is washed down and sanitized using standard cleaning and disinfecting procedures, this product must be reapplied to continue beetle control.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a dry place. Do not store where children or animals may gain access.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.