

U.S. ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (TS-767)  
WASHINGTON, DC 20460

NOTICE OF PESTICIDE:

☒ REGISTRATION  
☐ REREGISTRATION

(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

EPA REGISTRATION NO.

47123-41

DATE OF ISSUANCE

June 30, 1987

TERM OF ISSUANCE

Until reregistration

NAME OF PESTICIDE PRODUCT

Parrot Snail & Slug Pellets

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Parrott Agro Industries, Inc.  
16 Sunnyside Avenue  
Stamford, CT 06902

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/dite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 47123-41" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.
4. You must submit a 1-year storage stability study within 15 months from the date of registration.

BEST AVAILABLE COPY

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Dennis H. Edwards

DATE

6/30/87

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosures


PARROTT'S

FORMULA NO. 18

SNAIL & SLUG PELLETS

... Snail & Slug killer

Use in and around  
gardens, lawns, patios, etc. for complete  
control. Safe to use around fruits and  
vegetables.



Active Ingredient	By Wt.
Metaldehyde	3.25%
Inert Ingredients	96.75%

Keep out of reach of children.

CAUTION

This pesticide may be fatal to dogs or cats  
if eaten. Keep pets out of treated area.

See Back panel for additional precautionary  
statements.

NET WT. 1 LB.

BEST AVAILABLE COPY

PARROTT'S  
SNAIL & SLUG  
PELLETS

BEST AVAILABLE COPY

Precautionary Statements  
Hazards to Humans & Domesticated Animals

**CAUTION:** Harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. **IMPORTANT: KEEP PELLETS AWAY FROM CHILDREN, DOGS AND PETS. BAIT MAY BE ATTRACTIVE TO DOGS. CONFINE PETS DURING APPLICATION TO PREVENT THEM FROM BELIEVING THEY ARE BEING FED. USE AND STORE UNDER CONDITIONS WHERE THERE WILL NOT BE A HAZARD.**

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, immediately induce vomiting by administration of syrup of Ipecac or under medical supervision. Call a physician.

**IF ON SKIN OR IN EYES:** In case of eye contact, wash eyes immediately with fresh water for at least 15 minutes. See a doctor if irritation persists. If on skin, wash thoroughly.

**ENVIRONMENTAL HAZARDS:** This product is toxic to birds and to wildlife. Do not apply directly to water, do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

PARROTT'S SNAIL & SLUG PELLETS are clean, highly compressed, and although attractive to snails and slugs, are deadly. When wet, the pellet will expand 3 times its size. Economical, 1 lb. of PARROTT'S SNAIL & SLUG PELLETS covers 1000 sq. ft.

Snails and slugs leave a mucous-like trail and look for damp, cool areas in gardens, bushes, around fences and under boards. They are nocturnal.

**DIRECTIONS:** If ground is dry, wet thoroughly, area which is to be treated. Scatter pellets on areas to be treated, including flowers and plants. Ratio: one lb. of pellets covers 1000 sq. ft. Do not apply to foliage or plant parts. See back panel for directions for use around fruits and vegetables. Always wear protective gloves. Bait areas are likely to be infested at the beginning of the spring planting season before damage occurs. Treating about every 2 weeks will give adequate control, although additional treatments may be necessary if rainfalls occur. After application, sprinkle pellets with water, which will expand pellets into snail-attracting bait.

**FRUITS AND VEGETABLES:** To control snails and slugs around the following fruits and vegetables, apply to soil surface around the plants. Do not contaminate

FRUITS: Apples, Avocados, Blackberries, Cherries,  
Citrus, Grapes, Peaches, Plums, Strawberries.  
VEGETABLES: Asparagus, ~~Beans~~, Beets, Cabbage,  
Carrots, Corn, Cucumbers, Eggplant, Lettuce, Melons,  
Onions, Peas, Peppers, Potatoes, Radishes, Spinach,  
Squash, Tomatoes and Turnips.

GREENHOUSES AND BATH HOUSES: Distribute pellets on  
and beneath benches but do not place in pots of flats  
unless plants are well established. Keep pellets  
from coming in contact with plants. If soil is dry,  
irrigate prior to or sprinkle lightly after distribu-  
ting pellets.

#### STORAGE AND DISPOSAL

Avoid contamination of feed and foodstuffs. Keep  
pesticide in original container. Do not reuse empty  
container. Wrap container and put in trash collection.

M'f'd. for PARROTT AGRO INDUSTRIES  
16 Sunnyside Avenue, Stamford, CT 06902

EPA Reg. No. 47123-

EPA Est. No. 50383-CN-01

BEST AVAILABLE COPY