

NOT REVIEWED

In accordance with EPA Notice 62-7

For additional information, contact your local health department or state health department.

DANGER

Keep out of reach of children. Corrosive. Causes severe eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Harmful if swallowed. Do not breathe the spray mist. Avoid contamination of food.

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin, or fruit juice. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

MANUFACTURED BY
ENTERPRISE CHEMICAL COMPANY
GARDEN GROVE, CA 92641

QUAD-750

QUATERNARY BASE SANITIZER

ACTIVE INGREDIENTS

N-Alkyl Dimethyl Ammonium Chloride, 40%
Ammonium Chloride

INERT INGREDIENTS

This product weighs 8.4 lbs per gallon.

KEEP OUT OF REACH OF CHILDREN

DANGER

EPA Registration No. 47230-7
EPA Establishment No. 47230-CA-01
Net Contents: 1 Gallon

**SEE LEFT PANEL FOR ADDITIONAL
CAUTIONARY STATEMENTS.**

Directions for Use

This sanitizer is to be used in automatic hand sanitizer systems. It is supplied in the original container with the spray Mark valve. The Spray Mark valve is designed to spray the sanitizer into a three foot wide, three foot high station. The station is suitable for the sanitizing of gowns, gloves, and silverware. The system is adjusted to deliver 0.05% per gallon of active quaternary in the water. When sanitizing, use for one minute a single 100% of product. Do not use water automatically dispensed. Eating and drinking utensils properly washed to remove particles, followed by a potable water rinse and the immersion in the sanitizer. Do not use in public health department requirements. Allow utensils to be completely dry. The sanitizer solution must be replaced when the solution is diluted. Use the following table to determine the amount of sanitizer to be added to 1 gallon of water.

Test strength of solution periodically with the test kit provided. If the solution fails to meet the minimum active quaternary, it should be replaced.

STORAGE AND DISPOSAL

Store in a cool, dry place. Do not store in direct sunlight. Do not store in a metal container.

PESTICIDE DISPOSAL
Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mix, or empty containers may result in serious adverse effects on the environment. If these wastes cannot be disposed of by the usual methods, contact your State Pesticide or Environmental Control Agency, or the nearest Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL
This container is to be emptied and disposed of in an incinerator or landfill.

GENERAL
Consult the local, state, or federal authorities for approved alternative methods of disposal.

11