# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Not for human consumption. May cause eye and skin irritation Avoid contact with eyes, skin, or clothing if in eyes, flush immediately with water for 15 minutes. Consult physician if irritation persists if on skin, wash with soap and water

#### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE Store in a cool, dry place

PESTICIDE DISPOSAL

Pesticide that cannot be used according to label directions should be buried in a safe place away from water supplies.

CONTAINER DISPOSAL

Do not reuse empty container Wrap and put in trash collection

U.S. Patent #4,455,304

# SEVANA BIRD REPELLENT

TO REPEL: HORNED LARKS, HOUSE FINCHES, HOUSE SPARROWS, LINNETS AND STARLINGS.

| ACTIVE INGREDIENTS                 | BY WEIGHT |
|------------------------------------|-----------|
| Ground Red Peppers (Capsicum spp.) | 10%       |
| Ground Garlic (Allium Sativum)     | 4°i.      |
| Inert Ingredients                  | 86°°      |
| Loral                              | 100%      |

EPA Reg. No. 47319-1

EPA Est No. 47319-CA-001

# **KEEP OUT OF REACH OF CHILDREN**

#### **CAUTION**

See left panel for additional precautionary statements

NET CONTENTS, 50 lbs. DUST

Manufactured by SEVANA Co 5336 E. Easterby Dr. N Fresno, CA 93727

# USE DIRECTIONS FOR SEVANA BIRD REPELLENT

# - DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

# **GENERAL INFORMATION**

Sevana Bird Repellent is composed of high quality, food grade ground garlic (allium sativum), and ground red peppers (capsicum) it is used to repel horned tarks, house finches, house sparrows, linners and starlings from attacking the seedlings of lettuce, melons, tomatues, cabbages, radishes, corn, beets, and other vegetables it may be applied only at the time of planting and when the first leaves appear

## APPLICATION DIRECTIONS

- 1. At the time of planting. On furrow irrigated crops, apply Sevana granular with a pramater applicator banded directly on the seed line at a rate of 17 to 20 lbs. At. For sprinkler and drip irrigated fields apply 25 to 30 lbs. At.
- 2. When first leaves appear: For additional protection apply Sevana granular aertally at a rate of 25 to 30 lbs. Ac On any field, when first application is by air, apply at a rate of 30 lbs. Ac

### WARRANTY

The use of this material being beyond our control and involving elements of risk to human beings, animals and vegetation, we do not make any warranty express or implied, as to the effects of such use, when this product is not used in accordance with the directions as stated on this label.

