

P11 10
473 1
1972
5

BIRD REPELLENT

APR 10 1987

TO REPEL:

HORNED LARKS, HOUSE FINCHES (LINNETS),
HOUSE SPARROWS, AND STARLINGS.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Not for human consumption. May cause eye and skin irritation. Avoid contact with eyes, skin, or clothing. If in eyes, flush immediately with water for 15 minutes. Consult physician if irritation persists. If on skin, wash with soap and water.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Pesticide that cannot be used according to label directions should be burned in a safe place away from water supplies.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap and put in trash collection.

WARRANTY

The use of this material being beyond our control and involving elements of risk to human beings, animals and vegetation, we do not make any warranty express or implied, as to the effects of such use, when this product is not used in accordance with the directions as stated on this label.

U.S. Patent #4,455,304

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

Sevana Bird Repellent is composed of high quality, food grade ground garlic (*Allium sativum*) and ground red pepper (*capsicum*). It is used to repel horned larks, finches (linnets), sparrows and starlings from attacking seeds and seedlings of lettuce, melons, tomatoes, cabbages, carrots, corn, beets, sunflowers, and other vegetables and grains. It is applied at the time of planting and whenever needed. It is applied also to the crops of grapes, berries, cherries, apricots, plums, figs, nectarines, peaches, other fruits, and nuts. It is first applied when fruits and berries begin to color or show first signs of maturity. Sevana Bird Repellent is not phytotoxic. It is a dry material and should be applied dry.

APPLICATION DIRECTIONS

Material may be applied two days prior to harvest on produce, fruits and berries that are rinsed before packing, processing or consumption. For all other harvest dates follow guidelines.

At the time of planting: On furrow and drip irrigated crops apply with a granular applicator attached behind seed applicator and band directly over the seedline at a minimum rate of 20 lbs./ac.

For all other application, apply as a full coverage by ground or aerial applicator preferably after sprinkling or when dew is present.

Seedlings and maturing produce and grains: Apply at a minimum rate of 30 lbs./ac. at 7 to 9 day intervals up to 7 days before harvest.

Grapes and Berries: Apply at a minimum rate of 30 lbs./ac. when berries begin to color or show first signs of maturity. Successive applications at 7 to 9 day intervals up to 7 days before harvest.

Cherries, Apricots, Plums, Apples, Figs, Nectarines, other fruits and Nuts: Apply at a minimum rate of 50 lbs./ac. when fruits begin to color or show first signs of maturity. Successive application at 7 to 9 day intervals up to 7 days before harvest.

For larger trees increased rates are recommended.

ACTIVE INGREDIENTS:	BY WEIGHT
Ground Red Pepper (<i>Capsicum</i> spp.)	12%
Ground Garlic (<i>Allium sativum</i>)	5%
Inert Ingredients	83%
Total	100%

EPA Reg. No. 47319-1 EPA Est. No. 47319-CA-001

KEEP OUT OF REACH OF CHILDREN

CAUTION

NET CONTENTS: 50 lbs. DUST/POWDER

Manufactured by: SEVANA Co.
5336 E. Easterby, Dr. N. Fresno, CA 93727

BEST AVAILABLE COPY

47319-1
582

SEVANA BIRD REPELLENT

TO REPEL:
HORNED LARKS, HOUSE FINCHES (LINNETS),
HOUSE SPARROWS, AND STARLINGS.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Not for human consumption. May cause eye and skin irritation. Avoid contact with eyes, skin, or clothing. If in eyes, flush immediately with water for 15 minutes. Consult physician if irritation persists. If on skin, wash with soap and water.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Pesticide that cannot be used according to label directions should be buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap and put in trash collection.

WARRANTY

The use of this material being beyond our control and involving elements of risk to human beings, animals and vegetation, we do not make any warranty express or implied, as to the effects of such use, when this product is not used in accordance with the directions as stated on this label.

U.S. Patent #4,455,304

ACTIVE INGREDIENTS:	BY WEIGHT
Ground Red Pepper (<i>Capiscum</i> spp.)	12%
Ground Garlic (<i>Allium sativum</i>)	8%
Inert Ingredients	80%
Total	100%

EPA Reg. No. 47319-1 EPA Est. No. 47319-CA-001

KEEP OUT OF REACH OF CHILDREN

CAUTION

NET CONTENTS: 50 lbs. DUST

Manufactured by: SEVANA Co.
5336 E. Easterby, Dr. N. Fresno, CA 93727

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

Sevana Bird Repellent is composed of high quality, food grade ground garlic (*Allium sativum*) and ground red pepper (*capiscum*). It is used to repel horned larks, finches (linnets), sparrows and starlings from attacking seeds and seedlings of lettuce, melons, tomatoes, cabbages, carrots, corn, beets, sunflowers, and other vegetables and grains. It is applied at the time of planting and whenever needed. It is applied also to the crops of grapes, berries, cherries, apricots, plums, figs, nectarines, peaches, other fruits, and nuts. It is first applied when fruits and berries begin to color or show first signs of maturity. Sevana Bird Repellent is not phytotoxic. It is a dry material and should be applied dry.

APPLICATION DIRECTIONS

Material may be applied two days prior to harvest on produce, fruits and berries that are rinsed before packing, processing or consumption. For all other harvest dates follow guidelines.

At the time of planting: On furrow and drip irrigated crops apply with a granular applicator attached behind seed applicator and band directly over the seedline at a minimum rate of 20 lbs./ac.

For all other applications apply as a full coverage by ground or aerial applicator preferably after sprinkling or when dew is present.

Seedlings and maturing produce and grains: Apply at a minimum rate of 30 lbs./ac. at 7 to 9 day intervals up to 7 days before harvest.

Grapes and Berries: Apply at a minimum rate of 30 lbs./ac. when berries begin to color or show first signs of maturity. Successive applications at 7 to 9 day intervals up to 7 days before harvest.

Cherries, Apricots, Plums, Apples, Figs, Nectarines, other fruits and Nuts: Apply at a minimum rate of 30 lbs./ac. when fruits begin to color or show first signs of maturity. Successive application at 7 to 9 day intervals up to 7 days before harvest.

For larger trees increased rates are recommended.

NOT REVIEWED
In Accordance with EPA Regulations
Banned

4/10/87

BEST AVAILABLE COPY