

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Not for human consumption. May cause eye and skin irritation. Avoid contact with eyes, skin, or clothing. If in eyes, flush immediately with water for 15 minutes. Consult physician if irritation persists. If on skin, wash with soap and water.

ENVIRONMENTAL HAZARDS

Do not apply directly to water.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at any approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, or burning. If burned stay out of smoke.

WARRANTY

The use of this material being beyond our control and involving elements of risk to human beings, animals and vegetation, we do not make any warranty express or implied, as to the effects of such use, when this product is not used in accordance with the directions as stated on this label.

U.S. Patent 735,894 Pending

AGRIGARD INSECT REPELLENT

FOR:
VEGETABLES, FRUITS, BERRIES, GRAINS, ROSES,
FLOWERS AND SHRUBBERY

TO REPEL & CONTROL:

APHIDS, MITES, THRIPS, ARMYWORMS, TOMATO
FRUIT WORMS, LEAFHOPPERS, LEAFMINERS,
WHITE FLIES, AND OTHER INSECTS.

ACTIVE INGREDIENTS:	BY WEIGHT
Red pepper extract (Oleoresin Capsicum)	36%
Garlic extract (Aquaresin Garlic)	24%
Inert Ingredient	40%
Total	100%

EPA Reg. No. 47319-U EPA Est. No. 43889-MI-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See left panel for additional precautionary statements.

NET CONTENTS: 7½ lbs. (1 Gal. 128 Oz.)

Manufactured for:
SEVANA COMPANY
5336 E. Easterby Dr. N.
Fresno, CA 93727

ACCEPTED

NOV 04 1988

Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 47319-4

USE DIRECTIONS FOR AGRIGARD INSECT REPELLENT

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

AGRIGARD Insect Repellent is composed of food grade Garlic Extract (Aquaresin Garlic) and Cayenne Extract (Oleoresin Capsicum). It repels and prevents aphids, mites, thrips, white flies, leafminers, leaf vinehoppers, armyworms, white flies, tomato fruit worm, and other insects from attacking and damaging vegetables, fruits, berries, grains, roses, flowers, and shrubbery. To obtain maximum benefits, apply as a preventive spray schedule every 7 to 8 days before infestation begins. If infestation is present, apply the stronger dosage every 3 to 4 days. AGRIGARD Insect Repellent is not phytotoxic to vegetation when mixed in water and used as directed. Vegetables and fruits treated with AGRIGARD may be thoroughly washed and consumed the same day of application.

MIXING DIRECTIONS

Add 1 gal. AGRIGARD Insect Repellent to 400-450 gal. of clean water (1 oz. to 3-3½ gal. water) agitating constantly until uniform consistency is obtained. When infestation is heavy, add 1 gal. of AGRIGARD to 250-300 gal. of water (1 oz. to 2-2½ gal. water).

APPLICATION DIRECTIONS

Apply as a full coverage, making sure both sides of the leaves are covered. Apply during cool periods of the day. Apply by ground or aerial applicator.

Vegetables: Apply every 7 to 8 days or whenever needed at a minimum rate of 15 gal./ac. to seedlings and a minimum of 25 gal./ac. when plants are mature. May be applied to lettuce, tomatoes, celery, broccoli, cauliflower, spinach, melons, cucumbers, cantaloupes, beans, and all other vegetables, up to 15 days before harvest.

Grapes and Berries, apply at a minimum rate of 40 gal./ac. every 7 to 8 days and up to 15 days before harvest.

Oranges, Apples, Apricot, Peaches, Plums, Cherries, and all other fruit.

Apply as a full coverage, at a minimum rate of 70 gal./ac. First apply at petal fall, Second application 7 to 10 days after petal fall, and continuing any successive applications at 7 to 8 day intervals or whenever needed and up to 15 days before harvest.

Roses, flowers, and shrubbery: Apply as a full coverage every 7 to 8 days or whenever needed.

47319-4
11-4-1988

1/1