47371-7

10/08/2003

age 176

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OCT - 8 2003

Mr. Robert Sloan Lonza Inc. 17-17 Route 208 Fair Lawn, NJ 07410

Subject: Formulation HS - 821Q EPA Registration No. 47371-7 Amendment Date: July 9, 2003 EPA Receipt Date: July 10, 2003

Dear Mr. Sloan,

The following amendment submitted in connection with registration under FIFRA, as amended, is acceptable with the conditions listed below:

# **Proposed Amendment**

 Update First Aid Statements, Precautionary Statements and Storage and Disposal statements as required by the applicable PR Notices and the EPA Label Review Manuel

### Conditions

Revise the label as follows

- 1. Delete the reference to the use of this product as a deodorant. You have neglected to provide specific directions for use of this product as a deodorant.
- 2. On page two the Directions for use heading should state " Disinfection and Cleaning"
- 3. On page four the Directions for use for Sanitizing Eating and Drinking Utensils in Eating Establishments Item 3 should state:

3) Rinse with potable water

CONCURRENCES								
SYMBOL								
			<b>ļ</b>	4				
DATE								
OFFICIAL FILE COPY								

276

4. Revise the Storage and Disposal Statements for container sizes 1 gallon or less as follows:

Store in original container in areas inaccessible to children. Do not reuse empty container. *Wrap* and discard in trash or recycle.

"Metal Containers" to include"...reconditioning or puncture and dispose of in a....."

### General Comments

A stamped copy of the labeling accepted with conditions is enclosed. Submit one (1) copy of your final printed labeling before distributing or selling the product bearing the revised labeling. Should you have any questions or comments concerning this letter, please contact Velma Noble at (703) 308-6233.

Sincerelv

Velma Noble Product Manager (31) Regulatory Management Branch I Antimicrobials Division (7510C)

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER.** CORROSIVE: Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective gloves (rubber or chemical resistant). Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling.

### FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

#### ENVIRONMENTAL HAZARDS (For 5 gallon & larger)

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

> ACCEPTED with COMMENTS in EPA Letter Dated:

Under the Federal Insecticide, Pregicide, and Rodenticide Actas an ended, for the pesticide, registered under EPA Reg. No. 473 71-7

## FORMULATION HS-821Q

6

### **One-Step Germicidal Cleaner and Deodorant**

- DISINFECTANT
- PSEUDOMONACIDAL
- STAPHYLOCIDAL
- SALMONELLACIDAL
- BACTERICIDAL
- FUNGICIDAL
- MILDEWSTATIC
- \*VIRUCIDAL

Active Ingredients:	
Didecyl dimethyl ammonium chloride	
n-Alkyl (C <sub>14</sub> 50%, C <sub>12</sub> 40%, C <sub>16</sub> 10%)	
dimethyl benzyl ammonium chloride	2.50%
Other Ingredients:	<u>93.75%</u>
Total:	

## **KEEP OUT OF REACH OF CHILDREN**

# **DANGER (PELIGRO)**

See (side) (back) (right) (left) panel for Precautionary Statements and First Aid.

EPA Reg. No. 47371-7 EPA Est. No. (*insert EPA Est. No. here*) Net. Contents (*insert container size here*)

> H&S CHEMICALS DIVISION C/o Lonza Inc. 17-17 Route 208 Fair Lawn, NJ 07410

A multi-purpose, germicidal detergent effective in the presence of a moderate amount of organic soil (5% serum). Disinfects, cleans and deodorizes in one labor saving step.

Effective against the following pathogens: (Bacteria:) Pseudomonas aeruginosa Staphylococcus aureus Salmonella choleraesuis

Enterobacter aerogenes Enterobacter cloacae Escherichia coli Klebsiella pneumoniae Mycoplasma gallisepticum Proteus mirabilis Proteus vulgaris Serratia marcescens Shigella flexneri Shigella sonnei Staphylococcus aureus phage 80 & 81 Staphylococcus epidermidis Streptococcus pyogenes

(Viruses:)

r

\*Adenovirus Type 3 \*Herpes simplex Type 1 \*HIV-1 (AIDS virus) \*Influenza A/Texas \*Rubella (German Measles) \*Vaccinia

(Animal Viruses:) \*Avian influenza \*Bovine rhinotracheitis virus \*Infectious bronchitis (Avian IBV) \*Newcastle disease virus

(Fungi:) Aspergillus flavus Aspergillus fumigatus Aspergillus glaucus var. tonophilus Candida albicans Trichophyton mentagrophytes

Recommended for use in hospitals, nursing homes, schools, colleges, medical clinics, dental offices, office buildings, hotels, motels, airports, veterinary clinics, farm premises, poultry houses, federally inspected meat and poultry plants and households. Cleans, disinfects and deodorizes floors, walls, metal surfaces, painted surfaces, exterior bowl surfaces, empty basins, showers, conductive flooring, lavatory fixtures, plastic surfaces (such as polypropylene, polystyrene), and other hard, nonporous surfaces.

[If the following Spanish statement is used, it must appear directly above DIRECTIONS FOR USE.]

**PELIGRO:** SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

**DILUTION: 1:128** 

1 oz per gallon of water (488 ppm active quat)

76

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DISINFECTION:** Remove heavy soil deposits from surface, then thoroughly wet surface with a solution of 1 ounce of the concentrate per gallon of water. The solution can be applied with a cloth, mop, sponge, or coarse sprayer or by soaking. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Prepare a fresh solution daily or more often if the solution becomes diluted or visibly soiled.

(Note to reviewer: Only One of the following two statements will be used:)

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

of

This product is not for use on medical device surfaces.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes as a disinfectant.

**USDA:** Use in federally inspected meat and poultry plants on all hard, nonporous surfaces in inedible product processing areas, non-processing areas, and / or exterior areas. Follow disinfection directions.

**USDA:** Use in federally inspected meat and poultry plants as a floor and wall cleaner in all departments. Food products and packaging materials must be removed from the room or carefully protected. Follow disinfection directions.

.

FORMULATION HS-821Q EPA REG. NO. 47371-7 EPA DRAFT LABEL 7/8/03 **TOILET BOWLS:** To clean, apply diluted solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first remove or expel over the inner trap the residual bowl water. Pour in 3 ounces of the diluted solution. Swab the bowl completely using a scrub brush or mop, making sure to get under the rim. Let stand for 10 minutes or overnight, then flush.

**MILDEWSTATIC INSTRUCTIONS:** Will effectively control the growth of mold and mildew, plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors and table tops. Apply solution (1 ounce per gallon of water) with a cloth, mop, sponge, or coarse sprayer, making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application weekly or when growth reappears.

\*KILLS HIV-1 (AIDS VIRUS) ON PRE-CLEANED, ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human immunodeficiency virus Type 1 (HIV-1)(associated with AIDS).

### SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.

**Personal Protection:** Disposable protective gloves, gowns, face masks or eye coverings as appropriate must be worn during all cleaning of blood / body fluids, and during decontamination procedures.

**Cleaning Procedures:** Blood / body fluids must be thoroughly cleaned from surfaces and objects before application.

**Contact Time:** Leave surface wet for 5 minutes at 25°C (room temperature). Use a 10-minute contact time for other viruses, fungi and bacteria listed.

**Disposal of Infectious Materials:** Blood / body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

# FARM PREMISE AND POULTRY HOUSE DISINFECTANT

5<u>76</u>

- 1. Remove all animals and feeds from premises, trucks,
- 2. Remove all litter and manure from floors, walls, surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals.
- 3. Empty all troughs, racks and other feeding and watering appliances.
- 4. Thoroughly clean all surfaces with soap or detergent, and rinse with water.
- 5. Saturate all surfaces with the recommended disinfecting solution for a period of 10 minutes.
- 6. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels and scrapers used for removing litter and manure.
- 7. Ventilate buildings, coops, cars, boats and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.
- 8. After treatment with disinfectant, thoroughly scrub feed racks, troughs, automated feeders, fountains and waterers with soap and detergent, and rinse with potable water before reuse.

FORMULATION HS-821Q EPA REG. NO. 47371-7 EPA DRAFT LABEL 7/8/03

£

PAGE 3 OF 4

(If container size is 1 gallon or less, the following storage and disposal statements will be used:)

### STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Do not reuse empty container. Wrap container and put in trash.

(If container size is greater than gallon, the following storage and disposal statements will be used:)

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

### PESTICIDE STORAGE

Do not store on side. Avoid creasing or impacting of side walls.

### PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### **CONTAINER DISPOSAL**

(Plastic containers): Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of way of smoke.

(Metal Containers:) Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

### FIBER DRUMS WITH LINERS:

Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment, then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities. If drum is contaminated, and cannot be reused, dispose of in the same manner.

FORMULATION HS-821Q EPA REG. NO. 47371-7 EPA DRAFT LABEL 7/8/03

PAGE 4 OF 4

676