

An effective, multi-purpose disinfectant. Staphylococidal, Pseudomonocidal, Bactericidal, Fungicidal and Virucidal against many lipophilic viruses such as Herpesvirus Type 1, Adenovirus Type 3, Influenza A/73 (Victoria), and Vaccinia on non-porous inanimate surfaces. An effective sanitizer for use on food contact surfaces. It also fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinance 1985 recommendation of the U.S. Public Health Service in hard waters up to 250 ppm hardness (calculated as CaCO₃).

For use in hospitals, nursing homes, schools, colleges, office buildings, veterinary clinics, animal life science laboratories, federally inspected meat and poultry plants *and in the household.*

DISINFECTANT: 1:128

SANITIZER: 1:384

DIRECTIONS

GENERAL CLASSIFICATION

GENERAL USE DIRECTIONS FOR DISINFECTING: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use on hard non-porous surfaces such as floors, walls, metal surfaces, porcelain, plastic surfaces, *garbage cans, in the kitchen & bathrooms.*

Remove gross filth and heavy soil deposits, then thoroughly wet surfaces as recommended and required. Use one ounce per gallon of water for a minimum contact time of 10 minutes in a single application. Can be applied with a mop, sponge, or cloth as well as soaking or spraying. The recommended use solution is prepared fresh for each use then discarded. Rinsing is not necessary unless floors are to be waxed or polished.

FOR SANITIZING:

For use on hard non-porous surfaces such as chopping blocks, counter tops, eating utensils, and drinking glasses. For heavily soiled areas a pre-cleaning is recommended and required. Then use 1 ounce per 3 gallons of water for a minimum contact time of 1 minute in a single application. Can be applied with a mop, sponge, or cloth as well as spraying or soaking. The recommended use solution is prepared fresh for each use then discarded. Do not rinse.

Before use as a sanitizer in federally inspected meat and poultry plants and dairies, food products and packaging materials must be removed from the room or carefully protected. A potable water rinse is not required following use of this compound on previously cleaned hard surfaces provided that the surfaces are adequately drained before contact with food so that little or no residue remains.

Restaurant and Bar Use: For use as a sanitizer on dishes, glassware, silverware, cooking utensils, wash with detergent, rinse thoroughly and immerse in a solution (1 ounce per 3 gallons of water) for at least 1 minute. Do not rinse.

STATEMENT OF PRACTICAL TREATMENT

If in eyes, flush with plenty of water. Get medical attention. If on skin, wash with plenty of water. Get medical attention. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

QUANTO AM

Germicidal Detergent

ACTIVE INGREDIENTS:

n-Alkyl (C14 60%, C16 30%, C18 5%, C12 5%) dimethyl benzyl ammonium chloride	3.38%
n-Alkyl C12 88%, C14 32% dimethyl ethylbenzyl ammonium chloride	3.38%
INERT INGREDIENTS	93.24%
	100.00%

DANGER: KEEP OUT OF REACH OF CHILDREN. ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS.

(See right panel for additional precautionary and practical treatment statements)

NET CONTENTS

EPA REG. NO. 47371-9


EPA EST. NO. 47371-IN-01

MSB CHEMICALS DIVISION

870 EAST Tipton

HUNTINGTON, IN 46750

219/236-8100



NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER:

CORROSIVE: Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. To protect eyes wear goggles or face shield and to protect skin wear rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

1 gal. or less: Do not reuse empty container. Rinse thoroughly before discarding in trash. Securely wrap original container in several layers of newspaper and discard in trash.

PLASTIC CONTAINERS

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FIBER DRUMS WITH LINERS

Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

METAL CONTAINERS

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL

Consult, federal, state, or local disposal authorities for approved alternative procedures such as limited open burning.