



ACCEPTED wid COUNTAINS In EPA I care Dated:

JAN17 1983

profession ped rol Incorteide. Iv. De and Redentiede Ast to the red to for the perticular registered under EPA Reg. N. 47371-53

# FORMULATION HS 210-15

Bactericidal in the presence of 5% organic serum according to current AOAC Use-Dilution sanitizer in the presence of 1,000 ppm water hardness according to AOAC Germicidal and Detergent Sanitizer Test.

For use on dairy farms, hog farms, poultry and turkey farms, USDA meat and poultry processing plants, And egg. Precessing plants,

SANITIZER 1:1000 DISINFECTANT 1:300

**ACTIVE INGREDIENT** 

DANGER: KEEP OUT OF REACH OF CHILDREN. ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS.

EPA REG. NO. 47371-53

EPA EST NO. 47371-IN-01

#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician, if swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric levage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive, Causes severe eye and skin damage, Do not get in eyes or on skin. Wash contaminated clothing before reuse. Harmful or fatal if swailowed. Avoid contamins-Wear goggles or face shield and rubber gloves when handling tion of food.

#### PHYSICAL AND CHEMICAL HAZARDS

Formulation HS 210-15 is a cationic germicide. Do not mix with soap or anionic meterials.

#### STORAGE AND DISPOSAL

This product must be kept under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

### PESTICIDE DISPOSAL


Pelliacide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

#### CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of two selectory lawd 6.11, 69, by incinventure of allowed by state and local authorities.

Consult federal, state or local disposal authorities for approved alternative procedures.

H\$ I



#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

## FOR POULTRY AND SWINE HOUSE DISINFECTING

### PRIOR TO DISINFECTION :

- 1. All poultry, as well as feeds, must be removed from the premises. This includes emptying all troughs, racks, and other feeding and water appliances.
- 2. Remove all litter and droppings from floors, walls, and other surfaces occupied or traversed by poultry.
- 3. Thoroughly clean all surfaces with detergent and rinse with water.

#### **DISINFECTION PROCEDURES**

- 1. Fill tank half way with water. Add required amount of Formulation HS 210-15 at 2 ounces per 7 gallons of water. Mix thoroughly. Fill tank with water.
- 2. Spray all surfaces above the floor with the Formulation HS 210-15 disinfectant solution. Follow standard pattern with overlapping sections so that all surfaces are wet, including rafters, beams, feed troughs, windows, ceiling, etc. Surfaces should be wet to point of run off.
- 3. Saturate surfaces with the recommended disinfecting solution for a period of 10 minutes.
- Ventilate buildings, coops, and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set, or dried.

All treated equipment that will be in contact with feed or drinking water must be rinsed with potable water before using. SAND TIZING DAIRY, MEAT AND POULTRY PROCESSING UTENSILS AND EQUIPMENT For use as a sanitizer, dilute 2 ounces of Formulation HS 210-15 per 15.5 gallons of water. Prior to sanitizing, thoroughly clean all surfaces with detergent and rinse with water. Saturate surface with Formulation HS 210-15 for a period of 1 minute.

DAIRY COUS: The udders, flanks, and teats of dairy cows can be sanitized by washing with a solution of 2 ounces Formulation HS 210-15 in 15.5 gallons of warm water. Do not rinse.

Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected. A potable water rinse is not required following use of this compound on previously cleaned hard surfaces provided that the surfaces are adequately drained before contact with food so that little or no residue remains.

#### SANITIZING SHELL PEGS INTENDED FOR FOOD

To sanitize previously cleaned food-grade eggs in shell egg and egg product processing plants, spray with a solution of / ounce of Formulation H> 210-15 in 1/74 gallons of warm water (150 ppm quat). The solution should be warmer than the eggs, but not to exceed 150 F. Wet eggs theroughly and allow to drain. Eggs sanitized with this product shall be subjected to a potable water rinsolonly if they are to be broken immediately for use in the manufacture of egg products. Eggs should be reasonably dry before casing or breaking. The solution should not be re-used for sanitizing eggs.

DATE OF ISSUANCE U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (#11-567) TERM OF ISSUANCE JAN 1 7 1983 WASHINGTON, D.C. 2'45 NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REGISTRATION REPEGISTRATION (Under the Federal Insecticide, Funéreide). and Rodenticide Act. as ana fided). NAME AND ADDRESS OF REGISTRANT (Include ZIP code) to but the track of a contract of The transfer of the con-First Contract of Miles NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number, On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This theoret is committeen by sometimes a second man with BILLA Sec Bic (7) 1 ) Tronscon tack Sent is the part trayed and the til out the masker as earlies about a comparison that is of your product these ITTer . For (a) (in which the operator products a) I and extend on a carather promote to solve the core of the 2. Take the difference of their instructions that to you release the product TOT SHITTERS The second of th the Project Control of Mandather to the Creek of water after

7. Fig. 1. Contains the Mandatrian of the conjugate water after three points and one of the conjugate of

The state of the s

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

مترمين والمرأز ويركه ويروان والماري

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXMAUSTED.

- Indicate that the recommended dilution provides 150 ppm quaternary.
- Specify the method of application (e.g., immersion, flooding, spraying).
- 3. Provide instructions to drain use solution from the surface and air dry.
- 4. Indicate that a fresh emiliating solution should be prepared at least daily or more often if the solution becomes diluted or soiled.

The submitted data/information, requested in our letter of 9-20-82, complete and clarify the report of data supporting efficacy of the product as a disinfectant in the presence of 5% organic serum at dilutions providing 500 ppm quaternary. Accession Nos. 249017 and 248504 have been assigned to the data/information submitted with your letters of 10-29-82 and 9-21-82 respectively.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee

Product Manager (31) Disinfectants Branch

Registration Division (TS-767C)

Enclosure

est references to "savidizing" to washing"