Le production d'autor d'autor



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

JUN 10 1987

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES

H&S Chemicals Division 970 East Tipton Street Huntington, IN 46750

Gentlemen:

Subject: TB-A32 Disinfectant Bowl Cleaner EPA Registration No. 47371-87 Your Amendment Application Dated November 11, 1985

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

- 1. Make the labeling changes in accordance with the enclosed edited label before you release the product for shipment bearing the amended labeling.
- 2. Submit five (5) copies of your final printed labeling before you release the product for sigment bearing the amended labeling. Refer to the A-79 Enclosure for a further description of final printed labeling.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

-Jéff Kempter Product Manager (32) Disinfectants Branch Registration Division (TS*7

Enclosures

24.1 2

TB-A32 Extra Strength Disinfectant Bowl Cleaner

Disinfects, cleans away hard water stains and rust. This heavy duty bowl cleaner is an effective cleaner and disinfectant against odor-causing bacteria in the toilet bowl E flective against Acutemasis the second stress according to the correst according to the correst action as a conditional to the correst action ac

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

To open child-resistant cap: Hold cap firmly with one hand. With other hand, use a fingernail to apply pressure to back edge of spout. Push spout back and lift to open position.

To clean and disinfect: Flush toilet. Direct 2 fl oz, on to the sides of the bowl and under the rim, letting it run down into the water. Brush to cover all interior surfaces of the bowl including under the rim. Allow disinfectant solution to remain at least 10 minutes. Flush toilet. For badly stained bowl, repeat above treatment using 2 to 4 fluid ounces of this product.

NOTE: Do not use on sinks, bathtubs, or any surface except toilets and urinals/Use of this material on other than vitreous ware is done at user's own risk.

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride	1.44%
Hydrogen chloride	17.75%
INERT INGREDIENTS:	
TOTAL 1	00.00%

KEEP OUT OF REACH OF CHILDREN.

STATEMENT OF PRACTICAL TREATMENT

IF swallowed, DO NOT induce vomitting. Immediately rinse mouth Then drink 1 or 2 glasses of water or milk. DO NOT give carbonates or bicarbonates. GET MEDICAL ATTENTION. In case of contact with eyes, immediately flush with cool running water. Remove any contact lenses. Continue flushing with water for at least 15 minutes. For skin contact flush thoroughly with cool running water for at least 15 minutes. If fumes result, immediately move to fresh air. In any of these cases, GET MEDICAL ATTENTION IMMEDIATELY.

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

ſ

CORROSIVE: Contains hydrochloric acid. Fatal if swallowed. Causes skin and eye damage. Do not breathe vapor or fumes. To protect eyes, wear goggles or face shield, ip protect skin wear rubber gloves when handling. Produces chemical burns. Immediately remove contaminated clothing and wash before reuse. Avoid contamination of food, water, or feed. DO NOT MIX OR USE WITH ANY OTHER PRODUCT. ESPECIALLY BLEACH OR MILDEW STAIN REMOVERS, AS TOXIC FUMES MAY RESULT

STORAGE AND DISPOSAL

This product must be kept under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use

CONTAINER DISPOSAL

Do not reuse empty container

Securely wrap original container in several layers of newspaper and discard in trash-

EPA REG_NO_47371-87 EPA EST_NO_47371-IN-01 NET_CONTENTS_____

HAS CHEMICALS DIVISION

7371-8

JUN 2 0 1387

970 East Tipton, Huntington, Indiana 46750

219/356-8100 #