

11/15/2000

1/5

H&S Chemicals Division
 c/c Lonza Inc.
 17-17 Route 208
 Fair Lawn, NJ 07410

NOV 15 2000

ATTENTION: Ruth Trager

SUBJECT: Formulation HWS-128
 EPA Registration Number 47371-130
 Your Amendment Dated: September 22, 2000
 EPA Received Date: October 3, 2000

The amendment referred to above, submitted in connection with registration under FIFRA sec 3 (c) (7) (A), is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3 (c) (5) when the Agency requires all registrants of similar products to submit such data.
2. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, this registration will be subject to cancellation in accordance with FIFRA sec. 6 (e). Your release for shipment of this product bearing the amended labeling constitutes acceptance of these conditions.

CONCURRENCES

SYMBOL	7510C						
SURNAME	S. Lash						
DATE	11/14/00						

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

2/5

A stamped copy of the labeling is enclosed for your records.

Should you have any questions concerning this letter, please contact Tracy Lantz at (703) 308-6415.

Sincerely,



Velma Noble
Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510C)

Enclosure: Stamped Label
7510C:T.Lantz:11/14/00:47371-130p

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. When handling product, protect eyes by wearing goggles or face shield and protect skin by wearing rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes or skin, call a physician. If swallowed, call a doctor or get medical attention. Do not induce vomiting or give anything by mouth to an unconscious person. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

(If container size is 5 gallons or greater, use the following Environmental Hazards statements.)

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

(If container size is one gallon or less, use the following Storage and Disposal statements.)

STORAGE AND DISPOSAL

Keep product under locked storage, inaccessible to small children. Do not reuse empty container. Rinse thoroughly, securely wrap empty container in several layers of newspaper, and discard in trash.

(If container size is greater than one gallon, use the following Storage and Disposal statements.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Keep product under locked storage, inaccessible to children. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

(Plastic containers:) Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or if allowed by state and local authorities, burn. If burned, stay out of smoke.

(Fiber Drums With Liner:) Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment, then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

(Metal Container:) Triple rinse (or equivalent), then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or dispose of by other procedures approved by state and local authorities.

FORMULATION HWS-128

**ONE-STEP
GERMICIDAL DETERGENT AND DEODORANT**

Disinfectant	Pseudomonacidal	Staphylocidal	Salmonellacidal
Bactericidal	Fungicidal	Mildewstatic	*Virucidal

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride.....4.85%
n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)

dimethyl benzyl ammonium chloride.....3.23%

INERT INGREDIENTS:.....91.92%

TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY AND PRACTICAL TREATMENT STATEMENTS.)

EPA Reg. No. 47371-130

EPA Est. No. _____

NET CONTENTS

H&S CHEMICALS DIVISION

c/o LONZA INC., 17-17 ROUTE 208, FAIR LAWN, NJ 07410

ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOV 15 2000

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

47371-130

A multi-purpose, neutral pH, germicidal detergent and deodorant effective in hard water up to 400 ppm (calculated as CaCO_3) in the presence of a moderate amount of soil (5% organic serum) according to the AOAC Use-dilution Test. Disinfects, cleans and deodorizes in one labor-saving step.

Effective against the following pathogens:

<i>Pseudomonas aeruginosa</i> ¹	*Adenovirus type 4
<i>Staphylococcus aureus</i> ¹	*Avian polyomavirus
<i>Salmonella choleraesuis</i>	*Canine distemper
<i>Acinetobacter calcoaceticus</i>	*Feline leukemia
<i>Bordetella bronchiseptica</i>	*Feline picornavirus
<i>Chlamydia psittaci</i>	*Herpes simplex type 1
<i>Enterobacter aerogenes</i>	*Herpes simplex type 2
<i>Enterobacter cloacae</i>	*HIV-1 (AIDS virus)
<i>Escherichia coli</i> ¹	*Infectious bovine rhinotracheitis
<i>Fusobacterium necrophorum</i>	*Infectious bronchitis (Avian IBV)
<i>Klebsiella pneumoniae</i> ¹	*Influenza A/Hong Kong
<i>Legionella pneumophila</i>	*Pseudorabies
<i>Listeria monocytogenes</i>	*Rabies
<i>Pasteurella multocida</i>	*Rubella (German Measles)
<i>Proteus mirabilis</i>	*Transmissible gastroenteritis virus (TGE)
<i>Proteus vulgaris</i>	*Vaccinia
<i>Salmonella enteritidis</i>	*Respiratory Syncytial virus (RSV)
<i>Salmonella typhi</i>	
<i>Salmonella typhimurium</i>	
<i>Serratia marcescens</i>	
<i>Shigella flexneri</i>	
<i>Shigella sonnei</i>	
<i>Staphylococcus aureus</i> -Methicillin resistant - (MRSA)	
<i>Staphylococcus aureus</i> (Vancomycin Intermediate Resistant - VISA)	
<i>Staphylococcus epidermidis</i> ²	
<i>Streptococcus faecalis</i> ¹	
<i>Streptococcus pyogenes</i>	
<i>Enterococcus faecalis</i> - (Vancomycin Resistant)	
<i>Aspergillus niger</i>	
<i>Candida albicans</i>	
<i>Trichophyton mentagrophytes</i>	

¹ ATCC & antibiotic-resistant strain

² antibiotic-resistant strain only

ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOV 15 2000

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended for the pesticide
registered under EPA Reg. No. 47371-130

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DILUTION: 1:128
(630 ppm quat)

1 OUNCE PER GALLON OF WATER

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant / high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical devices prior to sterilization or high-level disinfection.

DIRECTIONS FOR USE: Recommended for use in hospitals, nursing homes, schools, colleges, commercial and industrial institutions, office buildings, veterinary clinics, animal life science laboratories, federally inspected meat and poultry establishments, equine farms, tack shops, pet shops, airports, kennels, hotels, motels, poultry farms, turkey farms, dairy farms, hog farms, breeding establishments, grooming establishments, funeral homes and households. Disinfects, cleans, and deodorizes the following hard, nonporous, inanimate surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, plastic surfaces (such as polypropylene, polystyrene, etc.).

DISINFECTION: Remove heavy soil deposits from surface, then thoroughly wet surface with a solution of 1 ounce of the concentrate per gallon of water. The solution can be applied with a cloth, mop, sponge, or coarse spray or soaking. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces: utensils, glassware and dishes. Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted.

USDA: For use in federally inspected meat and poultry plants on all hard, nonporous surfaces in inedible product processing areas, non-processing areas and/or exterior areas. All surfaces must be thoroughly rinsed with potable water.

USDA: For use in federally inspected meat and poultry plants as a floor and wall cleaner for use in all departments. Food products and packaging material must be removed from the room or carefully protected. All surfaces must be thoroughly rinsed with potable water.

USDA: For use in federally inspected meat and poultry plants, as a disinfectant agent for use in all departments. Food products and packaging materials must be removed from the room or carefully protected. Use product in accordance with its label. All surfaces must be thoroughly rinsed with potable water.

TOILET BOWLS: Swab bowl with brush to remove heavy soil prior to cleaning or disinfecting. Clean by applying diluted solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first remove or expel over the inner trap the residual bowl water. Pour in three ounces of the diluted solution. Swab the bowl completely using a scrub brush or mop, making sure to get under rim. Let stand for 10 minutes or overnight, then flush.

MILDEWSTATIC INSTRUCTIONS: Will effectively control the growth of mold and mildew, plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors and table tops. Apply solution (1 ounce per gallon of water) with a cloth, mop, sponge or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

KILLS HIV-1 (AIDS VIRUS) ON PRE-CLEANED, ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood / body fluids, and in which the surfaces / objects likely to be soiled with blood / body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type I (HIV-1) (associated with AIDS).

***SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES / OBJECTS SOILED WITH BLOOD/BODY FLUIDS:**

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks or eye coverings, as appropriate, must be worn during all cleaning of blood/body fluids and during decontamination procedures.

Cleaning Procedures: Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of disinfectant.

Contact Time: HIV-1 (AIDS virus) is inactivated after a contact time of 4 minutes at 25°C (room temperature). Use a 10-minute contact time for other viruses, fungi and bacteria listed.

Disposal of Infectious Materials: Blood / body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

CLEANSING OF BODY SURFACES AND BODY ORIFICES OF HUMAN REMAINS: This product removes body secretions, soil, and blood, along with their accompanying malodor, from the surfaces and orifices of human remains. Using a sponge or washcloth, bathe the entire body with a solution of 1 ounce per gallon of water. A soft hand brush may be employed on surfaces other than the face. Prepare a fresh solution for each remains or when solution becomes visibly dirty or diluted.

FARM PREMISE, LIVESTOCK, POULTRY & TURKEY HOUSE DISINFECTANT

DILUTION: 1:128 1 OUNCE PER GALLON OF WATER

1. Remove all animals and feeds from premises, trucks, coops, crates and enclosures.
2. Remove all litter and manure from floors, walls, and surfaces of barns, pens, stalls, chutes, vehicles, and other facilities and fixtures occupied or traversed by animals.
3. Empty all troughs, racks, and other feeding and watering appliances.
4. Thoroughly clean all surfaces with soap or detergent, then rinse with water.
5. Saturate all surfaces with the recommended disinfecting solution for a period of 10 minutes.
6. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels and scrapers used for removing litter and manure.
7. Ventilate buildings, coops, cars, boats and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.
8. After treatment with disinfectant, thoroughly scrub feed racks, troughs, automatic feeders, fountains and waterers with soap or detergent, then rinse with potable water before reuse.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOV 15 2000

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 47371-130