8/10/2012

1/21

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D C 20460



United States Environmental Protection Office of Pesticide Programs Agandy

Joanna Holcombe Sr Regulatory Services Associate Lonza, Inc 90 Boroline Road Allendale, NJ 07401

AUG 10 2012

Subject Formulation HWS-64

EPA Reg No 47371-131
Date Sent May 14, 2012
Date Received May 15, 2012
Submission # 916934

Dear Ms Holcombe,

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), section 3(C)(7)(A) is found to acceptable

Proposed Amendment

• Lower water claim from 400 ppm to 200 ppm on the product's label

General Comments

A stamped copy of the accepted labeling with conditions is enclosed. Submit 1 copy of your final printed label before distributing or selling the product bearing the revised labeling.

Should you have any questions concerning this letter, please contact Velma Noble at (703) 308-6233 or Jamil Mixon at (703) 308-8032

Sinderely

Velma Noble

Product Manager (31)

Regulatory Management Branch I Antimicrobials Division (7510P)

FORMULATION HWS-64

ONE-STEP DISINFECTANT GERMICIDAL DETERGENT AND DEODORANT

Disinfectant
Pseudomonacidal
Staphylocidal
Salmonellacidal
Bactericidal
Fungicidal
Mildewstatic
*Virucidal

FLORAL / CITRUS / FRESH / CLEAN / LEMON / PINE / MINT [scent] [fragrance] [odor] [scented]

Active Ingredients Didecyl dimethyl ammonium chloride 2 54% n-Alkyl (C_{14} 50% C_{12} 40% C_{16} 10%) dimethyl benzyl ammonium chloride 1 69% Inert Ingredients 95 77% Total 100 00%

KEEP OUT OF REACH OF CHILDREN


DANGER [PELIGRO]

See [right] [left] [side] [back] panel for Precautionary Statements and First Aid

EPA Reg No 47371-131 EPA Est No (insert Est No here) NET CONTENTS (insert container size here)

[DOT Symbols]
[Country of origin (insert country)]
[Manufactured in (insert country)]
[Barcode]

H&S CHEMICALS DIVISION c/o LONZA INC 90 Boroline Road Allendale NJ 07401



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER Corrosive Causes irreversible eye damage Do not get in eyes or clothing Wear protective eyewear (goggles face shield or safety glasses) Avoid contact with the skin Harmful if inhaled Avoid breathing spray mist Wash thoroughly with soap and water after handling Remove contaminated clothing and wash clothing before reuse

FIRST AID

IF IN EYES Hold eye open and rinse slowly and gently with water for 15 – 20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye

IF ON SKIN OR CLOTHING Take off contaminated clothing Rinse skin immediately with plenty of water for 15 – 20 minutes

IF INHALED Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible

Call a poison control center or doctor for treatment advice


Have the product container or label with you when calling a poison control center or doctor or going for treatment

NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage

{Note to reviewer If container size is 5 gallons or greater the following Environmental Hazards statements will be used }

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes streams ponds estuaries oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority For guidance contact your State Water Board or Regional Office of the EPA



4/24

{Note to reviewer The following is considered optional marketing language }

- Concentrate [Concentrated]
- Neutral [Neutral pH]
- Disinfects [Disinfectant]
- Cleans [Cleaner]
- Deodorizes [Deodorizer]

ACCEPTED

AUG TO 2012

Under the Federal Insecticide Fungicide and Rodenticide Act a amended for the pesticide registered under EPA Reg. No. 13/

A multi-purpose neutral pH germicidal detergent and deodorant effective in hard water up to 200 ppm [calculated as CaCO₃] in the presence of a moderate amount of soil [5% organic serum] according to the AOAC Use dilution Test Disinfects cleans and deodorizes in one labor-saving step

For use in hospitals nursing homes schools colleges universities commercial and industrial institutions office buildings veterinary clinics animal life science laboratories zoos federally inspected meat and poultry establishments equine farms tack shops pet shops airports kennels hotels motels poultry farms turkey farms dairy farms hog farms breeding establishments grooming establishments funeral homes and households

Disinfects cleans and deodorizes the following hard nonporous inanimate surfaces floors walls [non-medical] metal surfaces [non-medical] stainless steel surfaces glazed porcelain plastic surfaces [such as polypropylene polystyrene acrylic etc]

Use [on] [to clean and disinfect] nonporous athletic mats wrestling mats gymnastic mats exercise equipment and training tables

Use [on] [to clean and disinfect] nonporous personal protective safety equipment wrestling headgear boxing headgear protective headgear athletic helmets hard hats half mask respirators full face breathing apparatus gas masks goggles spectacles face shields hearing protectors and ear muffs. Rinse all equipment that comes in prolonged contact with skin with warm water and allow to air dry before reuse. [Notice Cleaning at 120°F temperature will avoid overheating and distortion of the personal safety equipment that would necessitate replacement.]

For use in (insert name of automated dilution system here) [automated] [dilution system]

For use in

- Federally inspected meat and poultry plants on all hard nonporous surfaces in inedible product processing areas non processing areas and/or exterior areas. All surfaces must be thoroughly rinsed with potable water.
- Federally inspected meat and poultry plants as a floor and wall cleaner for use in all departments. Food
 products and packaging material must be removed from the room or carefully protected. All surfaces must
 be thoroughly rinsed with potable water.
- Federally inspected meat and poultry plants as a disinfectant agent for use in all departments. Food
 products and packaging materials must be removed from the room or carefully protected. Use product in
 accordance with its label. All surfaces must be thoroughly rinsed with potable water.

For use in tanning salons

For use on [tanning beds] [and] [tanning equipment]

Kills [Effective against] [99 9% of] Influenza A that causes the flu

{Note to reviewer If additional labeling /reference sheets are used the following statement will appear on the container label }

See [additional labeling] [reference sheet] [enclosed in each case] for [a complete list of [pathogenic] organisms] [additional features claims directions for use] [claimed for this product] [eliminated by this product] or

See [Reference Sheet] [insert] [product insert] for additional [product information] [and] [directions for use]

Formulation HWS 64 EPA Reg No 47371 131 Draft Label 5 14 2012 Note to Reviewer
[Items in brackets [AAA] are optional and may/may not be included on final label]
{Items in braces {AAA} are for information purposes and will not appear on final label}
Page 3 of 20

Formulation HWS 64 is effective at controlling mold and mildew odor on mattresses pillows and shower curtains {Not for Use in California}

Use **Formulation HWS-64** in the laundry to control odors on musty bedding and linens Test on a small inconspicuous area before using

Use Formulation HWS-64 on mildew stains

Use Formulation HWS 64 on mildew stains in damp areas such as bathrooms showers kitchens basements and laundry rooms {Not for Use in California}

Use **Formulation HWS 64** in work areas such as tool rooms and garages for odor control and light duty cleaning

Use Formulation HWS 64 to remove odors caused by flooding and smoke from fires

Formulation HWS-64 leaves a clean fresh scent

Formulation HWS-64 provides long lasting freshness against tough [pet] odors from litter boxes and pet accidents

Formulation HWS 64 [Kills] [Eliminates] [Removes] [Destroys] avian influenza A (H5N1) on pre-cleaned environmental surfaces

Formulation HWS 64 [Kills] [Eliminates] [Removes] [Destroys] (Insert pathogen or pathogens from lists on pages 7 and 8) on [pre cleaned] environmental surfaces

Formulation HWS 64 [Kills] [Eliminates] [Removes] [Destroys] [Germs] [Bacteria] [Viruses*] [on [pre cleaned] environmental surfaces]

ACCEPTED

AUG 10 2017

Under the Federal insecticide Fungicide and Rodenticid. Aut as amended for the pestic de registe ed under EPA Reg No 4/1371-/3/

[AREAS OF USE]

Use Formulation HWS 64 in

{Note to reviewer Each block below also represents a graphic depicting the corresponding area of use The graphics will only represent individual objects or outsides or insides of buildings as described below. No people animal or food will be depicted in graphics }

Bathrooms

Homes [households]

Kıtchens

Clinics

Dental offices

Health Care Facilities

Hospitals

Medical Offices

Medical Related Facilities

Nursing homes Sick Rooms

Day care centers

Nurseries

Bars

Cafeterias

Convenience stores Food processing plants Food storage areas Institutional kitchens

Restaurants

USDA inspected food processing facilities

Athletic facilities

Barber shops

Business and office buildings

Colleges

Correctional facilities Dressing rooms Exercise facilities

Factories

Hotels

Institutional facilities

Institutions Locker rooms Morgues Mortuaries Motels

Prisons

Public facilities
Public rest rooms

Schools

Shower and bath areas

Salons [Beauty]
Tanning Salons
Universities

Camp grounds

Play ground equipment

Animal laboratories

Dairy farms
Farms
Hog Farms
Kennels
Poultry farms

Pet animal quarters

Pet shops Turkey farms

Zoos

Airplanes Airports Ambulances Boats Buses Campers Cars

Emergency [Police] [EMS] [Fire] [Rescue] vehicles

Mobile homes

Ships Taxis Trailers Trains

Transportation termina

Trucks [Box Trucks] CCEPTED

AUG 10 2012

Under the Fed-r 1/n accorde Fungicide and PCS a PARC, 1 4237/-/3/

Formulation HWS 64 EPA Reg No 47371 131 Draft Label 5 14 2012 Note to Reviewer
[Items in brackets [AAA] are optional and may/may not be included on final label]
{Items in braces {AAA} are for information purposes and will not appear on final label}
Page 5 of 20

[TYPES OF SURFACES]

Use Formulation HWS-64 on washable hard nonporous surfaces of

{Note to reviewer Each entry below also represents a graphic depicting the corresponding type of surface No people animal or food will be depicted in graphics. Only exteriors of microwaves and refrigerators will be depicted. Toy graphics will be submitted to Agency for review.}

Appliances exteriors of Bathroom fixtures
Bathtubs [Fiberglass]

Cabinets Cages Chairs

Coils and drain pans of air conditioning and refrigeration equipment and heat pumps

Conductive flooring Counters [countertops] Countertop laminates

Desks
Doorknobs
Floors
Garbage cans
Highchairs
Kennel runs

Microwave ovens exteriors of

Outdoor furniture except cushions and wood frames

Refrigerators exteriors of

Refrigerated storage and display equipment

Telephones

Other hard nonporous surfaces made of

Glazed ceramic

Glazed enameled surfaces

Glazed porcelain Laminated Surfaces

Metal

Plastic [such as polystyrene or polypropylene]

Sealed granite
Sealed limestone
Sealed marble
Sealed slate
Sealed stone
Sealed terra cotta
Sealed terrazzo
Stainless steel

Upholstery vinyl and plastic

Woodwork finished

Non-critical medical device surfaces

Beds [Medical] [Hospital]

Bed frames Bed rails Crutches Defibrillators Gurneys


Non-critical [hospital] [medical] equipment surfaces

[Medical] Examining tables [Medical] [Hospital] Lamps [Medical] [Hospital] Scales

Resuscitators Stands Stretchers Stethoscopes Walkers Wheel chairs

Formulation HWS 64 is effective at eliminating odors on porous surfaces such as drapes carpets bedding shower curtains and non-porous surfaces such as walls and floors Excellent for fire restoration

Other suggested Uses Homes Veterinary Clinics Fish Markets Kennels Trash Compactors Offices Beauty Salons Locker Rooms Health Spas Conference rooms Elevators Smoking Areas Lounges Day Care Centers Dry Cleaners Theaters Farms Auditoriums and Churches



Effective against the following pathogens

[Bacteria]

Pseudomonas aeruginosa¹

Staphylococcus aureus¹

Salmonella enterica

Acinetobacter calcoaceticus

Bordetella bronchiseptica

Chlamydia psittaci

Community Associated Methicillin-Resistant Staphylococcus aureus - [CA MRSA] [NRS384] [USA300]

Community Associated Methicillin-Resistant Staphylococcus aureus - [CA MRSA] [NRS123] [USA400]

Enterobacter aerogenes

Enterobacter cloacae

Enterococcus faecalis - Vancomycin Resistant [VRE]

Escherichia coli¹

Fusobacterium necrophorum

Klebsiella pneumoniae¹

Legionella pneumophila

Listeria monocytogenes

Pasteurella multocida

Proteus mirabilis

Proteus vulgaris

Salmonella enteritidis

Salmonella typhi

Salmonella typhimurium

Serratia marcescens

Shigella flexneri

Shigella sonnei

Staphylococcus aureus -Methicillin resistant - [MRSA]

Staphylococcus aureus-Vancomycin Intermediate Resistant - [VISA]


Staphylococcus epidermidis²

Streptococcus faecalis¹

Streptococcus pyogenes [Strep]

¹ ATCC & antibiotic-resistant strain

² antibiotic-resistant strain only



[Viruses]

- *Adenovirus Type 4
- *Adenovirus Type 7 at 8 oz per gallon {Note for Reviewer 8 oz per gallon dilution disinfection directions must be used if Adenovirus Type 7 is listed on the label}
- *Hepatitis B Virus [HBV]
- *Hepatitis C Virus [HCV]
- *Herpes Simplex Virus Type 1
- *Herpes Simplex Virus Type 2
- *Human coronavirus
- *HIV-1 [AIDS virus]
- *Influenza A Virus / Hong Kong

{Note to supplemental registrant if one of the following pathogens with ** are used must include statement in association with the organism Influenza A/Hong Kong }

[Influenza**] [Influenza Vırus**] [Flu**] [Flu Vırus**]

[**in association with the organism Influenza A/ Hong Kong]

- *Rotavirus [WA]
- *Respiratory Syncytial Virus [RSV]
- *Rubella [German Measles]
- *SARS Associated Coronavirus [SARS] [cause of Severe Acute Respiratory Syndrome]
- *Vaccinia [Pox virus]
 - Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by influenza A virus. This product [Product Name] is a broad-spectrum hard surface disinfectant that has been shown to be effective against Influenza A virus / Hong Kong and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 [formerly called swine flu]
 - This product has demonstrated effectiveness against influenza A virus and is expected to inactivate all
 influenza A viruses including Pandemic 2009 H1N1 influenza A virus
 - This product has demonstrated effectiveness against Influenza A Virus / Hong Kong and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 [formerly called swine flu]
 - Kills Pandemic 2009 H1N1 influenza A virus [formerly called swine flu]
 - Kills Pandemic 2009 H1N1 influenza A virus

[Animal viruses]

- *Avian Influenza H5N1
- *Avian polyomavirus
- *Canine distemper
- *Equine Herpes Virus Type 1
- *Feline coronavirus
- *Feline leukemia
- *Feline panleukopenia virus
- *Feline picornavirus
- *Infectious bovine rhinotracheitis
- *Infectious bronchitis [Avian IBV]
- *Newcastle Disease
- *Porcine parvovirus
- *Pseudorables [PRV]
- *Rabies
- *Transmissible Gastroenteritis virus [TGE]


[Fungi]

Aspergillus niger

Candida albicans

Trichophyton mentagrophytes [Athlete's Foot Fungus] [a cause of Ringworm] [a cause of Ringworm of the foot]]

Formulation HWS 64 EPA Reg No 47371 131 Draft Label 5-14 2012



PELIGRO SI NO PUEDE LEER EN INGLES PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

DILUTION 164	2 ounces per gallon of water
[660 ppm quat]	4 ounces per 2 gallons of water
	8 ounces per 4 gallons of water
	10 ounces per 5 gallons of water
	12 ounces per 6 gallons of water

[To [remove] [insert] [the] [dispenser system name] container place hand securely under the container slide release lever to the right and pull the container out]

{Note for reviewer For labels that list medical premises and metal and / or stainless steel surfaces one of the following statements must be used }

This product is not to be used as a terminal sterilant / high level disinfectant on any surface or instrument that [1] is introduced directly into the human body either into or in contact with the bloodstream or normally sterile areas of the body or [2] contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical devices prior to sterilization or high-level disinfection {or}

This product is not for use on medical device surfaces

ACCEPTED AUG TO 2012

Under the Federal In ecticide Fungicide and Rodent aide Acid aime and or the pertuide registered under EPA Reg. No. 4737/-/3/

DISINFECTION / CLEANING / DEODORIZING DIRECTIONS Remove heavy soil deposits from surface then thoroughly wet surface with a use-solution of 2 ounces of the concentrate per gallon of water [Use 8 oz per gallon of water to kill Adenovirus Type 71 The use solution can be applied with a cloth mop sponge or coarse spray or by soaking For sprayer applications use a coarse spray device. Spray 6.8 inches from the surface rub with a brush cloth or sponge Do not breathe spray Let solution remain on surface for a minimum of 10 minutes Rinse or allow to air dry Rinsing of floors is not necessary unless they are to be waxed or polished

{Note for reviewer One of the following statements must be used }

Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces utensils glassware and dishes

This product is not for use on food contact surfaces

For Human Coronavirus treated surfaces must remain wet for 1 minute. Wipe dry with a clean cloth sponge or mop or allow to air dry

For Influenza Virus Type A treated surfaces must remain wet for 2 minutes. Wipe dry with a clean cloth sponge or mop or allow to air dry

{Note to reviewer one of the following two statements will be used }

BACTERICIDAL STABILITY OF USE DILUTION Tests confirm that Formulation HWS-64 when diluted in 200 ppm hard water [via use of automatic dispensing devices] remains effective against Pseudomonas aeruginosa Staphylococcus aureus and Salmonella enterica for [up to 7 days] [for up to one week] [for up to one month] [for up to 2 months] [for up to 3 months] [up to 4 months] [up to 5 months] [up to 6 months] [up to 7 months] [up to 8 months] [up to 9 months] [up to 10 months] [up to 11 months] [up to 12 months] [up to one year] when stored in a sealed container such as a spray bottle. If product becomes visibly dirty or contaminated the use dilution must be discarded and fresh product prepared. Always use clean properly labeled containers when diluting this product. Bactericidal stability of the use-dilution does not apply to open containers such as buckets or pails {or}

Prepare a fresh use-solution daily or more often if the solution becomes visibly dirty or diluted

TOILET BOWLS [/ URINALS] Swab bowl with brush to remove heavy soil prior to cleaning or disinfecting Clean by applying use-solution around the bowl and up under the rim Stubborn stains may require brushing To disinfect first preclean to remove heavy soil then remove or expel over the inner trap the residual bowl water Pour in three ounces of the diluted solution. Swab the bowl completely using a scrub brush or mop. making sure to get under rim Let stand for 10 minutes or overnight then flush

FUNGICIDAL DIRECTIONS

For use in areas such as locker rooms dressing rooms shower and bath areas and exercise facilities follow disinfection directions

MILDEWSTATIC INSTRUCTIONS Will effectively control the growth of mold and mildew plus the odors caused by them when applied to hard nonporous surfaces such as walls floors and table tops. Apply usesolution of 2 ounces per gallon of water with a cloth mop sponge or coarse spray Make sure to wet all surfaces completely Let air dry Repeat application weekly or when growth reappears

To control the growth of mold and mildew on large inflatable non porous plastic and rubber structures [animals, promotional items, moonwalks, obstacle course play and exercise equipment] Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use solution of 2. spaces Do not use equipment until treatment has been absorbed set or die A contract of the property of the pro ounces per gallon of water with a cloth mop sponge or coarse spray Make sure to wet all surfaces AUG TO 2018

Formulation HWS 64 EPA Reg No 47371 131 Draft Label 5 14 2012

Rodenlicide Act as amended for the Note to Reviewer
[Items in brackets [AAA] are optional and may an are for information purposes and will not appear on inal label]

Under the Federal Insecticide Fungicide and

Page 10 of 20

CLEANING AND DISINFECTING HARD NONPOROUS SURFACES ON PERSONAL PROTECTIVE EQUIPMENT [RESPIRATORS]

Preclean equipment if heavily soiled to ensure proper surface contact Add 2 oz of Formulation HWS-64 to one gallon of water [Use 8 oz per gallon of water to kill Adenovirus Type 7] Gently mix for a uniform solution Apply solution to hard nonporous surfaces of the respirator with a brush coarse spray device sponge or by immersion. Thoroughly wet all surfaces to be disinfected. Treated surfaces must remain wet for 10 minutes. Remove excess solution from equipment prior to storage. Comply with all OSHA regulations for cleaning respiratory protection equipment (29 CFR §1910 134).

*KILLS HIV-1 [AIDS VIRUS] AND HBV [HEPATITIS B VIRUS] AND HCV [HEPATITIS C VIRUS] ON PRECLEANED, ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood / body fluids and in which the surfaces / objects likely to be soiled with blood / body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type I [HIV-1] [associated with AIDS] or Hepatitis B Virus [HBV] or Hepatitis C Virus [HCV]

Special Instructions for Cleaning and Decontamination against HIV-1 [AIDS Virus] or HBV or HCV of Surfaces / Objects Soiled with Blood / Body Fluids

Personal Protection Disposable protective gloves gowns face masks and eye coverings as appropriate must be worn during all cleaning of blood / body fluids and during decontamination procedures **Cleaning Procedures** Blood / body fluids must be thoroughly cleaned from surfaces / objects before application of disinfectant

Contact Time HIV 1 [AIDS virus] is inactivated after a contact time of 4 minutes at 25°C [77°F] [room temperature] HBV and HCV are inactivated after a 10 minute contact time. Use a 10-minute contact time for other viruses. fungi and bacteria listed

Disposal of Infectious Materials Blood / body fluids should be autoclaved and disposed of according to federal state and local regulations for infectious waste disposal

[NAIL] [MANICURÉ] SALON [BARBER] INSTRUMENTS AND TOOLS DISINFECTION [BACTERICIDE] / VIRUCIDE / FUNGICIDE DIRECTIONS

Mix 2 oz of Formulation HWS-64 per gallon of water [or equivalent dilution] to disinfect hard nonporous instruments and tools. [Use 8 oz per gallon of water to kill Adenovirus Type 7]. Completely immerse combs brushes rollers razors scissors blades manicure and other salon instruments and tools for 10 minutes. For heavily soiled instruments and tools a preliminary cleaning is required. Rinse thoroughly and dry before use Prepare a fresh solution daily or more often if the solution becomes visibly diluted. cloudy or soiled. Note. Plastics may [can] remain immersed until ready to use. Stainless steel shears and instruments must be removed after 10 minutes. rinsed. dried and kept in a clean. non-contaminated receptacle. Prolonged soaking may cause damage to metal instruments.

DISINFECTION OF HARD, NON POROUS SURFACES IN FOOTBATHS

To remove body oils dead tissue soil and all other buildups or organic matter on inanimate surfaces after using the footbath drain the water and thoroughly clean all hard non-porous surfaces with soap or detergent then rinse with water. Saturate surfaces with a use solution of 2 oz per gallon of water [or equivalent use dilution] to exposed surfaces with a cloth mop sponge or sprayer. [Use 8 oz per gallon of water to kill Adenovirus Type 7] For spray applications use a coarse spray device. Do not breathe spray. Brush or swab thoroughly and allow solution to stand for 10 minutes. After the unit has been thoroughly disinfected rinse all surfaces with fresh water. Do not use equipment until treatment has been absorbed, set or dried.

CLEANSING OF BODY SURFACES AND BODY ORIFICES OF HUMAN REMAINS This product removes body secretions soil and blood along with their accompanying malodor from the surfaces and orifices of human remains. Using a sponge or washcloth bathe the entire body with a use-solution of 2 ounces per gallon of water [Use 3,22,42] gallon of water for water to kill Adenovirus Type 7] A soft handbrush may be employed on surfaces other than the face. Use fresh solution for each [cadaver] remains or when solution becomes visibly dirty or diluted.

AUG 1 0 2012:

Under the Federal Insecticide Fungicide and Pedent Ido Aci as amo did for the

Formulation HWS exticide registered under 371-/31

Draft Label 5 14 2012

Note to Reviewer

[Items in brackets [AAA] are optional and may/may not be included on final label]
{Items in braces {AAA} are for information purposes and willingt appear on final label}

Page 11 of 20

FARM PREMISE, LIVESTOCK, POULTRY & TURKEY HOUSE DISINFECTANT

DILUTION 164

2 ounces per gallon of water

[Use 8 oz per gallon of water to kill Adenovirus Type 7]

- 1 Remove all animals and feeds from premises trucks coops crates and enclosures
- 2 Remove all litter and manure from floors walls and surfaces of barns pens stalls chutes vehicles and other facilities and fixtures occupied or traversed by animals
- 3 Empty all troughs racks and other feeding and watering appliances
- 4 Thoroughly clean all surfaces with soap or detergent then rinse with water
- 5 Saturate all surfaces with the disinfecting solution for a period of 10 minutes
- 6 Immerse all halters ropes and other types of equipment used in handling and restraining animals as well as forks shovels and scrapers used for removing litter and manure
- 7 Ventilate buildings coops cars trucks boats and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried
- 8 After treatment with disinfectant thoroughly scrub feed racks troughs automatic feeders fountains and waterers with soap or detergent then rinse with potable water before reuse

VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS DISINFECTION DIRECTIONS


For cleaning and disinfecting hard nonporous surfaces equipment used for animal food or water utensils instruments cages kennels stables catteries etc. Remove all animals and feeds from premises animal transportation vehicles crates etc. Remove all litter droppings and manure from floors walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 2 oz of Formulation HWS-64 per gallon of water [or equivalent dilution] for a period of 10 minutes. [Use 8 oz per gallon of water to kill Adenovirus Type 7]. Immerse all animal handling and restraining equipment as well as forks shovels and scrapers used to remove litter and manure. Wipe or allow to air dry. Ventilate buildings and other closed spaces. Thoroughly scrub all treated surfaces that come into contact with food. Including equipment used for feeding or watering, with soap or detergent and rinse with potable water before reuse. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

For Heavy Duty Cleaning and / or Odor Control When greater cleaning is desired use 4 - 8 oz of **Formulation HWS-64** per gallon of water Heavily soiled areas may require repeated cleaning before treatment

CITRUS CANKER DISEASE CONTROL

For prevention of Citrus Canker Disease through treatment of equipment
Effective against Xanthomonas axonopodis pv citri [Citrus Canker Disease] at 2000 ppm active quat
Treatments can be applied to trucks attached trailers and field equipment including cargo area wheels tires undercarriage hood roof fenders and any other hard nonporous equipment taken into infested areas

Saturate surfaces with a 1 21 use-dilution [24½ oz per 4 gallons of deionized water] [or equivalent dilution] [2000 ppm active quat] for a period of 10 minutes. Allow to air dry. All surfaces that come in contact with food or crop must be rinsed with potable water before reuse. To prevent the spread of Citrus Canker Disease by this artificial means of transportation. treatments are made by trigger spraying dipping or brushing. Thoroughly rinse or launder clothing before reuse.



Deodorizing directions

Nursing Homes, Hospitals, Hotels, Schools, Restaurants Using 2 oz in chemical toilets waste receptacles bed pans drainage bottles diaper pails hampers disposals commodes and air conditioner pans will eliminate odors

Mopping Solutions, Automatic Scrubbers Use 2 oz per gallon of cleaning solution to eliminate undesirable odors

Laundry 2 oz per load added during the final rinse cycle deodorizes all offensive odors


Air Freshener/Automotive Uses 8 oz per gallon of water will effectively neutralize damp musty odors caused by mildew in storage areas basements closets and bathrooms. Effective on smoking and cooking odors [garlic fish onions etc.] Automobile odors from tobacco musty carpet smell and beverage smells will be eliminated.

Carpets 2 oz per gallon of shampoo solution eliminates odors associated with urine vomit smoke and mildew Reapply after cleaning for freshening effects. Allow to dry

RV Holding Tanks Toilet waste cover bottom of holding tank with water and add 2 oz If odors return before time to empty simply add 2 oz to the tank. Kitchen waste 2 oz of **Formulation HWS-64** to gray water tank as needed to control malodors created by dirty dish water.

Pet Odors Use 8 - 12 oz per gallon of water for urine feces and vomit in carpet and upholstery. Clean prior to application then spray onto affected areas. Test hidden area for colorfastness. Allow 10 minutes contact time. Then blot with clean cloth. Allow to dry. Also effective on pet bedding and litter boxes. **Sewage Backup, Water, Smoke Damage**. Use 2 – 4 oz per gallon of water. Spray over affected areas before and after cleaning and extraction. Allow ten minutes contact time. Use proper ventilation open windows.

Cleaning Solution Dilute 2 oz per gallon of water for cleaning of kitchen counters tables walls bathrooms toilet seats mopping floors and large routine applications



{This whole page is Not for Use in California}

WATER, SMOKE DAMAGE RESTORATION AGAINST ODOR CAUSING BACTERIA AND FUNGI FOR HOME, INSTITUTIONAL, INDUSTRIAL AND HOSPITAL USE

This product is particularly suitable for use in water damage restoration situations against odor causing bacteria on the following porous and semi-porous materials carpets carpet cushions subfloors drywall concrete brick trim and frame lumber tackless strip and paneling. Using appropriate dilution, saturate the affected materials with enough product to remain wet for at least 10 minutes.

Sewer Backup and River Flooding During mitigation procedures dilute 2 oz of the concentrate per gallon of water allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil along with non-salvageable materials. Saturate all affected areas with a coarse spray device before and after cleaning and extraction.


Carpets, Carpet Cushions and Other Porous Materials such as Subfloors, Drywall, Concrete, Brick, Trim and Frame Lumber, Tackless Strip and Paneling For water damage from a clean source extract excess water. Test hidden area for colorfastness. Dilute 2 oz of the concentrate per gallon of water allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil. Saturate all affected areas with a coarse spray device. Roll brush or agitate into the materials and allow materials to remain wet for 10 minutes. Follow with a thorough extraction. Dry rapidly and thoroughly

Special instructions For Cleaning Carpet Against Odor Causing Bacteria Use this product in industrial and institutional areas such as homes motels hotels nursing homes schools and hospitals. Use on wet-cleanable synthetic fibers. Do not use on wool. Vacuum carpet thoroughly prior to cleaning. Test fabric for colorfastness. **For portable extraction units.** Mix 2 oz. of concentrate per gallon of water.

For truck mounted extraction machines Mix 2 – 4 oz of concentrate per gallon of water and meter at 4 gallons per hour

For rotary floor machines Mix 2 oz of concentrate per gallon of water and apply at the rate of 300 – 500 sq. ft per gallon

Do not mix this product with other cleaning products. Follow the cleaning procedures specified by the manufacturer of the cleaning equipment. After using the product, set the carpet pile and protect the carpet from furniture legs and bases while drying. Do not over-wet. If applied to stain resistant nylon carpet, apply a fabric protector according to the manufacturer's directions.



{Note to reviewer For Nonrefillable Containers Label has Household and Residential Uses}

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Nonrefillable container. Do not reuse or refill this container Wrap [container] and put in trash or offer for recycling if available

Store in original container in areas inaccessible to children. Nonrefillable container. Do not reuse or refill this container Wrap [container] and put in trash or offer for reconditioning if appropriate

Note to reviewer For Nonrefillable Containers for commercial industrial and institutional uses – all sizes – No Reuse Rinsate Statement for Public Health Use products Chapter 13 Table 6 of the Label Review Manual states that for All products in containers that could be burned the registrant has the option to Remain silent on burning therefore no incineration language is provided for plastic containers }

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal

Pesticide Storage Open dumping is prohibited Store in original container in areas inaccessible to children

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

Container Disposal

Nonrefillable container Do not reuse or refill this container Clean container promptly after emptying {Plastic and Metal Containers } Triple rinse as follows Fill container 1/4 full with water and reclose the container Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed these containers are acute hazardous wastes and must be disposed in accordance with local state and federal regulations

{Metal containers only } DO NOT cut or weld metal containers

{Bag in Box Containers } Completely empty bag into application equipment. Then offer for recycling if available or dispose of in a sanitary landfill or by incineration or by other procedures allowed by state and local authorities

(Note to reviewer For Nonrefillable Sealed Containers Packaging options can be in sealed containers or bottles designed for use dilution systems to reduce worker exposure to the concentrate

None of these can be triple rinsed because they are closed sealed containers. The following text will be used on these sealed container types }

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal

Pesticide Storage Open dumping is prohibited Store in original container in areas inaccessible to children **Pesticide Disposal**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

Container Disposal

Nonrefillable container Do not reuse or refill this container Wrap empty container

Note to Reviewer
[Items in brackets [AAA] are optional and many many particles for the product of the product o not appear on final label)

Formulation HWS 64 EPA Reg No 47371 131 Draft Label 5 14 2012

{Note to reviewer For Refillable Containers – all sizes – No Reuse Rinsate Statement for Public Health Use products Chapter 13 Table 6 of the Label Review Manual states that for All products in containers that could be burned the registrant has the option to Remain silent on burning therefore no incineration language is provided for plastic containers }

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal Refillable container Refill this container with pesticide only Do not reuse this container for any other purpose

Pesticide Storage

Open dumping is prohibited Store in original container in areas inaccessible to children

Pesticide Disposal


Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

Container Disposal

Refillable container Refill this container with pesticide only Do not reuse this container for any other purpose Cleaning the container before refilling is the responsibility of the refiller Cleaning the container before final disposal is the responsibility of the person disposing of the container

{Plastic or Metal Containers } To clean the container before final disposal empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat this rinsing procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in sanitary landfill. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local state, and federal regulations.

{Metal containers only } DO NOT cut or weld metal containers



SECONDARY CONTAINER LABEL

{Note to reviewer This secondary container label will be used only when the product is diluted in accordance with the use directions}

FORMULATION HWS-64

Active Ingredients Didecyl dimethyl ammonium chloride 2 54% n Alkyl (C_{14} 50% C_{12} 40% C_{16} 10%) dimethyl benzyl ammonium chloride 1 69% Inert Ingredients 5 77% 100 00%

The product in this container is diluted as directed on the pesticide product label

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Harmful if inhaled or absorbed through the skin Causes moderate eye irritation. Avoid contact with skin eyes or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating drinking chewing gum using tobacco or using the restroom. Remove and wash contaminated clothing before reuse.

Follow the directions for use on the pesticide label when applying this product


[EPA Reg No 47371-131]



ADDITIONAL LABELING / INSERTS / REFERENCE SHEETS

{Note to reviewer If additional labeling / insert / reference sheets are used the following statements may appear on the additional labeling /insert / reference sheet }

- Product name
- EPA Reg No
- It is a violation of Federal law to use this product in a manner inconsistent with its labeling
- Read the label affixed to the container for [this product] [product name] before applying
- Use of [this product] [product name] according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for [product name]



{For Bag in Box Containers }

For Bag - In - Box Containers

How to use this package


This package is designed to be used with dilution control systems only. Open package and connect to dispense according to directions on box top

Trigger Sprayers
Fill bottle from dispenser
Apply to surfaces as specified in directions above

Mop Buckets
Fill bucket from dispenser
Set up Wet Floor signs
Mop floor surface as specified in directions above

OPENING INSTRUCTIONS

- † Posicon box with perforation up.
- 2 Press in circle
- 3 Lift flapitess along perforation
- 4 Retrieve Tribing on bag
- 5 Remove clear dust-cap from bag fixing
- 5 Twist dispenser connector onto pagfitting
- 7 Place bag-in box into position on disperser shelf
- 8 Close dispensor (if applicable)



INSTRUCCIONES PARA ABRIR

- I Ponge le coje com le perforación hecte ambé
- I Empaña el circulo hacea adentro
- I lavante la pastera sonnocardots de la caja e lo largo de la perforación
- A Sique el ecapitator que este en la boise
- Dude la lapa une aperene contra el potro que dere el acaptecor de la bolsa.
- 6. Eurosqua el consedador despechados in asaptados.
- 7 Popus la "beğ-lis-bex" (bossà en ciya) en postción en el mostrador de desparche
- a Cleme at despeciation (al correspondi)

{Note to reviewer The following may be used only if the supplemental registrant has obtained an NSF listing Allowed on back or side panel only }





[NSF Listed]

(Insert 6-Digit NSF Listing Number here)

{Note to reviewer The following may be used only if the supplemental registrant has obtained UL Classification }



FLOOR COATING AND FINISHING MATERIAL AS TO SLIP RESISTANCE ONLY (Control No)

{Note to reviewer The following may be used only if the supplemental Certification }





AUG 10 2012

Under the Federal Ins c c c lingic de and pesticide registered under EPA Reg No 237/-/3

{Any Kosher Symbol such as } [Kosher]


Formulation HWS 64 EPA Reg No 47371 131 Draft Label 5 14 2012 Note to Reviewer

[Items in brackets [AAA] are optional and may/may not be included on final label]
{Items in braces {AAA} are for information purposes and will not appear on final label}

Page 19 of 20

{Note to reviewer Optional proprietary graphics}

Action For CAP REMOVAL With carton in upright position hold spout firmly with one hand while "peeling" cap off with other hand its easily done by catching fingertips under edge of top flange of cap & pulling up & back.



ACTION PAC"

- 1 Punch out circle
- 2 Lift flap and slide spout into circle
- Lower flap and lock spout in
- Attach spigot before tipping box or placing on shelf

ACTION PAC®


For use in Smart System or Action Control System® II automatic dilution systems


COLOR CODED

ACTION LOCK CONNECTOR II




FLOOR CLEANING/ **SPRAY BOTTLE**









AUG 1 0 2027 Under the Federal Insect cide Fungicide and Rodentinide Act a cm_ ded for the pesticide registered under EPA Reg. No. 473