

Waukesha

ACCEPTED
with COMMENTS
by EPA Letter dated

MTP ~~256~~
Phenolic

AUG 15 1980

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

47371-163

germicidal detergent

- Cleans, Disinfects & Deodorizes
- Pleasant Fragrance
- Economical-to-use

ACTIVE INGREDIENTS:

o-benzyl-p-chlorophenol	0.12
o-phenylphenol	5.00
p-tert-amylophenol	2.97
INERT INGREDIENTS	82.83

**KEEP OUT OF REACH OF CHILDREN.
DANGER**

(See side panel for additional precautionary and practical treatment statements)

NET CONTENTS

PSEUDOMONACIDAL STAPHYLOCIDAL *VIRUCIDAL FUNGICIDAL

a concentrated multi-purpose germicidal detergent proven effective by the ADAC Use-Dilution Method in 400 ppm hard water (Calculated as CaCO₃) in the presence of 5% organic material (Fetal Bovine Serum). Refer to the MATAR Research Bulletin for testing details.

superior powerful germicidal disinfects, cleans, and deodorizes in one labor saving step

effective against the following pathogenic organisms

<i>Pseudomonas aeruginosa</i>	<i>Salmonella typhimurium</i>	<i>Streptococcus faecalis</i>
<i>Enterobacter aerogenes</i>	<i>Salmonella typhi</i>	<i>Pseudomonas maltophilia</i>
<i>Escherichia coli</i>	<i>Pseudomonas cepacia</i>	*Rubella virus
<i>Proteus mirabilis</i>	<i>Enterococcus faecalis</i>	*HSV 1 (AIDS Virus)
<i>Shigella flexneri</i>	<i>Providencia rettgeri</i>	*Adenovirus Type 2
<i>Shigella sonnei</i>	<i>Mycobacterium bovis</i>	*Herpes Simplex Type 1
<i>Salmonella choleraesuis</i>	Tetraglycytes	*Influenza Type A/Mich
<i>Enterobacter cloacae</i>	nonflagellates	*Vaccinia virus
<i>Klebsiella pneumoniae</i>	<i>Candida albicans</i>	*Newcastle Disease Virus
<i>Proteus vulgaris</i>	<i>Staphylococcus aureus</i>	*Canine parvovirus
	<i>Streptococcus pyogenes</i>	*Human rhinovirus Type 38

PA132
47371-163
PA132

SOLUTIONS: 1 to 250 ONE-HALF OUNCE PER GALLON

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL USE DIRECTIONS

USE: Floors, walls, metal surfaces, painted surfaces, exterior bowl surfaces, empty basins, showers, conductive flooring, and lavatory fixtures. For institutional use only such as in hospitals and nursing homes, schools and colleges, medical and dental offices, and veterinary clinics.

APPLICATION: Use 1/2 ounce per gallon of water for a minimum contact time of 10 minutes in a single application. For disinfecting, remove gross dirt and heavy soil deposit, then thoroughly wet surfaces extremely versatile and can be applied with a mop, sponge, or cloth as well as soaking. The recommended use solution is used once and discarded. Rinsing is not necessary on floor surfaces unless floors are to be waxed or polished. Tuberculocidal effectiveness is in 10 minutes at 20°C.

* Kills HIV-1 (AIDS virus) on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS Virus) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application. This cleaning may be accomplished with any cleaning solution including this product.

CONTACT TIME: HIV-1 (AIDS Virus) is inactivated after (5) minutes of contact at 25°C. Testing on other common types of viruses and bacteria were conducted using a 10 minute contact time at 20°C.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

EPA Reg. No. 4737-143 EPA Est. No. 47371-14-016

ACCEPTED
with CONCURRENCE
by EPA Letter Dated

AUG 15 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, the pesticide
registered under EPA Reg. No.

47371-163

STATEMENT OF PRACTICAL TREATMENT

In case of skin contact, wash thoroughly with soap and water. In case of eye contact, immediately flush eyes with water for 15 minutes and get prompt medical attention. If swallowed, drink plenty of water. Avoid alcohol.

Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

DANGER
Corrosive. Concentrate causes eye and skin damage. May be absorbed through the skin. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Harmful if swallowed. Avoid contamination of food, water or feed.

STORAGE AND DISPOSAL

RESTRICTIONS

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

PLASTIC CONTAINERS

Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL

Consult federal, state, or local disposal authorities for approved alternative procedures such as limited open burning.

P. 212

AUG 15 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

Huntington T.M.

47371-163

H&S Chemicals

DIVISION

MTP ~~256~~ PHENOLIC

Germicidal Detergent

POULTRY HOUSE DISINFECTANT

for Broilers, Breeding & Laying Houses.

DILUTION: 1 to 256 ONE-HALF OUNCE PER GALLON

Directions for Use

The following label directions are required for poultry house disinfectants to permit their classifications as non-food use products.

1. Remove all poultry and feeds from premises, trucks, coops, and crates.
2. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by poultry.
3. Empty all troughs, racks, and other feeding and watering appliances.
4. Thoroughly clean all surfaces with soap or detergent and rinse with water.
5. Saturate surfaces with the recommended disinfecting solution for a period of 10 minutes.
6. Ventilate buildings, coops, and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set, or dried.
7. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

(Refer to label for precautionary and practical treatment statements)

For use in federally inspected meat poultry plants as a floor & wall cleaner. Before use of this compound, food products & packaging materials must be removed from the room & carefully protected. After use of this compound, all surfaces in the area must be thoroughly rinsed with potable water. Use 1/2 oz per gallon of water.

10/21/86