

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 10460 · EPA Reg. Number:

Reg. Date of Issuance:

47371-191

JUL 1 0 2002

WILL I STEEL STEEL

NOTICE OF PESTICIDE:

<u>x</u> Registration Reregistration

(under FIFRA, as amended)

Term of Issuance:

CONDITIONAL

Name of Pesticide Product:

Formulation HWS-512

Name and Address of Registrant (include ZIP Code):

H&S Chemicals Division, c/o Lonza, Inc.

17-17 Route 208

Fair Lawn, NJ 07410

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Add the phrase EPA Registration Number "EPA Reg. No. 47371-191".

Signature of Approving Official:

Date:

Velma Noble

Regulatory Management Branch 1 Antimicrobial Division (7510C) JL 1 0 2002

SYMBOL WA Form, 9570-6	
1 75.00	
SURNAME) JOSEP	
DATE	***************************************
PATE 1 1 10 102	*********************************
111002	

page 2 EPA Reg. No. 47371-191

- 3. Based on your method of support for Acute Toxicity Data requirements, revise your Precautionary Statements by stating "Harmful if inhaled, swallowed, or absorbed through the skin. Avoid breathing spray mist." and "When handling product, protect eyes by wearing goggles or face shield and protect skin by wearing rubber gloves and protective clothing."
- 4. Add the following statements to the "First Aid" section of this label.
 "IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible."
- 5. Delete the claim for "Hantavirus" as data has not been provided to support a claim for this organism.
- 6. Delete the entire section referring to "Bactericidal Stability of Use-Dilution" beginning: "Tests confirm that ..." and ending "does not apply to open containers such as buckets or pails." The submitted studies, MRIDs 45547902 and 45547903 do not support your proposed claims. The Storage Stability Study itself does not support this claim and the Confirmatory Efficacy Study is unclear as to whether the data was generated utilized a product which had been aged for 90 days. In order to support these types which had been aged for 90 days. In order to support these types of claims submit a Modified AOAC Germicidal Spray Confirmatory of claims submit a Modified AOAC Germicidal Spray Confirmatory Study using product tested on day 1 and day 90 after dilution, with a 5% soil load in 400 ppm hard water for each of the organisms claimed.

You may retain the statement: "Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted."

- 7. Your label includes a claim for Citrus Canker Disease Control. Confirm to the Agency that your formula has been tested against either Xanthomonas campestris pathovars citrumelo or Xanthomonas campestris pathovars citri.
- 8. Revise the following three subheadings by placing them in bold test such to make these sections of the label more prominent to the user: "Pesticide Storage," "Pesticide Disposal," and "Container Disposal."
- 9. Your application for pesticide indicates that you intend to market this product in plastic containers. Thus delete the sections referring to Fiber Drums with Liners and Metal Containers.

CONCURRENCES								
SYMBOL		·					••••••••	
SURNAME)		·						
DATE								

page 3 EPA Reg. No. 47371-191

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. Submit one (1) copy of the final printed label prior to the release of the product for shipment.

If you have any questions concerning this letter, please contact Tracy Lantz at $(703)\ 308-6415$.

Sincerely,

Velma Noble

Product Manager 31

Regulatory Management Branch 1 Antimicrobial Division (7510C)

Enclosure (stamped label)								
	7510C:T.	Lantz:7/8	/02:4/37.1	CONCURRENC	es .			
SYMBOL								
SURNAME								
SATE	***************************************			T	**********			

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. When handling product, protect eyes by wearing goggles or face shield and protect skin by wearing rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

(Note to reviewer If container size is 5 gallons or greater, the following Environmental Hazards statements will be used:)

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

FORMULATION HWS-512

ONE-STEP DISINFECTANT

GERMICIDAL DETERGENT AND DEODORANT

Disinfectant Staphylocidal Bactericidal

Mildewstatic

Pseudomonacidal Salmonellacidal

Fungicidal *Virucidal

FLORAL / CITRUS / FRESH / CLEAN / LEMON / PINE / MINT (scent)(fragrance)(odor)(scented)

DANGER

(See side / right / left / back panel for Precautionary Statements and First Aid)

EPA Reg. No. 47371-xxx
EPA Est. No. (insert Est. No. here)
NET CONTENTS (insert container size here)

H&S CHEMICALS DIVISION c/o LONZA INC., 17-17 ROUTE 208, FAIR LAWN, NJ 07410

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUL 1 0 2002

Under the Foderal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesificide, registered under EPA Reg. No. 4737/-/9/

(Note to reviewer: The following is considered optional marketing language:)

- Concentrate (Concentrated)
- Neutral (Neutral pH)
- Disinfects (Disinfectant)
- Cleans (Cleaner)
- Deodorizes (Deodorizer)

A multi-purpose, neutral pH, germicidal detergent and deodorant effective in hard water up to 400 ppm (calculated as CaCO₃) in the presence of a moderate amount of soil (5% organic serum) according to the AOAC Use-dilution Test. Disinfects, cleans, and deodorizes in one labor-saving step.

Use in hospitals, nursing homes, schools, colleges, commercial and industrial institutions, office buildings, veterinary clinics, animal life science laboratories, zoos, federally inspected meat and poultry plants, equine farms, tack shops, pet shops, airports, kennels, hotels, motels, poultry farms, turkey farms, dairy farms, hog farms, breeding establishments, grooming establishments, funeral homes, and households.

Disinfects, cleans, and deodorizes the following hard nonporous inanimate surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, plastic surfaces (such as polypropylene, polystyrene, etc.).

Use in:

- Federally inspected meat and poultry plants on all hard, nonporous surfaces in inedible product processing areas, nonprocessing areas, and / or exterior areas. All surfaces must be thoroughly rinsed with potable water.
- Federally inspected meat and poultry plants as a floor and wall cleaner for use in all departments. Food products and packaging material must be removed from the room or carefully protected. All surfaces must be thoroughly rinsed with potable water.
- Federally inspected meat and poultry plants as a disinfectant agent for use in all departments. Food products and packaging materials must be removed from the room or carefully protected. Use product in accordance with its label. All surfaces must be thoroughly rinsed with potable water.

ACCEPTED
/ with COMMENTS
in EPA Letter Dated:

JUL 10 2002 Under the Federal Insecticide. Pungicide, and Isodenicide Act as amended, for the positioide, registered under EPA Reg. No. 47371-191 Effective against the following pathogens: (Bacteria:)

Pseudomonas aeruginosa ¹ Staphylococcus aureus ¹

Salmonella choleraesuis

Acinetobacter calcoaceticus

Bordetella bronchiseptica Chlamydia psittaci

Enterobacter aerogenes

Enterobacter cloacae

Enterococcus faecalis - Vancomycin Resistant (VRE)

Escherichia coli

Fusobacterium necrophorum

Klebsiella pneumoniae

Legionella pneumophila

Listeria monocytogenes

Pasteurella multocida

Proteus mirabilis

Proteus vulgaris

Salmonella enteritidis

Salmonella typhi

Salmonella typhimurium

Serratia marcescens Shigella flexneri

Shigella sonnei

Staphylococcus aureus - Methicillin resistant (MRSA)

Staphylococcus aureus - Vancomycin Intermediate Resistant (VISA)

Staphylococcus epidermidis²

Streptococcus faecalis¹

Streptococcus pyogenes

¹ ATCC & antibiotic-resistant strain

² antibiotic-resistant strain only

(Viruses:)

*Adenovirus Type 4

*Hepatitis B Virus (HBV)

- *Herpes Simplex Type 1
- *Herpes Simplex Type 2
- *HIV-1 (AIDS virus)
- *Influenza A / Hong Kong
- *Vaccinia
- *Rubella (German Measles)
- *Respiratory Syncytial Virus (RSV)

(Animal Viruses:)

- *Avian polyomavirus
- *Canine distemper
- *Feline leukemia
- *Feline picornavirus
- *Infectious bovine rhinotracheitis
- *Infectious bronchitis (Avian IBV)
- *Pseudorabies (PRV)
- *Rabies
- *Transmissible gastroenteritis virus (TGE)

(Fungi:)

Aspergillus niger

Candida albicans

Trichophyton mentagrophytes

Formulation HWS-512 EPA Reg. No. 47371-xxx EPA ORIGINAL SUBMISSION 3/25/02 (Note to reviewer: Language in () is optional or interchangable)

Page 2 of 5

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DILUTION: 1:512 (660 ppm quat)

1/4 oz. per gallon of water 1/2 oz. per 2 gallons of water 1 oz. per 4 gallons of water 1 1/4 oz. per 5 gallons of water 2 oz. per 8 gallons of water

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

(Note for reviewer: For labels that list medical premises and metal and / or stainless steel surfaces, one of the following statements must be used.)

This product is not to be used as a terminal sterilant / high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical devices prior to sterilization or high-level disinfection.


(or)

This product is not for use on medical device surfaces.

DISINFECTION / CLEANING / DEODORIZING DIRECTIONS: Remove heavy soil deposits from surface. Then thoroughly wet surface with a use-solution of ¼ oz. of the concentrate per gallon of water. The use-solution can be applied with a cloth, mop, sponge, or coarse spray, or soaking. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.

Food contact surfaces must be thoroughly rinsed with potable water. Do not use this product on utensils, glassware and dishes.

(Note to reviewer: one of the following two statements will be used:)



(or)

Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted.

TOILET BOWLS: Swab bowl with brush to remove heavy soil prior to cleaning or disinfecting. Clean by applying use-solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first remove or expel over the inner trap the residual bowl water. Pour in 3 oz. of the use-solution. Swab the bowl completely using a scrub brush or mop, making sure to get under rim. Let stand for 10 minutes or overnight, then flush

FUNGICIDAL DIRECTIONS:

For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions.

Mildewstatic Instructions: Will effectively control the growth of mold and mildew plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors, and table tops. Apply use-solution of ¼ oz. per gallon of water with a cloth, mop, sponge, or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

*KILLS HIV-1 (AIDS VIRUS) AND HBV (HEPATITIS B VIRUS) ON PRECLEANED, ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood / body fluids, and in which the surfaces / objects likely to be soiled with blood / body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type I (HIV-1)(associated with AIDS) or Hepatitis B Virus (HBV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OR HBV OF SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS:

Personal Protection. Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate must be worn during all cleaning of blood / body fluids and during decontamination procedures.

Cleaning Procedures: Blood / body fluids must be thoroughly cleaned from surfaces / objects before application of disinfectant.

Contact Time: HIV-1 (AIDS virus) is inactivated after a contact time of 4 minutes at 25°C (room temperature). HBV is inactivated after a 10 minute contact time. Use a 10-minute contact time for all other viruses, fungi, and bacteria listed.

Disposal of Infectious Materials: Blood / body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

SALON (BARBER) INSTRUMENTS AND TOOLS DISINFECTION (BACTERICIDE) / VIRUCIDE / FUNGICIDE DIRECTIONS:

Mix ¼ oz. of Formulation HWS-512 per gallon of water (or equivalent dilution) to disinfect hard, nonporous instruments and tools. Completely immerse combs, brushes, rollers, razors, scissors, blades, manicure and other salon instruments and tools for 10 minutes. For heavily soiled instruments and tools, a preliminary cleaning is required. Rinse thoroughly and dry before use. Prepare a fresh solution daily or more often if the solution becomes visibly diluted, cloudy or soiled.

Note: Plastics may remain immersed until ready to use. Stainless steel shears and instruments must be removed after 10 minutes, rinsed, dried and kept in a clean, non-contaminated receptacle. Prolonged soaking may cause damage to metal instruments.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUL 1 0 2002

cincul the Paderal Insecticide, Functione, and Rodenticide Across amended, for the pessicide, construed under EPA Reg. No. 2

instered under EPA Reg. No. 47371 - 191

Formulation HWS-512 EPA Reg. No. 47371-xxx EPA ORIGINAL SUBMISSION 3/25/02

(Note to reviewer: Language in () is optional or interchangable)

CLEANSING OF BODY SURFACES AND BODY ORIFICES OF HUMAN REMAINS: This product removes body secretions, soil, and blood, along with their accompanying malodor, from the surfaces and orifices of human remains. Using a sponge or washcloth, bathe the entire body with a use-solution of ¼ oz. per gallon of water. A soft hand brush may be employed on surfaces other than the face. Prepare a fresh solution for each (cadaver) remains or when solution becomes visibly dirty or diluted.

FARM PREMISE, LIVESTOCK, POULTRY & TURKEY HOUSE DISINFECTANT

DILUTION: 1:512

1/4 oz. per gallon of water

- Remove all animals and feeds from premises, trucks, coops, crates, and enclosures.
- Remove all litter and manure from floors, walls, and surfaces of barns, pens, stalls, chutes, vehicles, and other facilities and fixtures occupied or traversed by animals.
- Empty all troughs, racks, and other feeding and watering appliances.
- Thoroughly clean all surfaces with soap or detergent, and rinse with water.
- Saturate all surfaces with the recommended disinfecting solution for a period of 10 minutes.
- Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.
- Ventilate buildings, coops, cars, trucks, boats, and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set, or dried.
- After treatment with disinfectant, thoroughly scrub feed racks, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS DISINFECTION DIRECTIONS:

For cleaning and disinfecting the following hard nonporous surfaces: equipment not used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of ½ oz. of FORMULATION HWS-512 per gallon of water (or equivalent dilution) for a period of 10 minutes. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

CITRUS CANKER DISEASE CONTROL

For prevention of Citrus Canker Disease through treatment of equipment. Effective against Xanthomonas axonopodis pv. citri (Citrus Canker Disease) at 2000 ppm active quat. Treatments can be applied to trucks, attached trailers, and field equipment including cargo area, wheels, tires, undercarriage, hood, roof, fenders, and any other equipment taken into infested areas. Saturate surfaces with a 1:169 use-dilution (5 oz. per 6½ gallons of water) (or equivalent dilution) (2000 ppm active quat) for a period of 10 minutes. Allow to air dry. All surfaces that come in contact with food or crop must be rinsed with potable water before reuse. To prevent the spread of Citrus Canker Disease by this artificial means of transportation, treatments are made by trigger spraying, dipping or brushing. Clothing should be thoroughly rinsed or laundered before reuse. Footwear should be rinsed before reuse.

ACCEPTED with COMMENTS in EFA Letter Dated:

JUL 1 0 2002

Under the Rederal Insecticide.
In this life, and Redendcide Acres
to moried, for the posicide,
registered tuder EPA Reg. No. 47311-191

Formulation HWS-512 (Note to EPA Reg. No. 47371-xxx EPA ORIGINAL SUBMISSION 3/25/02

(Note to reviewer: Language in () is optional or interchangable)

(Note to reviewer if the container size is one gallon or less, the following Storage and Disposal directions will be used:)

STORAGE AND DISPOSAL

Keep product under locked storage, inaccessible to children. Do not reuse empty container. Rinse thoroughly, securely wrap empty container in several layers of newspaper, and discard in trash or recycle.

(Note to reviewer: If the container size is greater than one gallon, the following Storage and Disposal directions will be used:)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage

Keep product under locked storage, inaccessible to children. Open dumping is prohibited. Do not reuse empty container.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

(Plastic containers:) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or if allowed by state and local authorities, burn. If burned, stay out of smoke.

(Fiber Drums With Liner:) Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities. If drum is contaminated and cannot by reused, dispose of in the same manner.

(Metal Container:) Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or dispose of by other procedures approved by state and local authorities.

ACCEPTED with COMMENTS in EPA Letter Dated:

JUL 1 0 2002

on our the Federal Insecticide, For Historia, and Rodenticide Act as which has posted for the posted for the posted for the constered under EPA Reg. No. 47371-191

Formulation HWS-512 EPA Reg. No. 47371-xxx EPA ORIGINAL SUBMISSION 3/25/02

(Note to reviewer: Language in () is optional or interchangable)