

47629-11

7/20/2006

Page 1 of 7



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505C)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

47629-11

Date of Issuance:

July 20, 2006

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Bromethalin Rat & Mouse Block

Name and Address of Registrant (include ZIP Code):

Woodstream Corporation
c/o Lewis & Harrison
122 C Street, NW, Suite 740
Washington, DC 20001

Attention: Ms. Cathy Rice

5-396789 R-31
5-788662 1170

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you

A) submit one (1) copy of final printed labeling to us, before you release the product for shipment.

Daniel B. Peacock, Biologist
Insecticide-Rodenticide Branch
Registration Division (7505C)

Date:

July 20, 2006

2 7 7

B) within 15 months of registration, submit the following data in electronic and paper formats:

1. Storage Stability (830.6317)
2. Corrosion Characteristics (830.6320)

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed. If you have any questions, please contact Dan Peacock by phone (703-305-5407), fax (703-305-6596), or E-Mail (peacock.dan@epa.gov).

Enclosures: 1. Stamped Label
2. Minimum Type Size Requirements for Final Printed Labels

Dan Peacock, Flash Drive, 256mb, J:\Bromethalin\47629-RR\47629-11, Notice of Registration, 7-19-2006.doc

3 7 7

BROMETHALIN RAT & MOUSE BLOCK

KILLS ANTICOAGULANT RESISTANT
NORWAY RATS, ROOF RATS AND HOUSE MICE

Norway rats, Roof rats and House Mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from the time of bait consumption for these rodents to die. Rodents cease feeding after consuming a toxic dose. This product is effective against anticoagulant-resistant rats and mice.

ACTIVE INGREDIENT:

Bromethalin

0.01%

OTHER INGREDIENTS

99.99%

TOTAL

100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See side panel for additional precautionary statements)

EPA Reg. No. 47629-11

EPA Est. No.: **ACCEPTED**
with **COMMENTS**
in EPA Letter Dated:

Woodstream Corporation
69 N. Locust Street
Lititz, PA 17543

JUL 20 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

NET WEIGHT:

47629-11

3.0 ounces (4 X 0.75 ounce blocks)
4.5 ounces (6 X 0.75 ounce blocks)
6.0 ounces (8 X 0.75 ounce blocks)
7.5 ounces (10 X 0.75 ounce blocks)
9.0 ounces (12 X 0.75 ounce blocks)
15.0 ounces (20 X 0.75 ounce blocks)

FIRST AID:	
Have this label with you when obtaining treatment advice.	
If Swallowed:	<ul style="list-style-type: none"> - Call a poison control center, doctor, or 1-800-800-1819 immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
If On Skin or Clothing:	<ul style="list-style-type: none"> - Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
<p align="center">NOTE TO PHYSICIAN OR VETERINARIAN</p> <p>This is not an anticoagulant rodenticide. If injected, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.</p>	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL! Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six (6) years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled or unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may only be used to control Norway rats, roof rats, and house mice in the sites indicated below for Urban Areas and Non-Urban Areas. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait. Wear gloves if you handle bait or dead animals.

URBAN AREAS: This product may be used in and around (within 15 feet of) homes, and in industrial, commercial, and public buildings. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around (within 15 feet of) related port or terminal buildings. This product may be used in alleys.

NON-URBAN AREAS: This product may only be used inside of homes and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine where rats and mice will most likely find an opening and consume the bait. Generally, these areas are along walls, by gnawed openings or rub marks, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where signs of rodents have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

BAITING:

Language based on container size:	
For package of 4, 0.75 oz. blocks	This package contains enough bait (3 oz.) to kill 4 to 6 rats.
For package of 6, 0.75 oz. blocks	This package contains enough bait (4.5 oz.) to kill 5 to 8 rats.

Norway Rats and Roof Rats: Use 2 to 8 bait blocks per placement. Make placements at intervals of approximately 15 to 30 feet at appropriate locations in infected area. Adjust the amount of bait provided according to the level of rat feeding expected at each placement location.

House Mice: Use 1 bait block per typical placement. Space placements at intervals of 8 to 12 feet in appropriate locations in infested areas. Up to 2 bait blocks may be placed at points of extremely high house mouse activity.

Baiting Strategy (Rats and Mice):

Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, inspect the placement and replenish bait at sites where there is evidence of heavy feeding or where there is continued evidence of rodent activity. Normally, the volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least one week to provide all rodents a chance to feed on the bait. Continue baiting until all signs of feeding have ceased.

FOLLOW-UP:

Replace contaminated or spoiled bait immediately. Collect and properly dispose of all dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water and harborage and rodent-proof structures as much as possible. If reinfestation does occur, repeat treatment. When a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

(Non-Household Labels)

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product, and spoiled and unconsumed bait, may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(Household Labels)

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **Partly Filled Containers and Spoiled and Unconsumed Bait:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Dan Peacock, Flash Drive, 256mb, J:\Bromethalin\47629-RR\47629-11, rev label, final version, 7-20-2006.doc

MINIMUM TYPE SIZE REQUIREMENTS FOR PESTICIDE LABELS

Size of Label on Front Panel in Square Inches	Minimum Type Size	
	SIGNAL WORD [All Capitals] [REDACTED] and "Restricted Use Pesticide" [REDACTED]	"Keep Out of Reach of Children" [REDACTED] and "Storage and Disposal" [REDACTED]
5 and under	6 point	6 point
above 5 to 10	10 point	6 point
above 10 to 15	12 point	8 point
above 15 to 30	14 point	10 point
over 30	18 point	12 point

Note: No type on label can be less than 6 Point. [REDACTED]

Note: All type must be on a contrasting background and easily read.

18 point POISON DANGER WARNING CAUTION

12 point KEEP OUT OF REACH OF CHILDREN
12 point Keep Out of Reach of Children

14 point POISON DANGER WARNING CAUTION

10 point KEEP OUT OF REACH OF CHILDREN
10 point Keep Out of Reach of Children

12 point POISON DANGER WARNING CAUTION

8 point KEEP OUT OF REACH OF CHILDREN
8 point Keep Out of Reach of Children

10 point POISON DANGER WARNING CAUTION

6 point KEEP OUT OF REACH OF CHILDREN
6 point Keep Out of Reach of Children

6 point POISON DANGER WARNING CAUTION
6 point KEEP OUT OF REACH OF CHILDREN
6 point Keep Out of Reach of Children
