

47629-14

09/28/2007

1/8



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

47629-14

Date of Issuance:

September 28,
2007

NOTICE OF PESTICIDE:

Registration
 Reregistration (under FIFRA, as amended)

Term of Issuance:

Name of Pesticide Product:

Difenacoum Rat and Mouse Pellets

Name and Address of Registrant (include ZIP Code):

Woodstream Corporation
69 N. Locust St.
Lititz, PA 17543-0327

Attention: Mr. Chad Mateer

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(C) provided that you

A) submit a revised Confidential Statement of Formula (CSF) with a proper entry made for Box 2, Box 7, Box 8 and Box 9, before you release the product for shipment.

DBP

Daniel B. Peacock, Biologist
Insecticide-Rodenticide Branch
Registration Division (7505C)

Date:

September 28, 2007

B) within 15 months of registration, submit the following data in electronic and paper formats:

1. Storage Stability (830.6317)
2. Corrosion Characteristics (830.6320)

C) comply with EPA's final Rodenticide Risk Mitigation measures for similar rodenticides when the Agency imposes such measures, on the same time schedule as those similar rodenticides.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed. If you have any questions, please contact Dan Peacock by phone (703-305-5407), fax (703-305-6596), or E-Mail (peacock.dan@epa.gov).

Enclosures: 1. Minimum Type Size Requirements for Final Printed Labels
2. Stamped Label

Dan Peacock, Flash Drive, 2gb, P:\Documents\Word, WP, Excel, etc\Difenacoum\Notices of Registration\47629-14, Reg Notice, 9-28-2007.doc

MASTER LABEL – FRONT PANEL (Page 1 of 1)

DIFENACOUM RAT AND MOUSE PELLETS

[Optional Logos/Marketing Claims]

Kills Rats

	ACCEPTED	
	with COMMENTS	
	in EPA Letter Dated:	
ACTIVE INGREDIENTS:		BY WT.
Difenacoum.....		0.005%
OTHER INGREDIENTS:.....	SEP 28 2007	99.995%
TOTAL:.....		100.000%

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
47629-14

KEEP OUT OF REACH OF CHILDREN

CAUTION: (See back/side panel for additional precautionary labeling)

Net Contents: 4 oz. (113.39g), 8 oz. (226.79g), 16 oz. (453.59g)

MASTER LABEL – BACK PANEL (Page 1 of 4)

PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION: Harmful if swallowed.

FIRST AID	
Have label with you when obtaining treatment advice.	
If swallowed:	<ul style="list-style-type: none">- Call a poison control center or doctor immediately for treatment advice.- Have person sip a glass of water if able to swallow.- Do not induce vomiting unless told to do so by the poison control center or doctor.
NOTE TO PHYSICIAN OR VETERINARIAN	
If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K ₁ intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.	

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

1. Store unused product out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

MASTER LABEL – BACK PANEL (Page 2 of 4)

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats, and house mice only at the **Urban** and **Non-urban** sites identified below. Do not use this product in sewers. Do not place bait near to or inside of ventilation duct openings. Do not contaminate water, food, feed, food or feed handling equipment, milk or meat handling equipment, or any area where there is a possibility of contaminating food, feed, milk, or meat, or surfaces that come into contact with food, feed, milk, or meat. All placements of this product in USDA-inspected facilities must be in tamper-resistant bait stations. Do not broadcast bait. Wear water-resistant gloves when handling bait.

Urban Areas: This product may only be used in and around homes, industrial, commercial, and public buildings, and similar man-made structures; in transport vehicles (ships, trains, and aircraft) and in and around related port or terminal buildings; and in alleys. All outdoor bait placements must be made in tamper-resistant bait stations, locked and secured as necessary, unless children, pets, domestic animals, and nontarget wildlife are reliably denied access to the bait placement locations.

Non-urban Areas: This product may only be used inside of homes, and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where rats will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where rats or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

[Qualifier statement for 4 oz product] This package contains enough bait (4 ounces) to kill 1 to 3 rats.

[Qualifier statement for 8 oz product] This package contains enough bait (8 ounces) to kill 2 to 6 rats.

[Qualifier statement for 12 oz product] This package contains enough bait (12 ounces) to kill 3 to 9 rats.

[Note: Product may not be sold in packages of less than 4 oz]

Norway Rats and Roof Rats: Apply 4 to 16 ounces of bait per placement, using tamper-resistant bait stations as require under “**IMPORTANT**”. Space placements at intervals of 15 to 30 feet in infested areas pertaining to structures. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of feeding by rats cease to appear.

MASTER LABEL – BACK PANEL (Page 3 of 4)

House Mice: Apply ¼ to ½ ounce of bait per placement, using tamper-resistant bait stations as require under “**IMPORTANT**”. Space placements at intervals of 8 to 12 feet in infested areas pertaining to structures. Larger quantities (up to 2 ounces) may be made in areas of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Using gloves, collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

STORAGE AND DISPOSAL [Household Label]

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

Partly Filled Containers and Spoiled and Unconsumed Bait: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

STORAGE AND DISPOSAL [Non-Household Label]

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke. Call your Local Waste Agency for any questions on proper disposal.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

7/8

MASTER LABEL – BACK PANEL (Page 4 of 4)

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For:
Woodstream Corporation
69 N. Locust St
Lititz, PA 17543-0327
For Information Call: 1-800-800-1819

EPA Reg. No. 47629-14

EPA Est. No. 47629-PA-01

© Copyright 2007 Woodstream Corp.
Made In USA

8/8

MASTER LABEL – OPTIONAL CLAIMS (Page 1 of 1)

[Additional - Optional Marketing/Advertising Claims]

- Palatable pellet bait.
- Palatable bait formulation
- Palatable formulation
- Formulated for Norway rat, roof rat, and house mice control
- Contains Difenacoum.
- Controls Norway rats, roof rats, and house mice
- 0.005% Difenacoum pellets
- Demonstrated control of Norway rats, roof rats, and house mice
- Kills Norway rats, roof rats, and house mice