04/03/2008

ł

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



47629-14

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

April 3, 2008

Woodstream 69 N. Locust Lititz, PA 175 Attention: Mr	Street	345 1155 366 1155	5-827072 1 <u>-7276</u> 7	
Subject	Difenacoum Rat and Mouse Pellets EPA Reg. No. 47629-14 Your amended application of November 26, 2007 Your amended application of December 10, 2007 Your resubmissions of January 16, March 7, 20, an	d 26, 2008		
Purpose	Rodenticide Act (FIFRA), is to revise your label, ch	theses submissions, under the Federal Insecticide, Fungicide, and (FIFRA), is to revise your label, change package size/net contents, nate Confidential Statement of Formula (CSF), for this product.		
Labeling	The labeling submitted with the above letter is accept one (1) copy of final printed labeling to us, before y	· · -	•	
CSF	•	iewed your alternate CSF, dated January 15, 2008, for this product and t acceptable with your submission of March 26, 2008.		
Existing stocks	Stocks of product with existing labels may be used	for eighteen	(18) months.	
Consequence for non- compliance	If these condition are not complied with, the registra cancellation in accordance with FIFRA section 6(e) the product constitutes acceptance of these conditio	. Your relea		

Questions If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or <u>peacock,dan@epa.gov</u> (by E-Mail).

Sincerely yours,

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C)

Enclosures1. Stamped Label
2. Minimum Type Size Requirements for Final Printed LabelsLetterDan Peacock, Flash Drive, 2gb, P:\Documents\Word, WP, Excel,
etc\Difenacoum\47629-14\47629-14, label changes, alt CSF, 4-2-2008.doc

2

EPA Reg. No. 47629-14 Label Amendment – (Revision of December 10, 2007 Amendment as per Agency Comments dated February 27, 2008) March 7, 2008 Page 1 of 14

MASTER LABEL – OUTER CONTAINER FRONT PANEL (Page 1 of 1) [Rat and Mouse Control – Pellet and Pellet Filled Tray Products]

DIFENACOUM RAT AND MOUSE PELLETS

[Optional Logos/Marketing Claims]

- [Kills] [Controls]Rats & Mice
- Indoor/Outdoor
- For use in Attics, Kitchens, Basements, Garages
- Can be used in Attics, Kitchens, Basements, Garages
- Peal N' PlaceTM No-TouchTM Bait Trays [Pellet Filled Tray Products Only]
- No-TouchTM Design [Pellet Filled Tray Products Only]

ACCEPTED
APR 3 2008 0 005% Onder the Federal Insecticide Fungicide, and Rodenticide AO.000% as amended, for the pesticide
registered under BPA Reg. No. 47629-14

KEEP OUT OF REACH OF CHILDREN

CAUTION: (See back/side panel for additional precautionary labeling)

NET CONTENTS:

[Pellet Products:] 4 oz. (113.39g), 8 oz. (226.79g), 16 oz. (453.59)

[Pellet Filled Tray Products:] 4.5 oz (3 X 1.5 oz. [Ready To Use] [Bait Filled Trays] [Peel N' Place Bait Trays] [Bait Trays])

[to]

12.0 oz (8 X 1.5 oz. [Ready To Use] [Bait Filled Trays] [Peel N' Place Bait Trays] [Bait Trays])

047629-00014.20080307.3-7-08 EPA MASTER LABEL.pdf

EPA Reg. No. 47629-14 Label Amendment – (Revision of December 10, 2007 Amendment as per Agency Comments dated February 27, 2008) March 7, 2008 Page 2 of 14

MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 1 of 5)

[Rat and Mouse Control – Pellet and Pellet Filled Tray Products]

[Pellet and Pellet Filled Tray Products] PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals CAUTION: Harmful if swallowed.

	FIRST AID
	Have label with you when obtaining treatment advice.
If swallowed:	- Call a poison control center or doctor immediately for treatment advice.
	 Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.
	NOTE TO PHYSICIAN OR VETERINARIAN
	terial may reduce the clotting ability of the blood and cause bleeding. If Vitamin K_1 intramuscularly or orally. Repeat as necessary based on

monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL!: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

- 1. Store unused product out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.

EPA Reg. No. 47629-14 Label Amendment – (Revision of December 10, 2007 Amendment as per Agency Comments dated February 27, 2008) March 7, 2008 Page 3 of 14

MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 2 of 5) [Rat and Mouse Control – Pellet and Pellet Filled Tray Products]

3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control norway rats, roof rats, and house mice only at the **Urban** and **Non-urban** sites identified below. Do not use this product in sewers. Do not place bait near to or inside of ventilation duct openings. Do not contaminate water, food, feed, food or feed handling equipment, milk or meat handling equipment, or any area where there is a possibility of contaminating food, feed, milk, or meat, or surfaces that come into contact with food, feed, milk, or meat. All placements of this product in USDA-inspected facilities must be in tamper-resistant bait stations. Do not broadcast bait. Wear water-resistant gloves when handling bait.

Urban Areas: This product may only be used in and around homes, industrial, commercial, and public buildings, and similar man-made structures; in transport vehicles (ships, trains, and aircraft) and in and around related port or terminal buildings; and in alleys. All outdoor bait placements must be made in tamper-resistant bait stations, locked and secured as necessary, unless children, pets, domestic animals, and nontarget wildlife are reliably denied access to the bait placement locations.

Non-urban Areas: This product may only be used inside of homes, and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where rats will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where rats or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

[Pellet Products Only] APPLICATION DIRECTIONS:

[Qualifier statement for 4 oz product] This package contains enough bait (4 ounces) to kill 1 to 3 rats.

[Qualifier statement for 8 oz product] This package contains enough bait (8 ounces) to kill 2 to 6 rats.

[Qualifier statement for 12 oz product] This package contains enough bait (12 ounces) to kill 3 to 9 rats.

EPA Reg. No. 47629-14 Label Amendment – (Revision of December 10, 2007 Amendment as per Agency Comments dated February 27, 2008) March 7, 2008 Page 4 of 14

MASTER LABEL - OUTER CONTAINER BACK PANEL (Page 3 of 5)

[Rat and Mouse Control – Pellet and Pellet Filled Tray Products]

Norway Rats and Roof Rats: Apply 4 to 16 ounces of bait per placement, using tamperresistant bait stations as require under "IMPORTANT". Space placements at intervals of 15 to 30 feet in infested areas pertaining to structures. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of feeding by rats cease to appear.

House Mice: Apply $\frac{1}{4}$ to $\frac{1}{2}$ ounce of bait per placement, using tamper-resistant bait stations as require under "IMPORTANT". Space placements at intervals of 8 to 12 feet in infested areas pertaining to structures. Larger quantities (up to 2 ounces) may be made in areas of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Using water-resistant gloves, collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

[Pellet Filled Tray Products Only] APPLICATION DIRECTIONS:

[Qualifier statement for 4.5 oz (3 x 1.5 oz. pellet trays) product] This package contains enough bait (6.0 ounces) to kill 1 to 3 rats.

[Qualifier statement for 6.0 oz (4 x 1.5 oz. pellet trays) product] This package contains enough bait (6.0 ounces) to kill 1 to 4 rats.

[Qualifier statement for 7.5 oz (5 x 1.5 oz. pellet trays) product] This package contains enough bait (7.5 ounces) to kill 1 to 5 rats.

[Qualifier statement for 9.0 oz (6 x 1.5 oz. pellet trays) product] This package contains enough bait (9.0 ounces) to kill 2 to 6 rats.

[Qualifier statement for 10.5 oz (7 x 1.5 oz. pellet trays) product] This package contains enough bait (10.5 ounces) to kill 2 to 7 rats.

[Qualifier statement for 12.0 oz (8 x 1.5 oz. pellet trays) product] This package contains enough bait (12.0 ounces) to kill 3 to 9 rats.

EPA Reg. No. 47629-14 Label Amendment – (Revision of December 10, 2007 Amendment as per Agency Comments dated February 27, 2008) March 7, 2008 Page 5 of 14

MASTER LABEL - OUTER CONTAINER BACK PANEL (Page 4 of 5)

[Rat and Mouse Control – Pellet and Pellet Filled Tray Products]

Norway Rats and Roof Rats: Use 3 to 10 [bait (filled)] [Peel N' Place bait] trays per placement, using tamper-resistant bait stations as required under "IMPORTANT". Space placements at intervals of 15 to 30 feet in infested areas pertaining to structures. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of feeding by rats cease to appear.

House Mice: Open [bait (filled)] [Peel N' Place bait] tray and apply ¹/₄ to ¹/₂ ounce of bait per placement, using tamper-resistant bait stations as require under "**IMPORTANT**". Space placements at intervals of 8 to 12 feet in infested areas pertaining to structures. Larger quantities (up to one 1.5 ounce [bait (filled)] [Peel N' Place bait] tray) may be placed in areas of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Using water-resistant gloves, collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

[Pellet and Pellet Filled Tray Products]

STORAGE AND DISPOSAL [Household Label] STORAGE: Store in original container in a cool, dry place inaccessible to children and pets. DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. Partly Filled Containers and Spoiled and Unconsumed Bait: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

STORAGE AND DISPOSAL [Non-Household Label]

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke. Call your Local Waste Agency for any questions on proper disposal.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

EPA Reg. No. 47629-14 Label Amendment – (Revision of December 10, 2007 Amendment as per Agency Comments dated February 27, 2008) March 7, 2008 Page 6 of 14

MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 5 of 5) [Rat and Mouse Control – Pellet and Pellet Filled Tray Products]

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For: Woodstream Corporation 69 N. Locust St Lititz, PA 17543-0327 For Information Call: 1-800-800-1819

EPA Reg. No.47629-14EPA Est. No.47629-PA-01

[©] Copyright 2007 Woodstream Corp. Made In USA

EPA Reg. No. 47629-14 Label Amendment – (Revision of December 10, 2007 Amendment as per Agency Comments dated February 27, 2008) March 7, 2008 Page 7 of 14

MASTER LABEL – PELLET TRAY FRONT PANEL (Page 1 of 1) [Rat and Mouse Control– Pellet Filled Tray Products Only]

DIFENACOUM RAT AND MOUSE PELLETS

ACTIVE INGREDIENTS:	BY WT.
Difenacoum	0.005%
OTHER INGREDIENTS:	<u>99.995%</u>
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN CAUTION

STOP! Read entire label, including precautions, use directions, and storage and disposal text prior to using this product. Follow application directions for bait placement.

For First Aid Treatment advice, call a poison control center, doctor, or 1-800-222-1222

It is illegal to sell this [bait (filled)] [Peel N' Place bait] tray individually.

Manufactured For: Woodstream Corporation 69 N. Locust St Lititz, PA 17543-0327 For Information Call: 1-800-800-1819

EPA Reg. No. 47629-14

EPA Est. No. 47629-PA-01

NET CONTENTS: 1.5 oz (42.52g)



EPA Reg. No. 47629-14 Label Amendment – (Revision of December 10, 2007 Amendment as per Agency Comments dated February 27, 2008) March 7, 2008 Page 8 of 14

MASTER LABEL – OPTIONAL CLAIMS (Page 1 of 1)

[Rat and Mouse Control – Pellet and Pellet Filled Tray Products]

[Additional - Optional Marketing/Advertising Claims]

- Palatable pellet bait.
- Palatable bait formulation
- Palatable formulation
- Contains Difenacoum
- 0.005% Difenacoum pellets
- Formulated for norway rat, roof rat, and house mice control
- Demonstrated control of norway rats, roof rats, and house mice
- [Controls] [Kills] norway rats, roof rats, and house mice
- [Kills][Controls] rats & mice in and around the home
- [Kills][Controls] rats & mice both inside and outside the home
- Can be used Indoors or Outdoors for control of Rats & Mice
- For Indoor and Outdoor Rat & Mouse Control
- For indoor and outdoor use.
- Ready to use

EPA Reg. No. 47629-14 Label Amendment – (Revision of December 10, 2007 Amendment as per Agency Comments dated February 27, 2008) March 7, 2008 Page 9 of 14

MASTER LABEL – OUTER CONTAINER FRONT PANEL (Page 1 of 1) [Mouse Control Only –Pellet Filled Tray Product]

[NON-RAT ADDITIONAL BRAND NAMES ONLY]

[Additional Brand Names]

Difenacoum Mouse Pellets

[Optional Logos/Marketing Claims]

- [Kills] [Controls] Mice
- Indoor/Outdoor
- For use in Attics, Kitchens, Basements, Garages
- Can be used in Attics, Kitchens, Basements, Garages
- Peal N' PlaceTM No-TouchTM Bait Trays
- No-TouchTM Design

ACTIVE INGREDIENT:	BY WT.
Difenacoum	0.005%
OTHER INGREDIENTS:	
TOTAL:	

KEEP OUT OF REACH OF CHILDREN

CAUTION: (See back/side panel for additional precautionary labeling)

NET CONTENTS:

3.0 oz (2 X 1.5 oz. [Ready To Use] [Bait Filled Trays] [Peel N' Place Bait Trays] [Bait Trays])

EPA Reg. No. 47629-14 Label Amendment – (Revision of December 10, 2007 Amendment as per Agency Comments dated February 27, 2008) March 7, 2008 Page 10 of 14

MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 1 of 3)

[Mouse Control Only –Pellet Filled Tray Product]

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals **CAUTION:** Harmful if swallowed.

New (, , , , , , , , , , , , , , , , , ,	FIRST AID
	Have label with you when obtaining treatment advice.
If swallowed:	- Call a poison control center or doctor immediately for treatment advice.
	 Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.
	NOTE TO PHYSICIAN OR VETERINARIAN
•	terial may reduce the clotting ability of the blood and cause bleeding. If /itamin K_1 intramuscularly or orally. Repeat as necessary based on mbin times.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL!: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

- 1. Store unused product out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.

EPA Reg. No. 47629-14 Label Amendment – (Revision of December 10, 2007 Amendment as per Agency Comments dated February 27, 2008) March 7, 2008 Page 11 of 14

MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 2 of 3)

[Mouse Control Only –Pellet Filled Tray Product]

3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control house mice only at the **Urban** and **Non-urban** sites identified below. Do not use this product in sewers. Do not place bait near to or inside of ventilation duct openings. Do not contaminate water, food, feed, food or feed handling equipment, milk or meat handling equipment, or any area where there is a possibility of contaminating food, feed, milk, or meat, or surfaces that come into contact with food, feed, milk, or meat. All placements of this product in USDA-inspected facilities must be in tamper-resistant bait stations. Do not broadcast bait. Wear water-resistant gloves when handling bait.

Urban Areas: This product may only be used in and around homes, industrial, commercial, and public buildings, and similar man-made structures; in transport vehicles (ships, trains, and aircraft) and in and around related port or terminal buildings; and in alleys. All outdoor bait placements must be made in tamper-resistant bait stations, locked and secured as necessary, unless children, pets, domestic animals, and nontarget wildlife are reliably denied access to the bait placement locations.

Non-urban Areas: This product may only be used inside of homes, and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

House Mice: Open [bait (filled)] [Peel N' Place bait] tray and apply ¹/₄ to ¹/₂ ounce of bait per placement, using tamper-resistant bait stations as require under "**IMPORTANT**". Space placements at intervals of 8 to 12 feet in infested areas pertaining to structures. Larger quantities (up to one 1.5 ounce [bait (filled)] [Peel N' Place bait] tray) may be placed in areas of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Using water-resistant gloves, collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

EPA Reg. No. 47629-14 Label Amendment – (Revision of December 10, 2007 Amendment as per Agency Comments dated February 27, 2008) March 7, 2008 Page 12 of 14

MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 3 of 3)

[Mouse Control Only –Pellet Filled Tray Product]

STORAGE AND DISPOSAL [Household Label]

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets. **DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. **Partly Filled Containers and Spoiled and Unconsumed Bait:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

STORAGE AND DISPOSAL [Non-Household Label]

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke. Call your Local Waste Agency for any questions on proper disposal.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For: Woodstream Corporation 69 N. Locust St Lititz, PA 17543-0327 For Information Call: 1-800-800-1819

EPA Reg. No. 47629-14 EPA Est. No. 47629-PA-01

[©] Copyright 2007 Woodstream Corp. Made In USA EPA Reg. No. 47629-14 Label Amendment – (Revision of December 10, 2007 Amendment as per Agency Comments dated February 27, 2008) March 7, 2008 Page 13 of 14

MASTER LABEL – PELLET TRAY FRONT PANEL (Page 1 of 1) [Mouse Control Only –Pellet Filled Tray Product]

[NON-RAT ADDITIONAL BRAND NAMES ONLY]

ACTIVE INGREDIENTS:	BY WT.
Difenacoum	0.005%
OTHER INGREDIENTS:	<u>99.995%</u>
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN CAUTION

STOP! Read entire label, including precautions, use directions, and storage and disposal text prior to using this product. Follow application directions for bait placement.

For First Aid Treatment advice, call a poison control center, doctor, or 1-800-222-1222

It is illegal to sell this [bait (filled)] [Peel N' Place bait] tray individually.

Manufactured For: Woodstream Corporation 69 N. Locust St Lititz, PA 17543-0327 For Information Call: 1-800-800-1819

EPA Reg. No. 47629-14

EPA Est. No. 47629-PA-01

NET CONTENTS: 1.5 oz (42.52g)

EPA Reg. No. 47629-14 Label Amendment – (Revision of December 10, 2007 Amendment as per Agency Comments dated February 27, 2008) March 7, 2008 Page 14 of 14

MASTER LABEL – OPTIONAL CLAIMS (Page 1 of 1)

[Mouse Control Only –Pellet Filled Tray Product]

[Additional - Optional Marketing/Advertising Claims]

- Palatable pellet bait.
- Palatable bait formulation
- Palatable formulation
- Contains Difenacoum
- 0.005% Difenacoum pellets
- Formulated for house mice control
- Demonstrated control of house mice
- [Controls] [Kills] house mice
- [Kills][Controls] mice in and around the home
- [Kills][Controls] mice both inside and outside the home
- Can be used Indoors or Outdoors for control of Mice
- For Indoor and Outdoor Mouse Control
- For indoor and outdoor use.
- Ready to use