

47619-14

05/28/2009

1/29



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

May 28, 2009

300
1165
5-850992

Woodstream Corp.
69 N. Locust Street
Lititz, PA 17543-0327

Decision #
407441

Attention: Mr. Chad Mateer

Subject Difenacoum Rat and Mouse Pellets
EPA Reg. No. 47629-14 ✓
Difenacoum Rat and Mouse Block
EPA Reg. No. 47629-16
Difenacoum Rat and Mouse Place Packs
EPA Reg. No. 47629-17
Your amended applications of February 17, 2009

Purpose For each product, the purpose of the submission, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is to revise your label, into three (3) distinct sublabels: 1. Consumer Use, 2. Agricultural Building Use, and 3. Professional Use.

Labeling For each product, the labeling submitted with the above letter is acceptable, provided that you submit one (1) copy of final printed labeling to us, with the following changes, before you ship the product.

1. Revise your "PRECAUTIONARY STATEMENTS" according to Enclosure 1.

Labeling-continued

- 2. In the "Use Restrictions", after "or meat", add this sentence:

Do not use in edible product areas of food or feed processing plants or other areas where food or feed is commercially prepared or processed.

- 3. Bold "**Do not apply further than 50 feet from buildings.**"
- 4. Add "only" after "agricultural buildings" [Agricultural Building Sublabel only]
- 5. Move the following sentences to the end of the section in their own paragraph, for emphasis:

Do not sell this product in individual containers holding less than 8 pounds of bait. [Agricultural Building Use Sublabel]

Do not sell this product in individual containers holding less than 16 pounds of bait. [Professional Use Sublabel]

- 6. In your "Storage and Disposal" text, use Enclosure 2 to revised your text.
- 7. Delete the following text after "incineration", wherever it occurs:

"or if allowed by state and local authorities, by burning; if burned, stay out of smoke."

Existing stocks

Stocks of products with existing labels may be used for 18 months.

Consequence for non-compliance

If these conditions are not complied with, the registrations will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the products constitutes acceptance of these conditions.

Conditions of Approval

These registrations are not consistent with the Agency's May 28, 2008, "Risk Mitigation Decision for Ten Rodenticides." EPA anticipates cancellation of those existing products that are not consistent with the Risk Mitigation Decision to occur no later than June 4, 2011. In the meantime, EPA is approving new registrations and amendments to existing registrations of rodenticide bait products, on a time-limited basis, so long as the registrations do not present greater risks of unreasonable adverse effects than existing products. Accordingly, these registrations are approved only subject to the condition that the registrations shall expire on June 4, 2011. This condition of registration may be amended in conjunction with amendments to conform to the Risk Mitigation Decision. Absent such amendments, product released for shipment by the registrant after June 4, 2011, would be in violation of FIFRA.

Questions

If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or peacock,dan@epa.gov (by E-Mail).

Sincerely yours,



Daniel B. Peacock, Biologist
Insecticide-Rodenticide Branch
Registration Division (7504C)

Enclosures

1. "PRECAUTIONARY STATEMENTS" for 47629-14, -16, -17
2. Storage and Disposal Texts to 47629-14, -16, and -17
3. Stamped Label
4. Minimum Type Size Requirements for Final Printed Labels

Letter

Dan Peacock, Flash Drive, 16gb, E:\4G Dan\Doc\Word\Difenacoum\47629-14\47629-14, -16, -17, rev label, 3 parts, 5-28-2009.doc

Enclosure 1. "PRECAUTIONARY STATEMENTS" for 47629-14, -16, -17.

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets. All handlers (including applicators) must wear shoes plus socks, and gloves. [Omit previous sentence for Consumer Subset Label.] Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

[Omit "User Safety Requirements" for "Consumer Subset Label".

FIRST AID

HAVE LABEL WHEN OBTAINING TREATMENT ADVICE IF SWALLOWED:

- Call a poison control center, doctor, or 1-800-858-7378¹ [optional] immediately for treatment advice.
- Have a person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

¹ Also call this number for information on health concerns and pesticide incidents.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian or 1-800-xxx-xxxx [optional] at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Anticoagulant Difenacoum: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. **For humans or dogs** that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K₁ intramuscularly or orally. **For Dogs**, check prothrombin times every 3 days until values return to normal (up to 30 days). Blood transfusions may be needed.

Environmental Hazards

This product is toxic for fish and wildlife. Dogs and predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water ...

Enclosure 2. Storage and Disposal Texts to 47629-14, -16, and -17

Storage and Disposal Text for Bait Products in Plastic and Paper Containers

Note: All texts delete option for [open] burning.

- [Containers Over 1 Pound, for Pocket Gopher or Mole Control, Underground Uses]**
- [Containers 4 lb or More, 1st Gen Anticoagulants/Non-Anticoag, Above Ground]**
- [Containers 8 lb or More, 2nd Gen Anticoagulants, Ag Building Use, Above Ground]**
- [Containers 16 lb or More, 2nd Gen Anticoagulants, PCO Use Use, Above Ground]**

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

Pesticide Disposal: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

[Plastic:] Triple rinse (or equivalent) then offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or incineration.

[Paper] Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

[Containers 1 Pound or Less]

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: Nonrefillable Container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP [tel # optional] for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Note: As stated in 40CFR156.140(a)(4), a batch code must be included on the label or package for container and containment for nonrefillables.]

7/29

EPA Reg. No. 47629-14
Label Amendment – Creation of Split Label/Incorporation of Rodenticide Risk Mitigation Language
February 17, 2009
Page 1 of 23

MASTER LABEL / COVER PAGE (Page 1 of 1)

Note: This master label bears directions for consumer, agricultural and professional use with various use restrictions specific to the associated container sizes.

DIFENACOUM RAT AND MOUSE PELLETS

Sublabel A: Consumer Use

Sublabel B: Agricultural Use

Sublabel C: Professional Use

ACCEPTED
With COMMENTS
In EPA Letter Dated:

MAY 28 2009

~~[Additional Brand Names]~~
Under the Federal Insecticide, Fungicide
and Rodenticide Act, As amended, for the
Victor V[®] Multi-Kill Brand Rat Pellets
pesticide Registered under EPA Reg. No:

47629-14

ACTIVE INGREDIENT:	BY WT.
Difenacoum.....	0.005%
OTHER INGREDIENTS:	<u>99.995%</u>
TOTAL:	100.000%

Manufactured For:
Woodstream Corporation
69 N. Locust St
Lititz, PA 17543-0327
For Information Call: 1-800-800-1819

EPA Reg. No. 47629-14
EPA Est. No. 47629-PA-01

© Copyright 2009 Woodstream Corp.
Made In USA

8/29

MASTER LABEL / SUBLABEL A – CONSUMER USE
(Outer Container Front Panel - Page 1 of 1)
[Rat and Mouse Control – Pellet and Pellet Filled Tray Products]

DIFENACOUM RAT AND MOUSE PELLETS

[Optional Logos/Marketing Claims]

- For use in Attics, Kitchens, Basements, Garages
- Can be used in Attics, Kitchens, Basements, Garages
- Peel N' Place™ No-Touch™ Bait Trays *[Pellet Filled Tray Products Only]*
- No-Touch™ Design *[Pellet Filled Tray Products Only]*

ACTIVE INGREDIENT:	BY WT.
Difenacoum.....	0.005%
OTHER INGREDIENTS:.....	99.995%
TOTAL:.....	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION: (See back/side panel for additional precautionary labeling)

NET CONTENTS:

[Pellet Products:]

4.oz. (113.39g) *[to]* 1 lb/16 oz. (453.59g)

[Pellet Filled Tray Products:]

4.5 oz (3 X 1.5 oz. [Ready To Use] [Bait Filled Trays] [Peel N' Place Bait Trays] [Bait Trays])

[to]

12.0 oz (8 X 1.5 oz. [Ready To Use] [Bait Filled Trays] [Peel N' Place Bait Trays] [Bait Trays])

9/29

MASTER LABEL / SUBLABEL A – CONSUMER USE

(Outer Container Back Panel - Page 1 of 5)

[Rat and Mouse Control – Pellet and Pellet Filled Tray Products]

[Pellet and Pellet Filled Tray Products]

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed.

FIRST AID	
Have label with you when obtaining treatment advice.	
If swallowed:	<ul style="list-style-type: none"> - Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor.
NOTE TO PHYSICIAN OR VETERINARIAN	
If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K ₁ intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.	

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL!: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

1. Store unused product out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed

10/29

MASTER LABEL / SUBLABEL A – CONSUMER USE

(Outer Container Back Panel - Page 2 of 5)

[Rat and Mouse Control – Pellet and Pellet Filled Tray Products]

livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control norway rats, roof rats, and house mice only at the **Urban** and **Non-urban** sites identified below. Do not use this product in sewers. Do not place bait near to or inside of ventilation duct openings. Do not contaminate water, food, feed, food or feed handling equipment, milk or meat handling equipment, or any area where there is a possibility of contaminating food, feed, milk, or meat, or surfaces that come into contact with food, feed, milk, or meat. All placements of this product in USDA-inspected facilities must be in tamper-resistant bait stations. Do not broadcast bait. Wear water-resistant gloves when handling bait.

Urban Areas: This product may only be used in and around homes, industrial, commercial, and public buildings, and similar man-made structures; in transport vehicles (ships, trains, and aircraft) and in and around related port or terminal buildings; and in alleys. All outdoor bait placements must be made in tamper-resistant bait stations, locked and secured as necessary, unless children, pets, domestic animals, and nontarget wildlife are reliably denied access to the bait placement locations.

Non-urban Areas: This product may only be used inside of homes, and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where rats will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where rats or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

[Pellet Products Only]

APPLICATION DIRECTIONS:

[Qualifier statement for 4 oz product] This package contains enough bait (4 ounces) to kill 1 to 3 rats.

[Qualifier statement for 8 oz product] This package contains enough bait (8 ounces) to kill 2 to 6 rats.

[Qualifier statement for 12 oz product] This package contains enough bait (12 ounces) to kill 3 to 9 rats.

MASTER LABEL / SUBLABEL A – CONSUMER USE
(Outer Container Back Panel - Page 3 of 5)
[Rat and Mouse Control – Pellet and Pellet Filled Tray Products]

Norway Rats and Roof Rats: Apply 4 to 16 ounces of bait per placement, using tamper-resistant bait stations as require under “**IMPORTANT**”. Space placements at intervals of 15 to 30 feet in infested areas pertaining to structures. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of feeding by rats cease to appear.

House Mice: Apply ¼ to ½ ounce of bait per placement, using tamper-resistant bait stations as require under “**IMPORTANT**”. Space placements at intervals of 8 to 12 feet in infested areas pertaining to structures. Larger quantities (up to 2 ounces) may be made in areas of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Using water-resistant gloves, collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

[Pellet Filled Tray Products Only]
APPLICATION DIRECTIONS:

[Qualifier statement for 4.5 oz (3 x 1.5 oz. pellet trays) product] This package contains enough bait (6.0 ounces) to kill 1 to 3 rats.

[Qualifier statement for 6.0 oz (4 x 1.5 oz. pellet trays) product] This package contains enough bait (6.0 ounces) to kill 1 to 4 rats.

[Qualifier statement for 7.5 oz (5 x 1.5 oz. pellet trays) product] This package contains enough bait (7.5 ounces) to kill 1 to 5 rats.

[Qualifier statement for 9.0 oz (6 x 1.5 oz. pellet trays) product] This package contains enough bait (9.0 ounces) to kill 2 to 6 rats.

[Qualifier statement for 10.5 oz (7 x 1.5 oz. pellet trays) product] This package contains enough bait (10.5 ounces) to kill 2 to 7 rats.

[Qualifier statement for 12.0 oz (8 x 1.5 oz. pellet trays) product] This package contains enough bait (12.0 ounces) to kill 3 to 9 rats.

12/29

EPA Reg. No. 47629-14

Label Amendment – Creation of Split Label/Incorporation of Rodenticide Risk Mitigation Language

February 17, 2009

Page 6 of 23

MASTER LABEL / SUBLABEL A – CONSUMER USE

(Outer Container Back Panel - Page 4 of 5)

[Rat and Mouse Control – Pellet and Pellet Filled Tray Products]

Norway Rats and Roof Rats: Use 3 to 10 [bait (filled)] [Peel N' Place bait] trays per placement, using tamper-resistant bait stations as required under “**IMPORTANT**”. Space placements at intervals of 15 to 30 feet in infested areas pertaining to structures. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of feeding by rats cease to appear.

House Mice: Open [bait (filled)] [Peel N' Place bait] tray and apply ¼ to ½ ounce of bait per placement, using tamper-resistant bait stations as require under “**IMPORTANT**”. Space placements at intervals of 8 to 12 feet in infested areas pertaining to structures. Larger quantities (up to one 1.5 ounce [bait (filled)] [Peel N' Place bait] tray) may be placed in areas of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Using water-resistant gloves, collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

[Pellet and Pellet Filled Tray Products]

STORAGE AND DISPOSAL

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets.

DISPOSAL: If empty: Nonrefillable container. Do not reuse this container. Place in trash or offer for recycling if available. **Partly Filled Containers and Spoiled and Unconsumed Bait:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

13/29

EPA Reg. No. 47629-14
Label Amendment – Creation of Split Label/Incorporation of Rodenticide Risk Mitigation Language
February 17, 2009
Page 7 of 23

MASTER LABEL / SUBLABEL A – CONSUMER USE
(Outer Container Back Panel - Page 5 of 5)
[Rat and Mouse Control – Pellet and Pellet Filled Tray Products]

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For:
Woodstream Corporation
69 N. Locust St
Lititz, PA 17543-0327
For Information Call: 1-800-800-1819

EPA Reg. No. 47629-14
EPA Est. No. 47629-PA-01

© Copyright 2009 Woodstream Corp.
Made In USA

14/29

EPA Reg. No. 47629-14
Label Amendment – Creation of Split Label/Incorporation of Rodenticide Risk Mitigation Language
February 17, 2009
Page 8 of 23

MASTER LABEL / SUBLABEL A – CONSUMER USE
(Pellet Tray Front Panel - Page 1 of 1)
[Rat and Mouse Control– Pellet Filled Tray Products Only]

DIFENACOUM RAT AND MOUSE PELLETS

ACTIVE INGREDIENTS:	BY WT.
Difenacoum.....	0.005%
OTHER INGREDIENTS:	99.995%
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN CAUTION

STOP! Read entire label, including precautions, use directions, and storage and disposal text prior to using this product. Follow application directions for bait placement.

For First Aid Treatment advice, call a poison control center, doctor, or 1-800-222-1222

It is illegal to sell this [bait (filled)] [Peel N' Place bait] tray individually.

Manufactured For:
Woodstream Corporation
69 N. Locust St
Lititz, PA 17543-0327
For Information Call: 1-800-800-1819

EPA Reg. No. 47629-14

EPA Est. No. 47629-PA-01

NET CONTENTS: 1.5 oz (42.52g)

15/29

EPA Reg. No. 47629-14

Label Amendment – Creation of Split Label/Incorporation of Rodenticide Risk Mitigation Language

February 17, 2009

Page 9 of 23

MASTER LABEL / SUBLABEL A – CONSUMER USE

(Outer Container Front Panel - Page 1 of 1)

[Mouse Control Only – Pellet Filled Tray Product]

[NON-RAT ADDITIONAL BRAND NAMES ONLY]

[Optional Logos/Marketing Claims]

- For use in Attics, Kitchens, Basements, Garages
- Can be used in Attics, Kitchens, Basements, Garages
- Peel N' Place™ No-Touch™ Bait Trays
- No-Touch™ Design

ACTIVE INGREDIENT:	BY WT.
Difenacoum.....	0.005%
OTHER INGREDIENTS:	99.995%
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION: (See back/side panel for additional precautionary labeling)

NET CONTENTS:

3.0 oz (2 X 1.5 oz. [Ready To Use] [Bait Filled Trays] [Peel N' Place Bait Trays] [Bait Trays])

16/29

MASTER LABEL / SUBLABEL A – CONSUMER USE
(Outer Container Back Panel - Page 1 of 3)
[Mouse Control Only –Pellet Filled Tray Product]

PRECAUTIONARY STATEMENTS:
Hazards to Humans and Domestic Animals
CAUTION: Harmful if swallowed.

FIRST AID	
Have label with you when obtaining treatment advice.	
If swallowed:	<ul style="list-style-type: none">- Call a poison control center or doctor immediately for treatment advice.- Have person sip a glass of water if able to swallow.- Do not induce vomiting unless told to do so by the poison control center or doctor.
NOTE TO PHYSICIAN OR VETERINARIAN	
If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K ₁ intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.	

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL!: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

1. Store unused product out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.

17/29

MASTER LABEL / SUBLABEL A – CONSUMER USE

(Outer Container Back Panel – Page 2 of 3)

[Mouse Control Only – Pellet Filled Tray Product]

3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control house mice only at the **Urban** and **Non-urban** sites identified below. Do not use this product in sewers. Do not place bait near to or inside of ventilation duct openings. Do not contaminate water, food, feed, food or feed handling equipment, milk or meat handling equipment, or any area where there is a possibility of contaminating food, feed, milk, or meat, or surfaces that come into contact with food, feed, milk, or meat. All placements of this product in USDA-inspected facilities must be in tamper-resistant bait stations. Do not broadcast bait. Wear water-resistant gloves when handling bait.

Urban Areas: This product may only be used in and around homes, industrial, commercial, and public buildings, and similar man-made structures; in transport vehicles (ships, trains, and aircraft) and in and around related port or terminal buildings; and in alleys. All outdoor bait placements must be made in tamper-resistant bait stations, locked and secured as necessary, unless children, pets, domestic animals, and nontarget wildlife are reliably denied access to the bait placement locations.

Non-urban Areas: This product may only be used inside of homes, and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

House Mice: Open [bait (filled)] [Peel N' Place bait] tray and apply ¼ to ½ ounce of bait per placement, using tamper-resistant bait stations as require under “**IMPORTANT**”. Space placements at intervals of 8 to 12 feet in infested areas pertaining to structures. Larger quantities (up to one 1.5 ounce [bait (filled)] [Peel N' Place bait] tray) may be placed in areas of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Using water-resistant gloves, collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

18/29

EPA Reg. No. 47629-14
Label Amendment – Creation of Split Label/Incorporation of Rodenticide Risk Mitigation Language
February 17, 2009
Page 12 of 23

MASTER LABEL / SUBLABEL A – CONSUMER USE
(Outer Container Back Panel – Page 3 of 3)
[Mouse Control Only – Pellet Filled Tray Product]

STORAGE AND DISPOSAL

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets.

DISPOSAL: If empty: Nonrefillable container. Do not reuse this container. Place in trash or offer for recycling if available. **Partly Filled Containers and Spoiled and Unconsumed Bait:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For:
Woodstream Corporation
69 N. Locust St
Lititz, PA 17543-0327
For Information Call: 1-800-800-1819

EPA Reg. No. 47629-14
EPA Est. No. 47629-PA-01

© Copyright 2007 Woodstream Corp.
Made In USA

19/28

MASTER LABEL / SUBLABEL A – CONSUMER USE
(Pellet Tray Front Panel - Page 1 of 1)
[Mouse Control Only – Pellet Filled Tray Product]

[NON-RAT ADDITIONAL BRAND NAMES ONLY]

ACTIVE INGREDIENTS:	BY WT.
Difenacoum.....	0.005%
OTHER INGREDIENTS:	<u>99.995%</u>
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN
CAUTION

STOP! Read entire label, including precautions, use directions, and storage and disposal text prior to using this product. Follow application directions for bait placement.

For First Aid Treatment advice, call a poison control center, doctor, or 1-800-222-1222

It is illegal to sell this [bait (filled)] [Peel N' Place bait] tray individually.

Manufactured For:
Woodstream Corporation
69 N. Locust St
Lititz, PA 17543-0327
For Information Call: 1-800-800-1819

EPA Reg. No. 47629-14

EPA Est. No. 47629-PA-01

NET CONTENTS: 1.5 oz (42.52g)

20/29

EPA Reg. No. 47629-14
Label Amendment – Creation of Split Label/Incorporation of Rodenticide Risk Mitigation Language
February 17, 2009
Page 14 of 23

MASTER LABEL / SUBLABEL B – AGRICULTURAL USE
(Outer Container Front Panel - Page 1 of 1)

DIFENACOUM RAT AND MOUSE PELLETS

For Use In and Around Agricultural Buildings Only

ACTIVE INGREDIENT:	BY WT.
Difenacoum.....	0.005%
OTHER INGREDIENTS:	<u>99.995%</u>
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION: (See back/side panel for additional precautionary labeling)

NET CONTENTS:

8lb/128 oz. (3628.74g) *[to]* 50 lb/800 oz. (22679.62g)

MASTER LABEL / SUBLABEL B – AGRICULTURAL USE
(Outer Container Back Panel - Page 1 of 3)

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed.

FIRST AID	
Have label with you when obtaining treatment advice.	
If swallowed:	<ul style="list-style-type: none">- Call a poison control center or doctor immediately for treatment advice.- Have person sip a glass of water if able to swallow.- Do not induce vomiting unless told to do so by the poison control center or doctor.
NOTE TO PHYSICIAN OR VETERINARIAN	
If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K ₁ intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.	

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL!: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

1. Store unused product out of reach of children and pets.
2. Apply product in bait stations for all outdoor placements.
3. Use tamper-resistant bait stations for all placements where children, pets, non-target mammals or birds may access bait. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are

22/29

MASTER LABEL / SUBLABEL B – AGRICULTURAL USE
(Outer Container Back Panel - Page 2 of 3)

needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control norway rats, roof rats, and house mice in and around agricultural buildings. Do not use in homes or other human residences. Do not apply further than 50 feet from agricultural buildings. Do not sell this product in individual containers holding less than 8 pounds of bait. Do not use this product in sewers. Do not place bait near to or inside of ventilation duct openings. Do not contaminate water, food, feed, food or feed handling equipment, milk or meat handling equipment, or any area where there is a possibility of contaminating food, feed, milk, or meat, or surfaces that come into contact with food, feed, milk, or meat. All outdoor placements of this product must be made in bait stations. Tamper-resistant bait stations must be used for outdoor and indoor placements of this product if children, pets, non-target mammals, or birds may access bait. All placements of this product in USDA-inspected facilities must be in tamper-resistant bait stations. Do not broadcast bait. Wear water-resistant gloves when handling bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where rats or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

Norway Rats and Roof Rats: Apply 4 to 16 ounces of bait per placement, using bait stations as require under “IMPORTANT”. Space placements at intervals of 15 to 30 feet in infested areas pertaining to structures. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of feeding by rats cease to appear.

House Mice: Apply ¼ to ½ ounce of bait per placement, using bait stations as require under “IMPORTANT”. Space placements at intervals of 8 to 12 feet in infested areas pertaining to structures. Larger quantities (up to 2 ounces) may be made in areas of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Using water-resistant gloves, collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

MASTER LABEL / SUBLABEL B – AGRICULTURAL USE
(Outer Container Back Panel - Page 3 of 3)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product, and spoiled and unconsumed bait, may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container.

Offer for recycling if available or dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Call your Local Waste Agency for any questions on proper disposal.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For:
Woodstream Corporation
69 N. Locust St
Lititz, PA 17543-0327
For Information Call: 1-800-800-1819

EPA Reg. No. 47629-14
EPA Est. No. 47629-PA-01

© Copyright 2009 Woodstream Corp.
Made In USA

EPA Reg. No. 47629-14
Label Amendment – Creation of Split Label/Incorporation of Rodenticide Risk Mitigation Language
February 17, 2009
Page 18 of 23

MASTER LABEL / SUBLABEL C – PROFESSIONAL USE
(Outer Container Front Panel - Page 1 of 1)

DIFENACOUM RAT AND MOUSE PELLETS

ACTIVE INGREDIENT:	BY WT.
Difenacoum.....	0.005%
OTHER INGREDIENTS:.....	99.995%
TOTAL:.....	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION: (See back/side panel for additional precautionary labeling)

NET CONTENTS:

16lb/256 oz. (7257.48g) *[to]* 50 lb/800 oz. (22679.62g)

25/29

MASTER LABEL / SUBLABEL C – PROFESSIONAL USE
(Outer Container Back Panel - Page 1 of 4)

PRECAUTIONARY STATEMENTS:
Hazards to Humans and Domestic Animals
CAUTION: Harmful if swallowed.

FIRST AID	
Have label with you when obtaining treatment advice.	
If swallowed:	<ul style="list-style-type: none"> - Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor.
NOTE TO PHYSICIAN OR VETERINARIAN	
If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K ₁ intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.	

ENVIRONMENTAL HAZARDS:
This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE:
It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL!: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

1. Store unused product out of reach of children and pets.
2. Apply product in bait stations for all outdoor placements.
3. Use tamper-resistant bait stations for all placements where children, pets, non-target mammals or birds may access bait. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are

26/09

MASTER LABEL / SUBLABEL C – PROFESSIONAL USE

(Outer Container Back Panel - Page 2 of 4)

needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control norway rats, roof rats, and house mice only at the **Urban** and **Non-urban** sites identified below. Do not apply further than 50 feet from agricultural buildings. Do not sell this product in individual containers holding less than 16 pounds of bait. Do not use this product in sewers. Do not place bait near to or inside of ventilation duct openings. Do not contaminate water, food, feed, food or feed handling equipment, milk or meat handling equipment, or any area where there is a possibility of contaminating food, feed, milk, or meat, or surfaces that come into contact with food, feed, milk, or meat. All outdoor placements of this product must be made in bait stations. Tamper-resistant bait stations must be used for outdoor and indoor placements of this product if children, pets, non-target mammals, or birds may access bait. All placements of this product in USDA-inspected facilities must be in tamper-resistant bait stations. Do not broadcast bait. Wear water-resistant gloves when handling bait.

Urban Areas: This product may only be used in and around homes, industrial, commercial, and public buildings, and similar man-made structures; in transport vehicles (ships, trains, and aircraft) and in and around related port or terminal buildings; and in alleys.

Non-urban Areas: This product may only be used inside of homes, and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where rats will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where rats or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

Norway Rats and Roof Rats: Apply 4 to 16 ounces of bait per placement, using bait stations as require under “**IMPORTANT**”. Space placements at intervals of 15 to 30 feet in infested areas pertaining to structures. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of feeding by rats cease to appear.

27/29

MASTER LABEL / SUBLABEL C – PROFESSIONAL USE
(Outer Container Back Panel - Page 3 of 4)

House Mice: Apply $\frac{1}{4}$ to $\frac{1}{2}$ ounce of bait per placement, using bait stations as require under “**IMPORTANT**”. Space placements at intervals of 8 to 12 feet in infested areas pertaining to structures. Larger quantities (up to 2 ounces) may be made in areas of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Using water-resistant gloves, collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product, and spoiled and unconsumed bait, may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container.

Offer for recycling if available or dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Call your Local Waste Agency for any questions on proper disposal.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

28/29

EPA Reg. No. 47629-14
Label Amendment – Creation of Split Label/Incorporation of Rodenticide Risk Mitigation Language
February 17, 2009
Page 22 of 23

MASTER LABEL / SUBLABEL C – PROFESSIONAL USE
(Outer Container Back Panel - Page 4 of 4)

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For:
Woodstream Corporation
69 N. Locust St
Lititz, PA 17543-0327
For Information Call: 1-800-800-1819

EPA Reg. No. 47629-14
EPA Est. No. 47629-PA-01

© Copyright 2009 Woodstream Corp.
Made In USA

29/29

MASTER LABEL / OPTIONAL CLAIMS – ALL USES
(Page 1 of 1)

[Additional - Optional Marketing/Advertising Claims for All Products/All Package Sizes]

- Palatable pellet bait.
- Palatable bait formulation
- Palatable formulation
- Contains Difenacoum
- 0.005% Difenacoum pellets
- Formulated for house mice control
- Demonstrated control of house mice
- [Controls] [Kills] house mice
- [Kills] [Controls] Mice
- [Kills][Controls] mice in and around the home
- [Kills][Controls] mice both inside and outside the home
- Can be used Indoors or Outdoors for control of Mice
- For Indoor and Outdoor Mouse Control
- For indoor and outdoor use.
- Indoor/Outdoor
- Ready to use

[Additional - Optional Marketing/Advertising Claims for Rat & Mouse Products/Packages Containing 4 oz. or more of Bait]

- For Indoor and Outdoor Rat & Mouse Control
- Demonstrated control of norway rats, roof rats, and house mice
- [Controls] [Kills] norway rats, roof rats, and house mice
- [Kills] [Controls]Rats & Mice
- [Kills][Controls] rats & mice in and around the home
- [Kills][Controls] rats & mice both inside and outside the home
- Can be used Indoors or Outdoors for control of Rats & Mice
- Formulated for norway rat, roof rat, and house mice control