

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460 EPA Reg. Number:

Date of Issuance:

47629-16

JUN 1 1 2008

NOTICE OF PESTICIDE:

X Registration

\_\_\_\_ Reregistration (under FIFRA, as amended)

Term of Issuance:

Name of Pesticide Product:

Difenacoum Rat and Mouse Block

Name and Address of Registrant (include ZIP Code):

Woodstream Corporation 69 N. Locust St. Lititz, PA 17543-0327 340

2-83062)

118

Attention: Mr. Chad Mateer

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(C) provided that you:

John Hebert, Team Leader //
Insecticide-Rodenticide Branch
Registration Division (7505C)

Date:

6/11/08

EPA Form 8570-6

A) submit one (1) copy of final printed labeling to us, before you release the product for shipment, with the following changes:

1. On Page 6, change the 9<sup>th</sup> Optional Claim to "Controls mice/rats".

B) submit the following data in electronic and paper formats within 15 months of registration:

- 1. Storage Stability (830.6317)
- 2. Corrosion Characteristics (830.6320)

C) comply with EPA's Final Rodenticide Risk Mitigation Decision, signed May 28, 2008, for similar rodenticides, on the same time schedule as those similar rodenticides. The first deadline is the 90-Day Response Date, September 2, 2008.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed. If you have any questions, please contact Dan Peacock by phone (703-305-5407), fax (703-305-6596), or E-Mail (peacock.dan@epa.gov).

- Enclosures: 1. Minimum Type Size Requirements for Final Pirnted Labels
  - 2. Stamped Label

Dan Peacock, Flash Drive, J:\4G Dan\Documents\Word, WP, Excel, etc\Difenacoum\47629-RA,-16\47629-16, Reg Notice, 6-11-2008, ver 3.doc

EPA Reg. No. 47629-16 Master Label June 9, 2008 Page 1 of 6

MASTER LABEL - FRONT PANEL (Page 1 of 1)

# DIFENACOUM RAT AND MOUSE BLOCK

[Additional Brand Names]

Victor V® Multi-Kill<sup>TM</sup> Brand Bait Blocks

### [Optional Logos/Marketing Claims]

Kills Rats & Mice

**Bait Blocks** 

No-Touch<sup>TM</sup> Design

-{for use on packages containing blocks

in EPA Letter Dated:

Indoor/Outdoor

For use in Attics, Kitchens, Basements, Garages

Can be used in Attics, Kitchens, Basements, Garages

Under the Federal Insecticide, Fungicide and Rodenticide Act, As amended, for the pesticide Registered under EPA Reg. No:

**ACTIVE INGREDIENT:** 

BY WT. 47629-16 Difenacoum......0.005%

OTHER INGREDIENTS: ......99.995%

KEEP OUT OF REACH OF CHILDREN

**CAUTION:** (See side [back] panel for additional precautionary statements)

#### **Net Contents:**

3.0 oz (3 X 1.0 ounce bait blocks) [to] 16 oz (16 X 1.0 ounce bait blocks) [in 1.0 ounce increments]

20.0 oz (20 X 1.0 ounce bait blocks) [to] 80 oz (80 X 1.0 ounce bait blocks) [in 4.0 ounce increments]

96.0 oz (96 X 1.0 ounce bait blocks) [to] 160 oz (160 X 1.0 ounce bait blocks) [in 8.0 ounce increments]

176.0 oz (176 X 1.0 ounce bait blocks) [to] 320 oz (320 X 1.0 ounce bait blocks) [in 16.0 ounce increments]

047629-00016.20080609.6-9-08 EPA MASTER LABEL (Draft) 47629-16.pdf

EPA Reg. No. 47629-16 Master Label June 9, 2008 Page 2 of 6

### MASTER LABEL - BACK PANEL (Page 1 of 4)

#### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed.

· · · · · · · · · · · · · · · · · · ·	FIRST AID
Have label with you when obtaining treatment advice.	
If swallowed:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> </ul>
	<ul> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>

#### NOTE TO PHYSICIAN OR VETERINARIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin  $K_1$  intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

**IMPORTANT:** Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

- 1. Store unused product out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget

wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.

EPA Reg. No. 47629-16 Master Label June 9, 2008 Page 3 of 6

3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

# MASTER LABEL - BACK PANEL (Page 2 of 4)

**USE RESTRICTIONS:** This product may be used to control Norway rats, roof rats, and house mice only at the **Urban** and **Non-urban** sites identified below. Do not use this product in sewers. Do not place bait near to or inside of ventilation duct openings. Do not contaminate water, food, feed, food or feed handling equipment, milk or meat handling equipment, or any area where there is a possibility of contaminating food, feed, milk, or meat, or surfaces that come into contact with food, feed, milk, or meat. All placements of this product in USDA-inspected facilities must be in tamper-resistant bait stations. Wear water-resistant gloves when handling bait.

**Urban Areas:** This product may only be used in and around homes, industrial, commercial, and public buildings, and similar man-made structures; in transport vehicles (ships, trains, and aircraft) and in and around related port or terminal buildings; and in alleys. All outdoor bait placements must be made in tamper-resistant bait stations, locked and secured as necessary, unless children, pets, domestic animals, and nontarget wildlife are reliably denied access to the bait placement locations.

Non-urban Areas: This product may only be used inside of homes, and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where rats or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

### **APPLICATION DIRECTIONS:**

[Qualifier statement for 3 oz product] This package contains enough bait (3 ounces) to kill 1 to 2 rats. [Qualifier statement for 4 oz product] This package contains enough bait (4 ounces) to kill 1 to 3 rats. [Qualifier statement for 5 oz product] This package contains enough bait (5 ounces) to kill 1 to 3 rats. [Qualifier statement for 6 oz product] This package contains enough bait (6 ounces) to kill 2 to 4 rats. [Qualifier statement for 7 oz product] This package contains enough bait (7 ounces) to kill 2 to 5 rats. [Qualifier statement for 8 oz product] This package contains enough bait (8 ounces) to kill 2 to 6 rats. [Qualifier statement for 9 oz product] This package contains enough bait (10 ounces) to kill 3 to 7 rats. [Qualifier statement for 10 oz product] This package contains enough bait (11 ounces) to kill 3 to 8 rats. [Qualifier statement for 12 oz product] This package contains enough bait (12 ounces) to kill 3 to 9 rats. [Qualifier statement for 13 oz product] This package contains enough bait (13 ounces) to kill 3 to 9 rats. [Qualifier statement for 14 oz product] This package contains enough bait (14 ounces) to kill 3 to 9 rats. [Qualifier statement for 14 oz product] This package contains enough bait (14 ounces) to kill 3 to 9 rats.

**Norway Rats and Roof Rats:** Apply 3 to 10 bait blocks per placement, using tamper-resistant bait stations as required under "**IMPORTANT**". Space placements at intervals of 15 to 30 feet in infested areas pertaining to structures. For treating burrows, place 1 to 4 bait blocks deep into each active

EPA Reg. No. 47629-16 Master Label June 9, 2008 Page 4 of 6

burrow. Check treated burrows each morning and evening to make sure that baits have not been pushed out of burrows. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of feeding by rats cease to appear.

# MASTER LABEL - BACK PANEL (Page 3 of 4)

**House Mice:** Apply 1 bait block per placement, using tamper-resistant bait stations as required under "**IMPORTANT**". Space placements at intervals of 8 to 12 feet in infested areas pertaining to structures. Larger placements, up to 2 bait blocks, may be used at points of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice cease to appear.

**Follow-up:** Replace contaminated or spoiled bait immediately. Using water-resistant gloves collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

### STORAGE AND DISPOSAL:

[Household Label]

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

Partly Filled Containers and Spoiled and Unconsumed Bait: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### STORAGE AND DISPOSAL:

[Non-Household Label]

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke. Call your Local Waste Agency for any questions on proper disposal.

EPA Reg. No. 47629-16 Master Label June 9, 2008 Page 5 of 6

# MASTER LABEL - BACK PANEL (Page 4 of 4)

**NOTICE:** Buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For: Woodstream Corporation 69 N. Locust St Lititz, PA 17543-0327 For Information Call: 1-800-800-1819

EPA Reg. No. 47629-16

EPA Est. No. 47629-PA-01

© Copyright 2008 Woodstream Corp. Made In USA

EPA Reg. No. 47629-16 Master Label June 9, 2008 Page 6 of 6

# MASTER LABEL - OPTIONAL CLAIMS (Page 1 of 1)

# [Additional - Optional Marketing/Advertising Claims]

- Palatable bait formulation
- Palatable formulation
- Formulated for Norway rat, roof rat, and house mice control
- Contains Difenacoum.
- Controls Norway rats, roof rats, and house mice
- 0.005% Difenacoum block
- Demonstrated control of Norway rats, roof rats, and house mice
- Kills Norway rats, roof rats, and house mice
- Effectively controls rodents/mice/rats
- (Kills)(Controls)(mice)(&)(rats) both inside and outside the home
- New! [claim valid for 6 months from date of first stamped "accepted" label only]
- Designed to reduce hand contact
- Patented end caps reduce hand contact
- Easy pop out bait compartments
- Easy to dispense bait compartments
- Individually sealed bait blocks, allow you to use exactly what you need
- For indoor and outdoor use.
- Ready to use