



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

MAY 27 2011

Woodstream Corporation
69 N. Locust Street
Lititz, PA 17543-0327

Attention: Mr. Chad Mateer

Subject Difenacoum Rat and Mouse Pellets
EPA Reg. No. 47629-14
Difenacoum Rat and Mouse Block
EPA Reg. No. 47629-16
Difenacoum Rat and Mouse Place Packs
EPA Reg. No. 47629-17
Your May 25, 2011, applications for amended registrations

Purpose This letter amends the terms and conditions of registration for this product in response to the amendment request submitted May 25, 2011.

Terms and Conditions This registration contains 3 sublabels: Sublabel A for Consumer Use, Sublabel B for Agricultural Building Use, and Sublabel C for Professional Use. All three sublabels were approved on May 28, 2009 subject to a condition that this registration expires on June 4, 2011.

EPA has reviewed the draft labeling for Sublabel B for Agricultural Buildings and Sublabel C for Professional Use that was submitted on May 25, 2011 and has found that these sublabels are consistent with the Risk Mitigation Decision. Therefore, EPA amends the registration to remove that expiration date with respect to Sublabels B and C. The previously applied expiration date of June 4,

2011 no longer applies to Sublabels B or C.

Sublabel A for Consumer Use continues to be inconsistent with the Agency's May 28, 2008, "Risk Mitigation Decision for Ten Rodenticides." Therefore, no changes have been approved for Sublabel A for Consumer Use and it remains subject to the approval granted on May 28, 2009 including that it shall expire on June 4, 2011.

Terms and Conditions of Registration (Agricultural Building Use)

This product is registered only subject to the registrant's commitment to control distribution of the product so that it will only be distributed to or sold in agricultural, farm and tractor stores, and the registrant's commitment not to sell or distribute the product in channels of trade likely to result in retail sale in hardware and home improvement stores, grocery stores, convenience stores, drug stores, club stores, big box stores, and other general retailers.

This product may not be sold in packaging that holds less than 8 pounds of bait.

Terms and Conditions of Registration (PCO Use)

This product is registered only subject to the registrant's commitment to control distribution of the product so that it will only be distributed to or sold in agricultural, farm and tractor stores or directly to PCOs and other professional applicators, and the registrant's commitment not to sell or distribute the product in channels of trade likely to result in retail sale in hardware and home improvement stores, grocery stores, convenience stores, drug stores, club stores, big box stores, and other general retailers.

This product may not be sold in packaging that holds less than 16 pounds of bait.

Label

The labeling for Sublabel A: Consumer Use will expire on June 4, 2011.

The labeling for Sublabel B: Agricultural Building Use and Sublabel C: Professional Use is acceptable, provided you submit one (1) copy of final printed labeling to us, before you ship your product.

Follow the enclosed "Minimum Type Size Requirements for Final Printed Labels."

Existing stocks

- The registrant may not distribute or sell existing stocks of this product after June 4, 2011 unless they conform to the terms and conditions of registration as amended today.

- Any person other than the registrant may sell and distribute existing stocks of this product with the previously approved label until such stocks are exhausted.
- Any person may use existing stocks of this product with the previously approved label until such stocks are exhausted.
- Use of existing stocks bearing Sublabel A for Consumer Use must be conducted in a manner not inconsistent with the labeling.


Consequence for non-compliance

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Questions

If you have questions about this letter, please contact Dan Peacock at 703-305-5407 (phone) or peacock.dan@epa.gov (e-mail).

Sincerely,



Kimberly Nesci
Acting Chief
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosures

1. Stamped labels for 47629-14, 47629-16, and 47629-17
2. Minimum Type Sizes for Final Printed Labels

4 8 22
 Enclosure
 47629, 14, -16, -17

Minimum Type Sizes for Final Printed Labels

Size of Label on Front Panel in Square Inches	Minimum Type Size	
	SIGNAL WORD [All Capitals] [40CFR156.10(h)(1)(iv)] and "Restricted Use Pesticide" [40CFR156.10(j)(2)(i)(A)]	"Keep Out of Reach of Children" [40CFR156.10(h)(1)(iv)] and "Storage and Disposal" [40CFR156.10(i)(2)(ix)]
5 and under	6 point	6 point
above 5 to 10	10 point	6 point
above 10 to 15	12 point	8 point
above 15 to 30	14 point	10 point
over 30	18 point	12 point

Note: No type on label can be less than 6 Point. [40 CFR 156.10(a)(2)(ii)(A)]

Note: All type must be on a contrasting background and easily read. [40 CFR 156.10(a)(2)(i) and (ii)(B)]

18 point POISON DANGER WARNING CAUTION
 12 point KEEP OUT OF REACH OF CHILDREN
 12 point Keep Out of Reach of Children

14 point POISON DANGER WARNING CAUTION
 10 point KEEP OUT OF REACH OF CHILDREN
 10 point Keep Out of Reach of Children

12 point POISON DANGER WARNING CAUTION
 8 point KEEP OUT OF REACH OF CHILDREN
 8 point Keep Out of Reach of Children

10 point POISON DANGER WARNING CAUTION
 6 point KEEP OUT OF REACH OF CHILDREN
 6 point Keep Out of Reach of Children

6 point POISON DANGER WARNING CAUTION
 6 point KEEP OUT OF REACH OF CHILDREN
 6 point Keep Out of Reach of Children

5822

EPA Reg. No. 47629-17
Label Amendment – Registration Condition Revision/Other Minor Changes
May 25, 2011
Page 1 of 18

047629-00017.20110525

MASTER LABEL / COVER PAGE (Page 1 of 1)

Note: This master label bears directions for consumer, agricultural and professional use with various use restrictions specific to the associated container sizes.

DIFENACOUM RAT AND MOUSE PLACE PACKS

- Sublabel A:** Consumer Use
- Sublabel B:** Agricultural Use
- Sublabel C:** Professional Use

[Additional Brand Names]
Victor V[®] Multi-Kill[™] Brand Bait Bags

ACTIVE INGREDIENT:	BY WT.
Difenacoum.....	0.005%
OTHER INGREDIENTS:	99.995%
TOTAL:	100.000%

Manufactured For:
Woodstream Corporation
69 N. Locust St
Lititz, PA 17543-0327
For Information Call: 1-800-800-1819

EPA Reg. No. 47629-17
EPA Est. No. 47629-PA-01

© Copyright 2009 Woodstream Corp.
Made In USA

**ACCEPTED
with COMMENTS
In EPA Letter Dated:
MAY 27 2011**

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.**

47629-17

6 8 22

EPA Reg. No. 47629-17
Label Amendment – Registration Condition Revision/Other Minor Changes
May 25, 2011
Page 2 of 18

MASTER LABEL / SUBLABEL A – CONSUMER USE
(Outer Container Front Panel - Page 1 of 1)

DIFENACOUM RAT AND MOUSE PLACE PACKS

[Optional Logos/Marketing Claims]

For use in Attics, Kitchens, Basements, Garages
Can be used in Attics, Kitchens, Basements, Garages

ACTIVE INGREDIENT:	BY WT.
Difenacoum.....	0.005%
OTHER INGREDIENTS:	<u>99.995%</u>
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION: (See back [side] panel for additional precautionary labeling)

NET CONTENTS:

4.5 oz (3 X 1.5 ounce [place packs][bait packs][bait bags]) */to/* 15 oz (10 X 1.5 ounce [place packs][bait packs][bait bags])

7 8 22

MASTER LABEL / SUBLABEL A – CONSUMER USE
(Outer Container Back Panel - Page 1 of 4)

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

FIRST AID	
Have label when obtaining treatment advice.	
If swallowed:	<ul style="list-style-type: none">- Call a poison control center, doctor or 1-800-858-7378 [optional] immediately for treatment advice.- Have person sip a glass of water if able to swallow.- Do not induce vomiting unless told to do so by the poison control center or doctor.
TREATMENT FOR PET POISONING	
If animal eats bait, call veterinarian at once.	
NOTE TO PHYSICIAN OR VETERINARIAN	
Anticoagulant Difenacoum: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or dogs that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K ₁ intramuscularly or orally. For Dogs , check prothrombin times every 3 days until values return to normal (up to 30 days). Blood transfusions may be needed.	

ENVIRONMENTAL HAZARDS:

This product is toxic for fish and wildlife. Dogs and predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL! Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

1. Store unused product out of reach of children and pets.

MASTER LABEL / SUBLABEL A – CONSUMER USE
(Outer Container Back Panel - Page 2 of 4)

2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six (6) years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats, and house mice only at the **Urban** and **Non-urban** sites identified below. Do not use this product in sewers. Do not place bait near to or inside of ventilation duct openings. Do not contaminate water, food, feed, food or feed handling equipment, milk or meat handling equipment, or any area where there is a possibility of contaminating food, feed, milk, or meat, or surfaces that come into contact with food, feed, milk, or meat. Do not use in edible product areas of food or feed processing plants or other areas where food or feed is commercially prepared or processed. All placements of this product in USDA-inspected facilities must be in tamper-resistant bait stations. Do not broadcast bait. Wear water-resistant gloves when handling bait.

Urban Areas: This product may only be used in and around homes, industrial, commercial, and public buildings, and similar man-made structures; in transport vehicles (ships, trains, and aircraft) and in and around related port or terminal buildings; and in alleys. All outdoor bait placements must be made in tamper-resistant bait stations, locked and secured as necessary, unless children, pets, domestic animals, and nontarget wildlife are reliably denied access to the bait placement locations.

Non-urban Areas: This product may only be used inside of homes, and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where rats, mice, or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

[Qualifier statement for 4.5 oz product] This package contains enough bait (4.5 ounces) to kill 1 to 3 rats.

[Qualifier statement for 9 oz product] This package contains enough bait (9 ounces) to kill 2 to 6 rats.

9 8 22

MASTER LABEL / SUBLABEL A – CONSUMER USE
(Outer Container Back Panel - Page 3 of 4)

[Qualifier statement for 13.5 oz product] This package contains enough bait (13.5 ounces) to kill 3 to 9 rats.

[Note: Only for packages containing 4.5 oz. (3 x 1.5oz place packs) to 15 oz. (10 x 1.5 oz. place packs)]

Norway Rats and Roof Rats: Use 3 to 10 [place packs][bait packs][bait bags] per placement, using tamper-resistant bait stations as required under “**IMPORTANT**”. Space placements at intervals of 15 to 30 feet in infested areas pertaining to structures. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of feeding by rats cease to appear.

House Mice: Open [place pack][bait pack][bait bag] and apply ¼ to ½ ounce of bait per placement, using tamper-resistant bait stations as required under “**IMPORTANT**”. Space placements at intervals of 8 to 12 feet in infested areas pertaining to structures. Larger quantities (up to one unopened 1.5 ounce [place pack][bait pack][bait bag]) may be placed in areas of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Using water-resistant gloves, collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

STORAGE AND DISPOSAL

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets.

DISPOSAL: Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

10 8 22

EPA Reg. No. 47629-17
Label Amendment – Registration Condition Revision/Other Minor Changes
May 25, 2011
Page 6 of 18

MASTER LABEL / SUBLABEL A – CONSUMER USE
(Outer Container Back Panel - Page 4 of 4)

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For:
Woodstream Corporation
69 N. Locust St
Lititz, PA 17543-0327
For Information Call: 1-800-800-1819

EPA Reg. No. 47629-17

EPA Est. No. 47629-PA-01

© Copyright 2009 Woodstream Corp.
Made In USA

11 7 22

EPA Reg. No. 47629-17
Label Amendment – Registration Condition Revision/Other Minor Changes
May 25, 2011
Page 7 of 18

MASTER LABEL / SUBLABEL B – AGRICULTURAL USE
(Outer Container Front Panel - Page 1 of 1)

DIFENACOUM RAT AND MOUSE PLACE PACKS

For Use In and Around Agricultural Buildings Only

ACTIVE INGREDIENT:	BY WT.
Difenacoum.....	0.005%
OTHER INGREDIENTS:	99.995%
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION: (See back [side] panel for additional precautionary labeling)

NET CONTENTS:

8.06 lb/129 oz (86 X 1.5 ounce [place packs][bait packs][bait bags]) *[to]* 51.56 lb/825 oz (550 X 1.5 ounce [place packs][bait packs][bait bags])

MASTER LABEL / SUBLABEL B – AGRICULTURAL USE
(Outer Container Back Panel - Page 1 of 4)

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets. All handlers (including applicators) must wear shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements

Follow manufacturer’s instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

FIRST AID

Have label when obtaining treatment advice.

If swallowed:	<ul style="list-style-type: none"> - Call a poison control center, doctor or 1-800-858-7378 [optional] immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor.
----------------------	--

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Anticoagulant Difenacoum: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. **For humans or dogs** that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K₁ intramuscularly or orally. **For Dogs**, check prothrombin times every 3 days until values return to normal (up to 30 days). Blood transfusions may be needed.

ENVIRONMENTAL HAZARDS:

This product is toxic for fish and wildlife. Dogs and predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

13822

MASTER LABEL / SUBLABEL B – AGRICULTURAL USE
(Outer Container Back Panel - Page 2 of 4)

READ THIS LABEL! Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

1. Store unused product out of reach of children and pets.
2. Apply product in bait stations for all outdoor placements.
3. Use tamper-resistant bait stations for all placements where children, pets, non-target mammals or birds may access bait. These stations must be resistant to destruction by dogs and by children under six (6) years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
4. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS:

This product may be used to control Norway rats, roof rats, and house mice in and around agricultural buildings only. Do not use in homes or other human residences. **Do not apply further than 50 feet from agricultural buildings.** Do not use this product in sewers. Do not place bait near to or inside of ventilation duct openings. Do not contaminate water, food, feed, food or feed handling equipment, milk or meat handling equipment, or any area where there is a possibility of contaminating food, feed, milk, or meat, or surfaces that come into contact with food, feed, milk, or meat. Do not use in edible product areas of food or feed processing plants or other areas where food or feed is commercially prepared or processed. All outdoor placements of this product must be made in bait stations. Tamper-resistant bait stations must be used for outdoor and indoor placements of this product if children, pets, non-target mammals, or birds may access bait. All placements of this product in USDA-inspected facilities must be in tamper-resistant bait stations. Do not broadcast bait. Wear water-resistant gloves when handling bait.

Do not sell this product in individual containers holding less than 8 pounds of bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where rats, mice, or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

14 3 22

MASTER LABEL / SUBLABEL B – AGRICULTURAL USE
(Outer Container Back Panel - Page 3 of 4)

APPLICATION DIRECTIONS:

Norway Rats and Roof Rats: Use 3 to 10 [place packs][bait packs][bait bags] per placement, using bait stations as required under “IMPORTANT”. Space placements at intervals of 15 to 30 feet in infested areas pertaining to structures. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of feeding by rats cease to appear.

House Mice: Open [place pack][bait pack][bait bag] and apply ¼ to ½ ounce of bait per placement, using bait stations as required under “IMPORTANT”. Space placements at intervals of 8 to 12 feet in infested areas pertaining to structures. Larger quantities (up to one unopened 1.5 ounce [place pack][bait pack][bait bag]) may be placed in areas of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Using water-resistant gloves, collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container.

[Plastic:] Triple rinse (or equivalent) then offer for recycling or reconditioning ; or puncture and dispose of in a sanitary landfill; or incineration. [Paper:] Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

15 7 22

EPA Reg. No. 47629-17
Label Amendment – Registration Condition Revision/Other Minor Changes
May 25, 2011
Page 11 of 18

MASTER LABEL / SUBLABEL B – AGRICULTURAL USE
(Outer Container Back Panel - Page 4 of 4)

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For:
Woodstream Corporation
69 N. Locust St
Lititz, PA 17543-0327
For Information Call: 1-800-800-1819

EPA Reg. No. 47629-17

EPA Est. No. 47629-PA-01

© Copyright 2009 Woodstream Corp.
Made In USA

16 8 22

EPA Reg. No. 47629-17
Label Amendment – Registration Condition Revision/Other Minor Changes
May 25, 2011
Page 12 of 18

MASTER LABEL / SUBLABEL C – PROFESSIONAL USE
(Outer Container Front Panel - Page 1 of 1)

DIFENACOUM RAT AND MOUSE PLACE PACKS

ACTIVE INGREDIENT:	BY WT.
Difenacoum.....	0.005%
OTHER INGREDIENTS:	<u>99.995%</u>
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION: (See back [side] panel for additional precautionary labeling)

NET CONTENTS:

16.03 lb/256.5 oz (171 X 1.5 ounce [place packs][bait packs][bait bags]) [to] 51.56 lb/825 oz (550 X 1.5 ounce [place packs][bait packs][bait bags])

MASTER LABEL / SUBLABEL C – PROFESSIONAL USE
(Outer Container Back Panel - Page 1 of 4)

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets. All handlers (including applicators) must wear shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

FIRST AID

Have label when obtaining treatment advice.

If swallowed:	<ul style="list-style-type: none"> - Call a poison control center, doctor or 1-800-858-7378 [optional] immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor.
----------------------	--

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Anticoagulant Difenacoum: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. **For humans or dogs** that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K₁ intramuscularly or orally. **For Dogs**, check prothrombin times every 3 days until values return to normal (up to 30 days). Blood transfusions may be needed.

ENVIRONMENTAL HAZARDS:

This product is toxic for fish and wildlife. Dogs and predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

18 7 22

MASTER LABEL / SUBLABEL C – PROFESSIONAL USE
(Outer Container Back Panel - Page 2 of 4)

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL! Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

1. Store unused product out of reach of children and pets.
2. Apply product in bait stations for all outdoor, above ground placements.
3. Use tamper-resistant bait stations for all placements where children, pets, non-target mammals or birds may access bait. These stations must be resistant to destruction by dogs and by children under six (6) years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
4. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS:

This product may be used to control Norway rats, roof rats, and house mice only at the **Urban** and **Non-urban** sites identified below. **Do not apply further than 50 feet from buildings.** Do not use this product in sewers. Do not place bait near to or inside of ventilation duct openings. Do not contaminate water, food, feed, food or feed handling equipment, milk or meat handling equipment, or any area where there is a possibility of contaminating food, feed, milk, or meat, or surfaces that come into contact with food, feed, milk, or meat. Do not use in edible product areas of food or feed processing plants or other areas where food or feed is commercially prepared or processed. All outdoor, above ground placements of this product must be made in bait stations. Tamper-resistant bait stations must be used for outdoor and indoor placements of this product if children, pets, non-target mammals, or birds may access bait. All placements of this product in USDA-inspected facilities must be in tamper-resistant bait stations. Do not broadcast bait. Wear water-resistant gloves when handling bait.

Do not sell this product in individual containers holding less than 16 pounds of bait.

Urban Areas: This product may only be used in and around homes, industrial, commercial, and public buildings, and similar man-made structures; in transport vehicles (ships, trains, and aircraft) and in and around related port or terminal buildings; and in alleys.

19 8 22

MASTER LABEL / SUBLABEL C – PROFESSIONAL USE
(Outer Container Back Panel - Page 3 of 4)

Non-Urban Areas: This product may only be used in and around homes, and agricultural buildings.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where rats, mice, or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

Norway Rats and Roof Rats: Use 3 to 10 [place packs][bait packs][bait bags] per placement, using bait stations as required under “IMPORTANT”. Space placements at intervals of 15 to 30 feet in infested areas pertaining to structures. Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of feeding by rats cease to appear.

House Mice: Open [place pack][bait pack][bait bag] and apply ¼ to ½ ounce of bait per placement, using bait stations as required under “IMPORTANT”. Space placements at intervals of 8 to 12 feet in infested areas pertaining to structures. Larger quantities (up to one unopened 1.5 ounce [place pack][bait pack][bait bag]) may be placed in areas of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by mice cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Using water-resistant gloves, collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container.

[Plastic:] Triple rinse (or equivalent) then offer for recycling or reconditioning ; or puncture and dispose of in a sanitary landfill; or incineration. [Paper:] Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

20 7 22

EPA Reg. No. 47629-17
Label Amendment – Registration Condition Revision/Other Minor Changes
May 25, 2011
Page 16 of 18

MASTER LABEL / SUBLABEL C – PROFESSIONAL USE
(Outer Container Back Panel - Page 4 of 4)

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For:
Woodstream Corporation
69 N. Locust St
Lititz, PA 17543-0327
For Information Call: 1-800-800-1819

EPA Reg. No. 47629-17

EPA Est. No. 47629-PA-01

© Copyright 2009 Woodstream Corp.
Made In USA

21 8 22

EPA Reg. No. 47629-17
Label Amendment – Registration Condition Revision/Other Minor Changes
May 25, 2011
Page 17 of 18

MASTER LABEL / PLACE PACK – ALL USES
(Front Panel - Page 1 of 1)

DIFENACOUM RAT AND MOUSE PLACE PACKS

ACTIVE INGREDIENT:	BY WT.
Difenacoum.....	0.005%
OTHER INGREDIENTS:	<u>99.995%</u>
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN **CAUTION**

STOP! Read entire label, including precautions, use directions, and storage and disposal text prior to using this product. Follow application directions for bait placement. Do not open place packs for placements requiring 1.5 ounces of bait or greater. Rats and mice will chew through the wrapper.

For First Aid Treatment advice, call a poison control center, doctor, or 1-800-222-1222.

It is illegal to sell this [place pack][bait pack][bait bag] individually.

Manufactured For:
Woodstream Corporation
69 N. Locust St
Lititz, PA 17543-0327
For Information Call: 1-800-800-1819

EPA Reg. No. 47629-17

EPA Est. No. 47629-PA-01

NET CONTENTS: 1.5 oz

22 722

MASTER LABEL / OPTIONAL CLAIMS – ALL USES
(Page 1 of 1)

[Additional - Optional Marketing/Advertising Claims]

- Kills Rats & Mice
- Indoor/Outdoor
- Place N' Kill™ No-Touch [Bait Bags] [Bait Packs] [Place Packs]
- Palatable pellet bait.
- Palatable bait formulation
- Palatable formulation
- Formulated for norway rat, roof rat, and house mice control
- Controls Norway rats, roof rats, and house mice
- Kills Norway rats, roof rats, and house mice
- Demonstrated control of norway rats, roof rats, and house mice
- Controls [mice][&][rats]
- 0.005% Difenacoum pellets
- Contains Difenacoum
- For indoor and outdoor use.
- Ready to use
- No-touch design