

Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Contact Locations

No Potable water rinse is required

No Potable water rinse is required

No Potable water rinse is required

At 2.5 oz per gallon of water, BARDAC 205-7.5 is effective against Pseudomonas aeruginosa, Staphylococcus aureus, and Salmonella choleraesuis in the presence of 5% blood serum when evaluated by the AOAC Use-Dilution test.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Harmful if swallowed. Do not breath spray mist. Avoid contamination of food.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER FOOD OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT PEUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS OR BURY IN A SAFE PLACE

GENERAL

CONSULT FEDERAL STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING

D/S - O - MINT

**Disinfectant-Sanitizer
Fungicide-Deodorizer
with Organic Soil Tolerance
for Hospital, Institutional
Industrial, School, Dairy and Other Farm Use**

Active Ingredients

Alkyl (C ₁₂ , 50%; C ₁₁ , 40%; C ₁₀ , 10%) dimethyl benzyl ammonium chlorides	3.000%
Octyl decyl dimethyl ammonium chloride	2.250%
Didecyl dimethyl ammonium chloride	1.125%
Dioctyl dimethyl ammonium chloride	1.125%
Inert Ingredients	92.500%
	100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 6836-70
EPA Establishment No. 6836-IL-1
Net Contents

MANUFACTURED BY:
LOZZA INC., 22-10 Route 208, Fair Lawn, N.J. 07410

**Directions for Use
GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

Apply BARDAC 205-7.5 with a cloth mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions. For disinfecting floors, walls, counter tops, bathing areas, lavatories, bed-frames, tables, chairs, garbage pails and other hard non-porous surfaces.

Add 3.5 oz BARDAC 205-7.5 to 4.5 gallons water. Apply to previously cleaned hard surfaces. At this use level, BARDAC 205-7.5 is effective against Pseudomonas aeruginosa, Staphylococcus aureus and Salmonella choleraesuis in the presence of 5% blood serum when evaluated by the AOAC Use-Dilution test.

Disinfection in Institutions, Industry and Schools. Add 2 oz of BARDAC 205-7.5 to 4.5 gallons of water. At 0.5 oz to 2.25 gallons of water use level, the fungicidal effectiveness of BARDAC 205-7.5 in the presence of 5% blood serum against Trichophyton mentophytes has been shown utilizing the AOAC Fungicidal Test.

Disinfection of Barber Tools. Pre-cleaned barber tools (such as combs, brushes, razors, and scissors) can be disinfected by immersing in a 0.5 oz/gallon solution of BARDAC 205-7.5.

Disinfection of Poultry Equipment, Animal Quarters and Kennels. Poultry brooders, watering founts, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 2 oz BARDAC 205-7.5 to 4.5 gallons of water. Small utensils should be immersed in this solution.

Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry, or other animals or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

B. I. J. CORPORATION
2325-D Bluebound Rd.

D/S - O - MINT

ACCEPTED FOR EXPORT
COMMITTEE
FAIR LAWN, N.J.

- e. For the label size submitted, the STORAGE AND DISPOSAL heading and the Child Hazard Warning "KEEP OUT OF REACH OF CHILDREN" would require a 12 point type size minimum and the signal word DANGER (front panel only) would require an 18 point type size minimum.
- f. Within the "Disinfection in Institutions, Industry and Schools" section of the Directions for Use (middle right panel), correct the spelling of the word "xanthophytes".
- g. This product contains a dye and perfume which is not cleared for use on food contact surfaces under the Federal Food, Drug and Cosmetic Act. Therefore revise the statement:

No potable water rinse is required to read:


A potable water rinse is required (four locations - left panel).

- h. Delete the statement "...followed by adequate draining and air drying." Note: Uncleared dye/perfume (left panel - one location).

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.


John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosures