### CONCINE OF FUE ceneral Classification

1 -

It is a violation of Jederal Law to use this graduat in a manner incommistant with its labeling.

F184 detergent disinfectant has been designed specifically for hospitals, nursing homes, schools, food fro essing plants and other institutions where howsekeeping is of grime importance.

DISINFECTION- To disinfect hard inanimate surfaces (such as walls floors, table tops), add 1 ounce fl04 detergent disinfectant per gallon of water. Apply solution with mop, cloth, or sponge or mechanical aprayer so as to wet thoroughly. Allow to remain wet for 10 minutes and then let air dry.

to disinfect toilet bowls, flush toilet, add 1 ounce [104 detergent disinfectant directly to the bowl water. Swab the bowl complately using a scrub brush or toilet mup, making sure to get under the rim. Let stand for 10 minutes and flush.

For heavily soiled areas, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use

WILDEASTAT To control mold and alldew on pre-cleaned, hard nonpotous surfaces (such as floors, walls, table tops) add 1 ounce fl04 per gallon of water. Apply solution with a cloth, mop, or sponge saking sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at week ly intervels or when milder growth reappears.

FANITIZITION- To sanitime previously cleaned and rinse non-porous food contact surfaces, prepare 200pps active quaternary solution by adding I ounce F104 to 35 gallons of water.

To senitize immobile items (such as tanks, chopping blocks, couster tops), flood the area with 200pps F104 solution or apply with a cloth or spongs, making sure to wet all surfaces completely for at least 60 seconds, Lat air dry. Prepare a fresh solution

To sanitize mobile items fauch as drinking glasses, eating uten-eils), immerse in 200pps F104 solution for at least 60 seconds making sure to immerse completely. Remove and let air dry. Pre-pare a freeh solution daily or more frequently as soil is APPARENT.

### PRECAUTIONARY STATEMENTS Masard to Human and Domestic Animals DANGER

Keep Out of Reach of Children. Causes sewere eye and skin damage Do not get in eyes, on skin or clothing. Hazaful if swallowed. Mear goggles or face shield and rubber glows when handling. Avoid contamination of food. Remove and wash contaminated clothing.

## STATEMENT OF PRACTICAL TREATMENT

in case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, geletin solution or if these are not available, drink large quentities of water. Call a physic

Probable success damage may contraindicate the use of gas wir lawage. Measures against circulatory shock, respiratory decreesion and convulsion may be needed.

CEPTED

77711 JUN 2 1 1982

Under he Federal Insecticide, Tungicitie, and Rodenhade Act. as amended for the pesticide EPA Ray No 46512-L

Flig - DETERRANT DISINCECTANT MEANY DARIE-HUSPITAL INSTITUTIONAL

fusinfectant letergent Fungicide (against Pathoger LC (ungs) Varucade \* Droductier Sanitizar Hildewstat [on herd inanimate autfaces)

ACTIVE INGREDIENTS: n-Alkyl (60%C<sub>14</sub>,30%C<sub>16</sub>,5%C<sub>12</sub>, g) dimethyl henzyl ammontum chlorides ..... 4.50% n-Alkyl (68%C<sub>12</sub>,32%C<sub>14</sub>) dimethyl athylbanzyl ammonium chilorades ..... 4.504 HENT INCREDIENTS: ..... 91.004

TOTAL 100.00%

FPA MEG. NO. 46512-4

## KEEP OUT OF REACH OF CHILDREN DANTER

See side panel for additional precautionary and first aid statemnte.

PERO CHEMICAL COMPANY TEMPLE HILLS, NO 20031

NET CONTENTS:

ONLY FOR SALE 10, USE, AND STORAGE BY SERVICEPERSONS

134 is a prosperte free commentated detergent disinfectant "100 is a finishment from Commission of George Commission, and Sanitakion, 1104 determent distinction has been designed im ortance in controlling the hazard of cross contamination

104 when diluted at the rate of 1 nunce per gallon of water ta an effective disinfectant against the organism Pseudominas meruginers and meets all requirements for hospital use, when used as directed, flu4 is formulated to disinfect inanimeta hard surfaces such as walls, floors, sink tops, toilet bowls, tables, chairs, telephones and bed frames. For larger areas such as sperating rooms, patient care facilities and restrooms, the groduct is designed to provide both general cleaning and

In addition, FIO4 deodorizes those areas which constally are hard to keep fresh smalling, such as garbage atorage areas, empty garbage bins and cans, toilut bowls and any other areas which are prome to odore caused by microoreanisms.

DISINGETTION- At 1 curies per gallon dilution, \$104 emilita Ifective disinfectant activity against the following:

Pseudomonas aeruginosa PRD-10 Brevibactarium ammoniagenes Escherichia coll Klebsiella praumoniaa Salmonella schottmuelleri Salmonella cholerassuis Streptococcus salivarius

Streptococcum fascalis Shigella dysenteriae Enterobacter aerogenes Staphylococcus aureus

At this level the product is also fungicidal against the pathogenic fungi, Trichophyton mentagrophytem.

Virucidal Activity: The product when used on environmental inenimete hard surfaces at 1 ounce per gallon of water exhibits effective virucidal\* activity against influenza A. - Asian (representative of the common flu virus), Herpes simplex (causative agent of fewer blisters and mononucleosis), Adeno virus type 2 (causative agent of upper respiratory infections), and Vaccinia virus (representative of the pow group).

Efficacy tests have demonstrated that F104 is an effective bactericide, 'inqucide, and virucide' in the presence of organic woil (5% blued serum).

Muld and Mildewetat- F104 prevents and controls mold and mildew and the odors they cause on hard non-porous inemimate surfaces.

ANITIZATION- When used for manitization of previously cleaned food equipment or food contact items limit active quaternaries to 200ff m. At this level NO POTABLE WATER RINGE in required. is an effective sanitiser when diluted in water up to 250ppm terdines (CaCO,1.

# STORAGE AND DISPOSAL

- DO NOT CONTAMUNATE WATER, FOOD OR PEED
- BY STORMIE AND DISPOSAL - OPEN DUMPING IS PROMIBITED
- DO NOT BLUSE EMPTY CONTAINER

Festicide Disposal- Pesticides that cannot be used or chemically reprocessed should be disposed of in a landfill approved for esticide or bursed in a safe place.

container Distonal- Triple rinse (or equivalent) and distone in an incinerator or landfill approved for pesticide containers, or ury in a safe place.

4 5 . 8

. . . . .

. . . . .