

DIRECTIONS FOR USE
General Classification

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

F109 detergent disinfectant has been designed specifically for hospitals, nursing homes, schools, food processing plants and other institutions where housekeeping is of prime importance.

DISINFECTANT- To disinfect hard inanimate surfaces (such as walls, floors, table tops), add 1 ounce F109 detergent disinfectant per gallon of water. Apply solution with mop, cloth, or sponge or mechanical sprayer so as to wet thoroughly. Allow to remain wet for 10 minutes and then let air dry.

To disinfect toilet bowls, flush toilet, add 1 ounce F109 detergent disinfectant directly to the bowl water. Scrub the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

For heavily soiled areas, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

MILDEWSTAT- To control mold and mildew on pre-cleaned, hard non-porous surfaces (such as floors, walls, table tops) add 1 ounce F109 per gallon of water. Apply solution with a cloth, mop, or sponge making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth reappears.

SANITIZATION- To sanitize previously cleaned and rinse non-porous food contact surfaces, prepare 200ppm active quaternary solution by adding 1 ounce F109 to 3/4 gallons of water.

To sanitize immobile items (such as tanks, chopping blocks, counter tops), flood the area with 200ppm F109 solution or apply with a cloth or sponge, making sure to wet all surfaces completely for at least 60 seconds. Let air dry. Prepare a fresh solution for each use.

To sanitize mobile items (such as drinking glasses, eating utensils), immerse in 200ppm F109 solution for at least 60 seconds making sure to immerse completely. Remove and let air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

PRECAUTIONARY STATEMENTS
Hazard to Human and Domestic Animals
DANGER

Keep out of reach of children. Causes severe eye and skin damage. Do not get in eyes, on skin or clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

F109 DETERGENT DISINFECTANT
HEAVY DUTY-HOSPITAL INSTITUTIONAL

Cleaner	Disinfectant
Detergent	Fungicide (against
foamformer	Pathogenic fungi)
Sanitizer	Virucide*
Mildestat	(on hard inanimate
	surfaces)

ACTIVE INGREDIENTS:
n-Alkyl (60AC₁₄, 30AC₁₆, 50C₁₂, 50C₁₈) dimethyl benzyl ammonium chlorides 4.50%
n-Alkyl (68AC₁₂, 32AC₁₄) dimethyl ethylbenzyl ammonium chlorides 4.50%
INERT INGREDIENTS: 91.00%

TOTAL 100.00%

EPA REG. NO. 46512-9

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for additional precautionary and first aid statements.

FERO CHEMICAL COMPANY
TEMPLE HILLS, MD 20031

NET CONTENTS:

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS

ACCEPTED
47744-3
JUN 21 1982
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 46512-9

F109 is a phosphate free concentrated detergent disinfectant which provides effective cleaning, deodorizing, disinfection, and sanitization. F109 detergent disinfectant has been designed especially for hospitals, nursing homes, schools, food processing plants and other institutions where housekeeping is of prime importance in controlling the hazard of cross contamination.

F109 when diluted at the rate of 1 ounce per gallon of water is an effective disinfectant against the organism *Pseudomonas aeruginosa* and meets all requirements for hospital use. When used as directed, F109 is formulated to disinfect inanimate hard surfaces such as walls, floors, sink tops, toilet bowls, tables, chairs, telephones and bed frames. For larger areas such as operating rooms, patient care facilities and restrooms, the product is designed to provide both general cleaning and disinfection.

In addition, F109 deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls and any other areas which are prone to odors caused by microorganisms.

DISINFECTANT- At 1 ounce per gallon dilution, F109 exhibits effective disinfectant activity against the following:

<i>Pseudomonas aeruginosa</i> PAD-10	<i>Brevibacterium ammoniagenes</i>
<i>Escherichia coli</i>	<i>Streptococcus faecalis</i>
<i>Mycobacteria pneumoniae</i>	<i>Shigella dysenteriae</i>
<i>Salmonella schottmulleri</i>	<i>Enterobacter aerogenes</i>
<i>Salmonella choleraesuis</i>	<i>Staphylococcus aureus</i>
<i>Streptococcus salivarius</i>	

At this level the product is also fungicidal against the pathogenic fungi, *Trichophyton mentagrophytes*.

Virucidal Activity: The product when used on environmental inanimate hard surfaces at 1 ounce per gallon of water exhibits effective virucidal activity against Influenza A₂ - Asian (representative of the common flu virus), Herpes simplex (causative agent of fever blisters and mononucleosis), Adeno virus type 2 (causative agent of upper respiratory infections), and Vaccinia virus (representative of the pox group).

Efficacy tests have demonstrated that F109 is an effective bactericide, fungicide, and virucide* in the presence of organic soil (5% blood serum).

Mold and Mildestat-F109 prevents and controls mold and mildew and the odors they cause on hard non-porous inanimate surfaces.

SANITIZATION- When used for sanitization of previously cleaned food equipment or food contact items limit active quaternaries to 200ppm. At this level NO POTABLE WATER RINSE is required. It is an effective sanitizer when diluted in water up to 250ppm hardness (CaCO₃).

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE AND DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

Pesticide Disposal- Pesticides that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide or buried in a safe place.

Container Disposal Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.