DIM CTIONS FOR USE General Classification

1

It is a violation of Federal faw to use this product in a manner incommistent with its labeling,

flll detergent disinfectant has been designed specifically for hospitals, nursing homes, schools, fond processing plants and other institutions where howekeeping is of prime importance.

DISINFECTION- To disinfect hard inanimate surfaces (such as walls floors, table tops), add I ounce FIII detergent disinfe tant per dallon of water. Apply solution with map, cloth, or spange or mechanical sprayer so as to wet thoroughly. Allow to remain wet for 10 minutes and then let air dry.

To diminfect toilet howle, flush toilet, add 1 ounce fill detergent diminfectant directly to the bowl water. Swab the bowl com-pletely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

For heavily soiled areas, a pre-cleaning step is required and secommended. Prepare a fresh solution for each use.

HILTENSTAT- To control mold and milder on pre-cleaned, hard nonpropagation of water, apply solution with a cloth, sop, or spogge making sure to wat all surfaces completely, let air dry. Propact a fresh solution for each use. Repeat application at weekly intervals or when mildew growth reappears.

SAMITIZATION- To samitize previously cleaned and rinse non-porous fow ontact surfaces, prepare 200pps active quaternary solution by adding I ounce fill to D gallons of water.

To sanitize immobile items (such as tanks, chopping blocks, counter tops), flood the area with 200pps Fill solution or apply with a cloth or sponge, making sure to wet all surfaces completely threat least 60 seconds. Let air dry, Prepare a fresh solution

To samitize mobile items (such as drinking glasses, eating uten-mils), immerse in 200ppm fill solution for at least 60 seconds making sure to immerse completely. Remove and let air dry, Pre-pale a fresh solution daily or more frequently as soil is atroamat.

PHECAUTIONARY STATEMENTS Hazard to Human and Domestic Animals DANGER

Keep Out of Smach of Children. Causes severe eye and skin damage Do not get in eyes, on skin or clothing. Harmful if swallowed. Mear goggles or face shield and rubber gloves when handling. Avoid contamination of food, Remove and Wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Homove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not aveilable, drink large quantities of water. Call a physic

MOTE TO PHYSICIAN

Probable success damage may contraindicate the use of gas ric lawage. Measures against circulatory shock, respiratory depresion and convulsion may be needed.

FIII RETERIORE DISTRECTANT HEAVY DUTY-HOUPETAL INSTITUTIONAL

Clearer Disinfectant Intergent Fungicide (against Pathogenic fungi) Deodortzer VirueLis. Sanitizer Hildrestat (on hard inanimate surfaces)

ACTIVE INGREDIENTS: n-Alkyl (60%C₁₄,30%C₁₆,5%C₁₂, 5%C₁₈) dimethyl benzyl ammonium chlorides 4.50% n-Alkyl (68%C₁₂, 32%C₁₄) diswithyl ethylbenzyl amonium chlorides 4.50% INERT INGREDIENTS: 91.004

TOTAL 100.004

EPA MEG. NO. 46512-11

KEEP OUT OF REACH OF CHILDREN IVNTR

See side panel for additional precautionary and first aid statements.

FBRO CHEHICAL COMPANY TEMPLE HILLS NO 20011

HET CONTENTS:

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS

Fill is a promisate frie concentrated determint disinfectant which provides effective cleaning, decoderizing, disinfection, and sanitization. Elli determent disinfectant has been designed o pecually for hospitals, nursing homes, schools, food processimportance in controlling the hazard of cross contamination.

[1]] when diluted at the rate of 1 nunce per gallon of water is an effective disinfectant against the organism Pseudomonas aexuginosa and meets all requirements for hospital use. When used as directed, fill is formulated to disinfect inanimate hard .urfaces such ar walls, floors, sink tops, toilet bowls, tables, chairs, telephones and bed frames. For larger areas such as specting rooms, patient care facilities and restrooms, the product is designed to provide both general cleaning and

In addition, fill deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and came, to:let bowls and any other areas which are prome to odors caused by microorganiams.

DISINFECTION- At 1 ounce per gallon dilution, [11] embibits effective disinfectant activity against the following:

Pseudomonas aeruginosa PRD-10 Escherichia coli Flebsiella pneumoniae Salmonella schottmuelleri Salmonella choletarents

Streptococcus saliverius

Brevibacterium ammoniagenes Streptococcus faecalis Shigelia dysenteriae Enterobacter aerogenes Staphylococcus sureus

At this level the product is also fungicidel against the pathogenic fungi, Trichophyton mentagrophytem.

Virucidal Activity: The product when used on environmental inanimate hard surfaces at 1 ounce per gallon of water embits effective virucidal* activity against influenza A₂ - Asian (representative of the common flu virus), Herpes simples (causative agent of fever blisters and mononucleosis), Adeno virus type 2 (causative agent of upper respiratory infections), and Vaccinia virus (representative of the pos group).

Efficacy tests have demonstrated that FILL is an effective bacterricide, fungicide, and virunthe in the presence of organic soil (5% blood serum),

Hold and Hildewstat- Fill prevents and controls mold and mildew and the odors they cause on hard non-porous inanimate surfaces.

SANITIZATION- When used for sanitization of previously cleaned food equipment or food contact items limit active quaternaties to 200ppm. At this level NO POTABLE WATER RINSE is required. is an effective samitizer when diluted in water up to 250ppm hardness (CrCO₃).

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD OR PEED
- BY STORAGE AND DISPOSAL
- OPEN DUMPING IS PACHIBITED - DO NOT NEUSE EMPTY CONTAINER

Pesticide Disposal- Pesticides that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide or buried in a mafe place.

Container Disposal. Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

CEPTED 41154-3 IUN 2 1 1982

Under the Federal Insecticide, Fungici**de, a**nd Rodenticide Act. as amended, for the posticide regnatered under EPA Reg. No.46512