HEARTLAND KENNEL AND SMALL ANIMAL QUARTERS INSECTICIDE E.C.

For Control of Ticks, Fleas, Lice and Ear Mites on Dogs and Cats Protects Against Chiggers, Eye Cnats, Biting Flies and Mosquitoes

The insecticidal ingredients of this concentrate are highly and rapidly effective against insects. This concentrate is designed for dilution with water at specified rates for se on animals or in kennels as a space, surface or fogging spray.

Active Ingredients:

Pyrethrins	1.18%
*Piperonyl Butoxide, Technical	11.84%
Petroleum Distillate	72.18%
INERT INCREDIENTS:	. 14.80%
	100 00%

*Equivalent to 8.47% (butylcarbityl)(6-propylpiperonyl) ether and 2.37% related compounds.

CAUTION

KEEP OUT OF REACH OF CHILDREN

See rear panel for additional precautions

Net Contents: 1 Gallon

-47834-19

HEARTLAND KENNEL AND SMALL ANIMAL QUARTERS INSECTICIDE E.C.

Dilution of this concentrate should be made shortly before use in the quantity needed for the individual application. Water dilutions should not be kept for future use.

To Control Insects on animals

Dilute this concentrate at the rate of 7 fluid ounces in 1 gallon with water or 1 fluid ounce in 18 fluid ounces of water.

For rapid control of <u>ticks</u>, <u>fleas</u> and <u>lice</u> on dogs and cats, apply this dilution as a mist spray. To insure thorough coverage, part the fur by stroking against the lay of the hair as spray is applied. Spray directly on ticks. Apply to moisten the fur lightly.

To control spinose ear ticks and ear mites, syringe the ears with a few drops of this dilution so that it can penetrate the wax down to the surrounding tissues. Repeat treatment once or twice at 2 to 3 day intervals as necessary.

For temporary protection from mosquitoes, eye gnats, biting flies, and chiggers, apply to cover the surface of the hair. Repeat treatment as necessary when insects are trouble-

To Control Insects in Kennels and Animal Quarters

Dilute at the rate of 13 fluid ounces in 1 gallon with water or 2 fluid ounces in 18 fluid ounces of water.

Remove pets, birds and cover fish aquariums before spraying.

For rapid cleanout of fleas and ticks in kennels apply as a surface spray in a good machine adjusted to deliver coarse droplets. Apply to the point of run-off with special attention to cracks and crevices and other insect hiding places. Bedding should be removed or sprayed thoroughly.

To control flies, mosquitoes, and gnats in kennels, apply this dilution in a good sprayer adjusted to deliver a fine mist. Use at the rate of approximately 1 ounce for each 1000 cubic feet of space. Till the enclosed area with mist. Wherever practical, keep doors and windows closed for 10 minutes or more after application. Do not remain in treated areas and ventilate after treatment is complete.

PRECAUTIONARY STATEMENTS - Hazards to Humans & Domestic Animals

Caution:

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not contaminate feed or foodstuffs. Do not use as a space spray. Not for use if horses are to be used for food.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. DO NOT APPLY DIRECTLY TO WATER. Do not contaminate water by cleaning of spray equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its----

labeling.
STORAGE & DISPOSAL See next page

·

_

Page 2 (Cont'd.)

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray, mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in a safe place. Consuld Federal, State or Local disposal authorities approach that for approved alternative procedures ties for approved alternative procedures.