

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS 767)
WASHINGTON, DC 20460

EPA REGISTRATION

DATE OF ISSUANCE
NOV 14 1988

NOTICE OF PESTICIDE: REGISTRATION
RENEWAL

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended.

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

NOTE: Changes in labeling, formula difference in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the label on this pesticide is hereby Registered/Re-registered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the label(s) accepted in connection with this Registration/Re-registration is returned herewith.

Registration in any way to be construed as an endorsement or approval of the product by the Agency. In order to protect health and the environment, the Administrator reserves the right to suspend or cancel the registration of a pesticide registered in compliance with the Act. The acceptance of an application for registration of a pesticide under the Act is not to be construed as giving the registrant authority to make use of the name or to use it if he has been suspended or canceled.

[Handwritten signature]

ATTACHMENT AVAILABLE

SIGNATURE OF APPROVING OFFICIAL

MFC 2000

INDUSTRIAL MICROBICIDE

ACTIVE INGREDIENTS

Methylenebis(4-thiazolates)

21.5

2,2,2-Trifluoro-N-methylthioacetamide

1.0

INERT INGREDIENTS

96.5

This product weighs 1.00 pounds per gallon.

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes irreversible eye damage and causes skin damage. Harmful or fatal if swallowed or absorbed through the skin. This product is a potential skin sensitizer. Workmen handling this product or treated material should wear eye protection, goggles or face shield, and protective clothing. All protective clothing, work shoes or boots, and equipment must be left at the work site at the end of the day. Eating, drinking, or smoking during use of this product is prohibited.

FIRST AID: In case of skin contact, wash promptly and thoroughly with soap and water. Irrigate eyes with glycerine. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for 15 to 30 minutes. Get medical attention immediately. If product is swallowed, call a physician or Poison Control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting if you are pregnant. Do not breathe vapors.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply directly to water or within 50 feet of any body of water. Do not apply to fish spawning grounds, or to any water body where contact with the runoff of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: Do not expose to extreme temperatures.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray machine, or container is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reuse, if available, or as a secondary landfill by use of a licensed landfill. Do not burn or incinerate by burning, or by other means.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

COOLING TOWERS: MFC 2000 is used to control bacterial and fungal growth in cooling water systems. It is used to control soft rot and internal or dry rot in wood against soft rot surface rot and internal or dry rot. It is used to control wood decay, soft rot surface rot, and internal or dry rot in wood.

For wood, the amount applied should provide 2.4 to 3.2 lb of active ingredient per 1000 sq ft of wood surface. For soft rot surface rot, it can also be applied to wood surfaces. For cooling towers, the amount applied should provide 5.0 lb of active ingredient per 1000 gal of water. The treatment should be stopped for 4 to 6 hr after treatment every 3 to 4 months.

COOLING WATER: MFC 2000 is used to control bacterial and fungal growth in cooling water systems. It is used to control soft rot and internal or dry rot in wood against soft rot surface rot and internal or dry rot. It is used to control wood decay, soft rot surface rot, and internal or dry rot in wood. For cooling towers, the amount applied should provide 5.0 lb of active ingredient per 1000 gal of water. The treatment should be stopped for 4 to 6 hr after treatment every 3 to 4 months.

DRILLING FLUIDS: To inhibit bacterial and fungal degradation of drilling fluids, apply 2.4 to 3.2 lb of active ingredient per 1000 gal of fluid.

PETROLEUM SECONDARY RECOVERY: To control sulfate-reducing bacteria, slime-forming bacteria, and other microorganisms in water injection systems, and other oil field water systems, apply 2.4 to 3.2 lb of active ingredient per 1000 gal of water.

CRUDE AND REFINED OILS: To control bacterial and fungal growth in crude and refined oils, apply 2.4 to 3.2 lb of active ingredient per 1000 gal of oil.

CRUDE AND REFINED OILS: To control bacterial and fungal growth in crude and refined oils, apply 2.4 to 3.2 lb of active ingredient per 1000 gal of oil.

CRUDE AND REFINED OILS: To control bacterial and fungal growth in crude and refined oils, apply 2.4 to 3.2 lb of active ingredient per 1000 gal of oil.

Manufactured by
EPA REG NO
EPA EST NO
NET CONTENTS