REGISTRATION DIVISION (WM-\$67) TERM OF ISSUANCE MASHINGTON, D.C. 2049 NAME OF PESTICIDE PRODU NOTICE OF PESTICIDE: (Under the Federal Insecticide, Fundicide, Sprayawny 750 concentrate and Rodenticide Act, as amended) ADDRESS OF REGISTRANT (Include ZIP code) Prisono Bupit VinoM 501/ SF 107th Street Belleview, PL 32620 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must use submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect bealth and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pasticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIPRA sec. 3(c)(7)(A) provided that you: Submit and/or cite all data required for registration/refegistration of your product under PIFRA sec. 3(c)(5) when the Adency requires all registrants of similar products to subnit such data. Add the phrase *EPA Registration No. 47867-2* to your label before you release the product for shipment. Submit five (5) copies of your final printed labeling before you clease the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with PIPRA sec. 6(e). Your release for chipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Timothy A. Gardner Product Manager (37) Insecticide-Rodenticide Branch Projection Division (TS-767) ACHMENT IS APPLICABLE OF APPROVING OFFICIAL 4-11-8 EPA Fem 8570-4 (Rev. 5-76) PREVIOUS EDITION MAY SE USED UNTIL SUPPLY IS EXHAUSTED.

FRONT

SPRAY-AMAY 750 READY TO USE SPRAY

For Use In Industrial Buildings

PRECAUTIONARY STATEMENT

Active Inpredients

Inert Ingredients

KEEP OUT OF REACH OF CHILDREN
___ CAUTION

NET CONTENTS _____

MF'D. BY
WOODY RIGGS CO.
BELLEVIEW, FLORIDA
EPA REC * 46867 R
EPA EST. * 46867-FH




MIN COMMENTS

APR11 1985

Under the Folial Inserticida. Fundelde, and Rostende le Act an amended, for the positicida registered under EPA Rog No. SPECIMEN LABEL #1

Ready-to-Use Spray from CLEARMOLO Intermediate 6643



For Use in Household and Food Processing Plants, Restaurants, Industrial Buildings: schools, warehouses, offices, theatres, garages, hotels, motels, hospitals, kennels cattle barns and horse stables.



ACTIVE INGREDIENTS:

Pyrethrins

*Piperonyl butoxide, technical

-N-octyl bicycloheptene dicarboximide

Petroleum distillate

INERT INGREDIENTS:



0.075% 0.150% 0.250% 0.358% 99.167% 100.000%

*Equivalent to 0.12% (butylcarbityl)(6-propylpiperonyl ether and 0.03% related compounds.

-MGK® 264, Insecticide Synergist.

ergist.

KEEP OUT OF REACH OF CHILDREN

CAUTION



APRIL 135

47867-1

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals



BEST AVAILABLE COFT

to not apply directly to tood. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space sproying in bakeries and other food processing plants, wash allowed equipment with potable water, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

BANK

* DIRECTIONS FOR USE

| IT IS A VIOLATION | 3 | |
|---------------------------------------|----------|------------------------------|
| · · · · · · · · · · · · · · · · · · · | - | |
| Space Spray to kill Houseflies | | |
| | (8) | CHANAGE AND DIGRATOR |
| | - | STORAGE AND DISTOSAL STORAGE |
| iontact spray to Kill | | |
| - - | | PERIO DC DING NA |
| - | | |
| | | JENNIKER VISIOUR, |
| ontact Storay To Kill Fleas | | |

according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

Container Disposal: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

Space Spray to Kill Houseflies, Mosquitoes, Gnats and Flying Moths: Shake container gently to be sure contents are uniformly mixed. Pour in sprayer. Close doors and windows and turn off ventilation equipment. Mist all parts of the room or area at a dosage of one fluid ounce of dilute spray per 1,000 cubic feet of space. Vacate premises. Keep room closed for 15 minutes. Ventilate prior to re-entry. Repeat as necessary.

SMALL

Contact Spray to Kill Cockroaches, Waterbugs, Crickets, Centipedes, Spiders, Ants, Sowbugs and Exposed Forms of Crawling Grain Pests listed. Shake container gently as above. Apply as a coarse spray to all cracks and crevices in woodwork, beneath sinks, dark places behind pipes and in all places where these insects rest, contacting as many insects as possible with the spray. Repeat applications as often as necessary to gain control. For grain weevils, cadelles, grain moths, confused flour beetles, saw-toothed grain beetles, and grain mites, apply as a coarse spray to all infested surfaces, insect hiding places and insect runways at the rate of one gallon of dilute spray on 750 square feet of area. Treat ant trails. Repeat when necessary.

Contact Spray to Kill Fleas and Brown Dog Ticks: Spray infested areas such as pet resting places and areas of floor and floor coverings (such as carpet) where these pests may be present. Use at the rate of one gallon per 750 square feet of area to be treated. Old pet bedding should be discarded and replaced with clean frech bedding after treatment. Do not apply directly to pet. Repeat as needed.

Net Weight____

Manufactured by:

XYZ CHEMICAL COMPANY No Place, U.S.A.

(G)-(FROMS)

EPA ESL. No.

EPA Reg. No.

For Reference Only EPA Reg. No. 1021-838 Clearmol Int. 6643

To Make Use:
3% Int 6643
97% Deionized or
Distilled water

- }