



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

APR - 1 2003

Dr. Matthew W. Brooks  
Ag-Chem Consulting  
Agent for ABERCO Inc.  
12208 Quinque Lane  
Clifton, VA 20124

Dear Dr. Brooks:

Subject: Labeling Amendments  
Propylene Oxide Technical  
EPA Reg No 47870-2  
Your Correspondence Dated December 16, 2002

The labeling referred to above, submitted in connection with registration under the Federal, Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable subject to the conditions indicated below.

1. Revise the EPA Registration Number to read "EPA Reg No 47870-2."
2. The Agency highly recommends the use of the term "First Aid" as the section heading instead of "Statement of Practical Treatment." Please refer to *PR Notice 2001-1* for details.
3. Under the "Storage and Disposal" section, include a subheading for the "Pesticide Disposal" subsection.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec 6(e). Your release for shipment of the product constitutes acceptance of this condition.


A stamped copy of the label is enclosed for your records. Please submit one (1) copy of your final printed labeling before you release the product for shipment.

Please note that this label does not contain a warranty statement or limitation of liability section as most labels do.

In addition, for future submissions, clearly indicate the name of the product and the EPA Registration Number everywhere in your correspondence. That is, transmittal and/or cover letter, EPA Form 8570-1, proposed label, and any other related materials.

If you have any questions regarding this letter, do not hesitate to contact me directly at (703) 308-6742 or María I. Rodríguez of my staff at (703) 305-6710.

Sincerely



Dennis McNeilly, Acting  
Product Manager #22  
Fungicide Branch  
Registration Division (7505C)

Enclosure

CAS 75-56-9

UN1280

3/5

# PROPYLENE OXIDE Technical

## For Manufacturing Use Only

### ACTIVE INGREDIENT

Propylene Oxide ..... 100%

This product contains 6.92 lbs of active ingredient per gallon

ACCEPTED  
with COMMENTS  
In EPA Letter Dated  
APR - 1 2003  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
47870-2

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call poison control center or doctor immediately for treatment advise. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless instructed to do so by doctor or poison control center. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advise.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

**IF ON SKIN or CLOTHING :** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice

**HOTLINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

**NOTE TO PHYSICIAN:** Possible mucosal damage may contraindicate the use of gastric lavage.

**SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

Manufactured by ABERCO, Inc. Seabrook, Maryland

Establishment No.

EPA Registration No. 47870-E

Net Contents 366 lbs.

**PRECAUTIONARY STATEMENTS****HAZARDOUS TO HUMANS  
& DOMESTIC ANIMALS  
DANGER**

**CORROSIVE:** Causes eye damage and skin burns. Harmful or fatal if swallowed.

**DO NOT GET IN EYES:** Wear full face shield and vaporproof goggles when opening drums or handling product. Avoid touching gloves or hands to eyes after handling until possible residues are washed off of hands. If liquid does get in eyes flush immediately with water for 15 minutes, seek immediate medical attention.

**DO NOT GET ON SKIN OR CLOTHING:** Wear protective clothing, rubber gloves, and wash before re-use. Discard contaminated leather shoes. In the event of a splash, spill, or other event which contaminates the skin or clothing, immediately remove contaminated clothing and promptly wash contaminated skin with soap and water. Seek prompt medical attention.

**DO NOT BREATHE VAPORS OR FUMES.** If the concentration of propylene oxide in the workroom or area exceeds 20 ppm by volume, respiratory protection is mandatory. For respiratory protection, wear a self-contained breathing apparatus of a type jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health or an ambient breathing apparatus.

**DRUMS MAY BE UNDER PRESSURE WHEN OPENED.** Relieve pressure by slowly opening the small bung in a safe, well-ventilated area, standing up-wind if outdoors and with the barrel between you and the nearest point of air exhaust if indoors. If a hissing sound is heard do not further open the small bung until the hissing sound stops. Continue opening small bung and waiting until any hissing stops. Only when small bung has been completely opened is the pressure to be considered as relieved. See CLOTHING AND EYE PROTECTION section for protective gear that must be worn.

**EMPTYING DRUMS**

Electrically ground drum. The best procedure is to displace the contents with an inert gas. Care must be taken to see that no appreciable pressure is exerted on the drum. A pressure relief device set to several inches of water should be installed on the inert gas line. For details, read brochure "Propylene Oxide" available from this company.

**ENVIRONMENTAL HAZARDS**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified

**PHYSICAL OR CHEMICAL  
HAZARDS****EXTREMELY FLAMMABLE**

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product is an extreme fire hazard. The flash point is -35° F tag open Cup and the flammable limits of vapor in air, in percent by volume, are 2.1 lower and 38.5 upper. Keep away from heat, sparks, open flame and heated surfaces.

**IN CASE OF FIRE, SPILL OR LEAK**

**FIRE:** Use carbon dioxide or dry chemical on small fires and "alcohol" foams on large fires. Water spray may be ineffective, but use water to keep exposed drums cool. In advanced or massive fires, firefighting should be done from a safe distance or a protected location. Wear self-contained breathing apparatus (SCBA) and full protective clothing.

**SPILL OR LEAK:** Evacuate immediate area of spill or leak. Use SCBA or combination air-supplied respirator / SCBA for entry into affected area to correct problem. Move leaking or damaged cylinders outdoors or to an isolated location away from sources of ignition, observing strict safety precautions. Work upwind if possible. Wash fumigant into soil or cover with soil or other absorbent material. Do not permit entry into spill area by unprotected persons until concentration of propylene oxide is determined to be less than 20 ppm.

**DO NOT CONTAMINATE CONTENTS**

Hazardous polymerization may occur. Do not allow foreign material to get into this drum, particularly acidic or alkaline materials.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store in a well-ventilated, cool, secure area away from heat, flame, sparks, electrical equipment, or other ignition sources.

**DRUM DISPOSAL:** If used drum is filled with an inert gas, the best procedure is to replace bungs immediately after disconnecting drum and give drum to recycler. Otherwise, empty drum may contain explosive vapor and should be filled with water immediately after use. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill or by other procedures approved by state and local authorities.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide Environmental Control Agency or the Hazardous Waste representative of the nearest EPA regional office for guidance.

in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

## DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This fumigant is a highly hazardous material and should only be used by individuals trained in its proper use. Before using, read and follow all label precautions and directions.

All persons working with this fumigant should be knowledgeable of the hazards of this chemical, and trained in the proper use of required respirator equipment and detector devices, emergency procedures, and use of this fumigant.

For formulation into End-Use Products to aid in the control of microbiological spoilage and as an insecticidal fumigant for the control of stored product insects. To reduce bacterial and mold contamination in processed spices, cocoa, cocoa beans, inshell and processed nutmeats (except peanuts).

For non food use as an insecticidal fumigant for the control of stored product insects in bird seed, cosmetic articles and ingredients, gums, ores, packaging, pigments, pharmaceutical materials, and discarded nut shells prior to disposal.

## PROTECTIVE CLOTHING AND RESPIRATOR USE

### CLOTHING AND EYE PROTECTION

When contact with liquid propylene oxide can occur, such as when opening drums or handling leaks or spills, the following protection must be worn: full body protection including solvent proof gloves, clothing, hat, apron, boots, and vaporproof goggles and full face mask if SCBA is not required. Don't re-use contaminated clothing until washed. Discard contaminated leather shoes.

### RESPIRATORY PROTECTION

If the concentration of propylene oxide in the working area, (working area includes all holding or storage areas for treated commodities in which off-gassing may occur) as measured by a Dreger Multi Gas Detector Pump with Dreger tube #67 28 971-1A (or equivalent) or a Miran 101 Specific Vapor Analyzer (or equivalent - for additional information contact ABERCO), exceeds 20 ppm (4mg/cubic meter), use of a full face self contained breathing apparatus (SCBA) jointly approved by MSHA and NIOSH or an ambient air breathing apparatus is mandatory.

The use of an approved SCBA or ambient air breathing device is also required when the air level of propylene oxide is not known and/or may be elevated such as in emergency entrance, spills, and leaks.