

10F1
Pm 17

56644-57

[56644-57]

Apply when caterpillars (or their damage) first appears. Retreatments at 7 to 10 day intervals may be required, especially when egg hatch occurs over an extended period of time.

RATE TO USE

SHADE TREES, SHRUBS AND ORNAMENTALS: To control the following insect pests, apply 2 teaspoons per gallon of water (2 pints per 100 gallons of water). Gypsy Moth, Bagworm, Redhumped Caterpillar, Spring & Fall Cankerworm, Fall Webworm, Elm Spanworm, Tent Caterpillar, California Oakworm, Pine Butterfly, Spruce Budworms, Saddle Prominent Caterpillar, Douglas Fir Tussock Moth, Western Tussock Moth, Fruittree Leafroller, Blackheaded Budworm, Mimosa Webworm, Jack Pine Budworm, Saddleback Caterpillar

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap container and place in trash collection.

NOTICE

The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label. 286040

NET CONTENTS 1 FL. QUART
WOOLFOLK CHEMICAL WORKS, INC.

Manufacturers

Fort Valley, Ga.



Dipel®

Liquid Worm Spray Biological Insecticide

Kills Gypsy Moths, Bagworms, Tent Caterpillars and other caterpillars attacking shade Trees and Shrubs

ACTIVE INGREDIENT:

Bacillus thuringiensis, Berliner, 8,800 International Units of Potency per mg. (Equivalent to 32 billion International Units per gallon).

* Dipel is a registered trademark of Abbot Laboratories.
EPA Reg. No. 769-522 EPA Est. 769-GA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

ADVANTAGES OF DIPEL LIQUID

The active ingredient, *Bacillus thuringiensis*, is a biological insecticide that selectively controls the larvae of leaf-eating caterpillars. Dipel will not harm honeybees, beneficial or predacious insects in treated areas.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Security® Dipel Liquid is easy to mix and apply through pressurized or hose-end sprayers. Place one-half the required amount of water in jar or tank. Add recommended amount of Security® Dipel Liquid and shake or stir. Then add balance of water and shake. Security® Spreader-Sticker may be added for hard-to-wet crops or to improve weather-fastness of the spray deposit. Do not store diluted spray for more than 72 hours. Do not mix Security® Dipel Liquid with other pesticides unless prior experience has shown them to be compatible.

Security® Dipel Liquid works as a "stomach poison". Caterpillars must eat a small amount of treated leaf to get a lethal dose. Thorough and uniform coverage of both sides of all foliage subject to attack is essential for prompt and complete control. Within a few hours after taking a bite of treated foliage, the caterpillar stops feeding. Death follows in a few days.

BEST DOCUMENT AVAILABLE

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product or shipment:
 - a. Add the phrase "EPA Registration No. 47916-51."
 - b. The label must be revised by adding the statement "May cause skin sensitization in certain individuals" to the precautionary statements section prior to the release of this product into the channels of trade.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-7 enclosure for a further description of final printed labeling.

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL


DATE

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures



ACCEPTED
with COMMENTS
in EPA Letter Dated

FEB 3 1989

SUPERFINE CRYSTALS

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for use as a pesticide
registered under EPA Reg. No.

47916-51

ACTIVE INGREDIENT:

Copper Sulfate Pentahydrate 99.0%
INERT INGREDIENTS..... 1.0%

TOTAL 100.0%

(METALLIC COPPER EQUIVALENT..... 25.2%)

KEEP OUT OF REACH OF CHILDREN

ANGER - PELIGRO

PRECAUCION AL USUARIO: Si usted no lee las etiquetas, no use este
producto hasta que la etiqueta haya sido explicada ampliamente.

Statement of Practical Treatment

IF SWALLOWED: Drink promptly a large quantity of milk, egg
whites, gelatin solution, or if these are not available, large
quantities of water. Avoid alcohol.
Note to Physician: Probable mucosal damage may contraindicate
the use of gastric lavage.

IF IN EYES: Flush with plenty of water. Get medical attention.

IF ON SKIN: Remove contaminated clothing. Wash skin with
soap and warm water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give
artificial respiration, preferably mouth-to-mouth. Get medical
attention.

PRECAUTIONARY

HAZARDS TO HUMANS AND

ANGER -

Corrosive, causes irreversible eye
on skin, or on clothing. Protect
and rubber gloves, should be worn
inhaled, or absorbed through the
Causes severe skin irritation. W
water after handling. Remove con
before reuse.

ENVIRONMENTAL

This product is toxic to fish and
apply directly to water except as
instructions section. Drift and
may be hazardous to fish and aqua
aquatic sites. Direct applicatio
may cause a significant reduction
invertebrates, plants and fish.
of lake or pond at one time in or
oxygen levels due to decaying veg
weeks between treatments for oxy

Trout and other species of fish
rates recommended on this label,
waters. However, fish toxicity
hardness of water increases.

Do not contaminate water by clean
of wastes. Consult your State P
applying this product to public
required before treating such wa

EPA Reg. No. 47916-

EPA Ex. No. 47916-AL-01

NET CONTENTS:

 **wesley industries, inc.**

P. O. BOX 490, MONTROSE, ALABAMA 36680 U.S.A.